# INSTALLATION INSTRUCTI



For more information contact...

## WOODFORD MANUFACTURING COMPANY


2121 Waynoka Road, Colorado Springs, Colorado 80915 • Phone: (800) 621-6032 • Fax: (800) 765-4115 To view our complete product line visit: <a href="www.woodfordmfg.com">www.woodfordmfg.com</a> or email: <a href="mailto:sales@woodfordmfg.com">sales@woodfordmfg.com</a> or emailto: <a href="mailto:sales@woodfordmfg.com">sales@w A Division of WCM Industries Inc.


Model 22 & V22

**HOT & COLD** Freezeless Wall Faucet Model 22 Anti-siphon protected Model V22 Anti-siphon protected

5" Tube Centers

**FIGURE 1-22** 





Nozzle

Rev 12/19 Form No. II22.103

Wall faucets must be properly installed and operated to insure drainage. Improperly installed or operated wall faucets may freeze and burst in freezing weather.

#### **INSTALLATION INSTRUCTIONS:**

- 1. Before installation, flush supply line to remove any debris.
- 2. Drill (2) 1-1/8" diameter holes through the wall in the desired location and insert the faucet from the outside. FIGURE 1
  - a. Drill (2) holes for the horizontal mounted Model 22 water tubes on 5" centers.
  - b. Drill (2) holes for the vertical mounted Model V22 water tubes on 3 1/4" centers.
- 3. Install faucet with nozzle pointing down.

### FIGURE 1

4. The water tubes must have a slight downward pitch for proper drainage. Proper drain angle is built in to the faucet head if mounted on a vertical surface.

#### FIGURE 2

- 5. Secure faucet to the wall using appropriate fasteners installed through the holes in the flange. FIGURE 1
- 6. For a solder connection inlet, open faucet to full open position before soldering. Excessive heat can damage valve seat rubber or stainless steel seat and factory solder joint.

**NOTE:** The packing nut, located behind the handle, has been factory adjusted. If leakage should occur after installation or use, the packing nut can be tightened to stop the leak. FIGURE 2

This ASSE 1019 device in intended for irrigation use and outdoor watering and shall not be subjected to more than (12) hours of continuous water pressure.