

# Tork Premium Soft Xpress Multifold Hand Towel

MB579



## Description

Tork Premium Soft Xpress® 3-Panel Multifold Hand Towels. Superior appearance, hand feel, strength and absorbency. High-performance towels help customers use fewer, resulting in greater cost savings. Maintain a high-end image with reduced waste and clutter. Hands dry faster thanks to greater absorbency and overall better performance. Contains minimum 50% recycled fiber, minimum 40% post-consumer fibers - environmental benefit and positive image builder.

- Attractive Tork Leaf décor: designed to make a great impression
- Fast absorbency helps to control usage: Reduces waste and maintenance time
- Extra soft: gentle on the hands with a high quality feel
- With high-performance towels customers use fewer, resulting in greater cost savings
- Embossing
- Super absorbent
- Tork Easy Handling® Packaging
- Premium

## Product Certifications



Tork  
Premium

## Product Details

Print	No
Unfolded Width	3.2 in
Folded width	9.1 in
Folded length	9.1 in
Ply	2
Unfolded length	9.5 in
System	H2
Color	White

## Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286661623	10073286661620	7322541382340
Packaging Material	Band	Carton	-
Pieces	135	2160 (16 CON)	151200 (70 TRP)
Height	9.06 in	9.88 in	98.75 in
Length	5.32 in	20.63 in	47.63 in
Width	8.46 in	13.5 in	41.25 in
Gross Weight	0.79 lb	13.62 lb	953.1 lb
Net Weight	0.79 lb	12.61 lb	882.93 lb
Volume	0.24 ft	1.59 ft	112.27 ft
Layers Per Pallet	-	-	10
TRP Per Layer	-	-	7

## Compatible Products



DISP H2 HAND TWL INTERFOLD  
WHT 1/CS  
553020



DISP H2 HAND TWL INTERFOLD  
BLK 1/CS  
553028



DISP H2 HAND TWL MINI INTERFOLD  
WHT 1/CS  
553120



DISP H2 ELEV XPRESS MINI BLK  
1/CS  
553128

## Environmental Information

### Content

The product is made from

Virgin pulp  
Recycled fibers  
Chemicals

The packaging material is made from paper or plastic.

### Material

Virgin fibers and recovered paper

In the tissue process both virgin fibers and recovered paper are being used. The choice of pulp is made based on product requirements and pulp availability so the pulp is used in the most efficient way.

Recycling of paper is an efficient use of resources as the wood fibers are used more than once.

High demands are put on quality and purity of recovered fibers, considering each step of the chain (collection, sorting, transportation, storage, use), to ensure safe and hygienic products.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite).

### Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)

# Tork Premium Soft Xpress Multifold Hand Towel

MB579

- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use a water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibers we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

<b>Environmental certification</b>	This product is certified for FSC®.
<b>Packaging</b>	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
<b>Article creation date and latest article revision</b>	Date of issue: 05-01-2021 Revision date: 18-06-2025
<b>Production</b>	This product is produced at Essity Professional Hygiene NA - US mill.
<b>Destruction</b>	This product is mainly used for personal hygiene and can be collected together with household waste.

**Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA**