

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Counter Assault Bear Deterrent	HMIS Hazard Rating	
		Health	2
		Flamability	4
		Reactivity	0
SYNONYMS:		Personal Protection	X
	Item Number	Item Name	
	1506-7034	10.2 oz Counter Assault Bear Deterrent	
	1506-7035	10.2 oz Counter Assault Bear Deterrent w/holster	
	1506-7024	8.1 oz Counter Assault Bear Deterrent	
	1506-7025	8.1 oz Counter Assault Bear Deterrent w/holster	
	1506-7026	8.1 oz/8.1 oz Counter Assault Bear Deterrent Combo Pack	
	1506-7027	8.1 oz/10.2 oz Counter Assault Bear Deterrent Combo Pack	
SDS Date:	January 16, 2021		
SDS Revision No.:	1		
USE:	Animal Deterrent - Aerosol		
MANUFACTURER:	Adventure Ready Brands		
ADDRESS:	944 Industrial Park Rd Littleton, NH 03561		
INFORMATION CALLS:	800-258-4696		
E-Mail:	cs@adventurereadybrands.com		
FAX PHONE:	603-444-6735		
EMERGENCY PHONE:	Spills:(800) 354-2382 (Veolia) Medical Information:(800) 258-4696 (Adventure Ready Brands)		

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:	Liquid Spray; Aerosol
HAZARD CLASSIFICATION:	Acute toxicity - Oral (Category 4); Skin corrosion/irritation (Category 2); Serious eye damage/eye irritation (Category 2A); Carcinogenicity (Category 2); Specific target organ toxicity (single exposure) (Category 3); Extremely flammable aerosol (Category 1); Gases under pressure (Liquefied Gas)

GHS Label elements, including precautionary statements

Pictogram



Signal word: DANGER

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Hazard statement(s)

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H222	Extremely flammable aerosol
H280	Contains gas under pressure; may explode if heated

Precautionary statement(s)

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P280	Wear protective gloves/protective clothing/eye protection/face protection
P264	Wash face, hands and any exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P271	Use only outdoors or in a well-ventilated area
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P211	Do not spray on an open flame or other ignition source
P251	Pressurized container: Do not pierce or burn, even after use
P308+P313	IF exposed or concerned: Get medical advice/attention
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P330	Rinse mouth
P405	Store locked up
P403+P233	Store in a well-ventilated place. Keep container tightly closed
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
P501	Dispose of contents/container to an approved waste disposal plant

ROUTES OF EXPOSURE: Oral; Dermal; Inhalation

POTENTIAL HEALTH EFFECTS

INHALATION:	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).
SKIN CONTACT:	Specific test data for the substance or mixture is not available. May cause mild skin irritation
EYE CONTACT:	Specific test data for the substance or mixture is not available. Causes eye irritation. May cause redness, itching, and pain.
INGESTION:	Specific test data for the substance or mixture is not available.

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Conc. (%)	CAS NO.	EC NO.	Classification
Supplier Trade Secret	30 - 40	Proprietary	Proprietary	Extremely flammable aerosol (Category 1); Gases under pressure (Liquefied Gas)
Supplier Trade Secret	30 - 40	Proprietary	Proprietary	Extremely flammable aerosol (Category 1); Gases under pressure (Liquefied Gas)
Supplier Trade Secret	10 - 20	Proprietary	Proprietary	Skin corrosion/irritation (Category 2); Serious eye damage/eye irritation (Category 2A); Carcinogenicity (Category 2); Specific target organ toxicity (single exposure) (Category 3); Flammable liquid (Category 3)
Supplier Trade Secret	0 - 10	Proprietary	Proprietary	Serious eye damage/eye irritation (Category 2A); Carcinogenicity (Category 2); Specific target organ toxicity (single exposure) (Category 3); Flammable liquid (Category 2)
Capsaicin	2	404-86-4	206-969-8	Acute toxicity - Oral (Category 4); Skin corrosion/irritation (Category 2); Serious eye damage/eye irritation (Category 2A)

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 8 - "EXPOSURE CONTROLS/PERSONAL PROTECTION" for exposure guidelines

SECTION 4: FIRST AID MEASURES

INHALATION:	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
CONTACT WITH SKIN:	In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
CONTACT WITH EYES:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
INGESTION:	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

SECTION 5: FIRE-FIGHTING MEASURES
FIRE AND EXPLOSIVE PROPERTIES: No information available

Flash Point: See SECTION 9

Flammable Limits: No data available

EXTINGUISHING MEDIA: Dry chemical. Carbon dioxide (CO2). Water spray.

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SPECIFIC HAZARDS:	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.
PROTECT EQUIPMENT FOR FIREFIGHTERS:	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
FURTHER INFORMATION:	None

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
ENVIRONMENTAL PRECAUTIONS:	Do not contaminate water by disposal of wastes
METHOD FOR CONTAINMENT AND CLEAN-UP:	Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

SECTION 7: HANDLING AND STORAGE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

Relevant Identified Uses:	This product may be used only to deter bears which are attacking or appear likely to attack humans.
Uses Advised Against:	Not for use on humans. Do not spray this product on objects, tents or humans; such use has no deterrent effect on bears. Do not eat or allow to be eaten with food or feed materials which may have become contaminated with this product.
HANDLING:	Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.
STORAGE:	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Showers
Eyewash stations
Ventilation systems.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

EXPOSURE GUIDELINES:

Ingredient	CAS NO.	%	Exposure Limits		
			ACGIH TLV-TWA	OSHA PEL-TWA	NIOSH IDLH
Supplier Trade Secret	--	---	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³	IDLH: 250 mg/m ³ F
Supplier Trade Secret	--	--	STEL: 100 ppm TWA: 50 ppm S*	TWA: 200 ppm TWA: 590 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 590 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 735 mg/m ³	IDLH: 2000 ppm TWA: 200 ppm TWA: 590 mg/m ³ STEL: 250 ppm STEL: 735 mg/m ³

Ingredient	Alberta	British Columbia	Ontario TWAEV	Quebec
Supplier Trade Secret		TWA: 1000 ppm		
Supplier Trade Secret	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Supplier Trade Secret	TWA: 50 ppm TWA: 147 mg/m ³ STEL: 100 ppm STEL: 295 mg/m ³ Skin	TWA: 50 ppm STEL: 100 ppm Skin	TWA: 50 ppm STEL: 100 ppm Skin	TWA: 100 ppm TWA: 300 mg/m ³

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid Spray; Aerosol

ODOR: No data available

pH: 6.23 in a 1% solution at 25°C (77°F)

BOILING POINT: No data available

MELTING POINT: No data available

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

RELATIVE DENSITY (H ₂ O = 1) @22°C:	1.151
VAPOR PRESSURE (mmHg) @ °C:	No data available
VAPOR DENSITY (AIR = 1):	No data available
FLASH POINT:	< -15°C (<5°F) {>914mm (36 inches) from source ignition. Closed Cup}
SOLUBILITY IN WATER:	No data available
SOLUBILITY IN SOLVENTS:	No data available
VISCOSITY:	3.94 mm ² /s @21°C (70°F) without propellant. Dynamic Viscosity
VOLATILE ORGANIC COMPOUNDS (VOC): <36%	No information available
PARTITION COEFFICIENT:	No information available

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable under normal conditions.
CONDITIONS TO AVOID:	Heat, flames and sparks. Excessive heat.
INCOMPATIBILITY (MATERIAL TO AVOID):	Strong acids. Strong bases. Strong oxidizing agents.
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	Carbon oxides. Formaldehyde. Carbon monoxide. Carbon dioxide (CO ₂).
HAZARDOUS POLYMERIZATION:	Does not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

The preparation has not been tested for all toxicological effects; some are classified on the basis of the known hazards of the components.

Acute oral toxicity:	LD ₅₀ - <i>Not determined</i> Method: Source:
Acute inhalation toxicity:	LC ₅₀ - <i>Not determined</i> Method: Source:
Acute dermal toxicity:	LDLo - <i>Not determined</i> Method: Source:
Irritant effect on skin:	<i>Not determined</i> Method: Source:
Irritant effect on eyes:	<i>Not determined</i> Method: Source:
Sensitization:	<i>Not determined</i> Method: Source:
Mutagenicity:	<i>Not determined</i>

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Carcinogenicity/Reproductive toxicity: Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ingredient	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret	-	Group 2B	-	X
Supplier Trade Secret	A3	Group 2B	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Specific Target Organ Toxicity **Single exposure (GHS)** - May cause respiratory irritation. May cause drowsiness or dizziness.
Repeated exposure (GHS) - No data available

Signs and Symptoms of Exposure Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Component Information

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	-	-	= 164000 ppm (Rat) 4 h
Supplier Trade Secret	= 13 g/kg (Rat)	> 2 mL/kg (Rabbit)	= 33 mg/L (Rat) 4 h
Supplier Trade Secret	= 1650 mg/kg (Rat)	-	= 21000 ppm (Rat) 3 h
Capsaicin	= 148.1 mg/kg (Rat) = 161.2 mg/kg (Rat)	-	-

POTENTIAL HEALTH EFFECTS

INHALATION: Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

SKIN CONTACT: Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

EYE CONTACT: Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.

INGESTION: Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on components).

TARGET ORGANS: Respiratory system

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Ingredient	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Supplier Trade Secret	No data available	96h LC50: > 4.1 g/L (Poecilia reticulata)	No data available	No data available
Supplier Trade Secret	No data available	96h LC50: = 3 mg/L (Danio rerio)	EC50 = 11.1 mg/L 5 min EC50 = 13.4 mg/L 15 min EC50 = 14.3 mg/L 30 min	48h EC50: = 3.68 mg/L (Daphnia magna)
Supplier Trade Secret	No data available	96h LC50: 1970 - 2360 mg/L (Pimephales promelas) 96h LC50: 2700 - 3600 mg/L (Pimephales promelas)	No data available	No data available

Persistence and Degradability No information available.

Bioaccumulation

Component Information

Ingredient	Partition coefficient
Supplier Trade Secret	-0.18
Supplier Trade Secret	3.7
Supplier Trade Secret	0.45

Mobility No information available.

Other adverse effects No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not reuse any empty containers.

US: This product is a hazardous waste (D001) as defined in Resource Conservation Recovery Act Regulations (40 CFR 261) and should be disposed of according to local, state and Federal regulations. Dispose of empty containers by wrapping and discarding in trash.

California Waste Codes : 232

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Ingredient	California Hazardous Waste
Supplier Trade Secret	Toxic Ignitable

International: This product should not be disposed of via the drains or by landfill. Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste, and their disposal may be regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities or approved waste disposal companies who will advise you on how to dispose of special waste.

General EU requirements are given in the Waste Framework Directive (75/442/EEC) and the Hazardous Waste Directive (91/689/EEC). Packaging may contain residues of the product and should be treated accordingly

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 14: TRANSPORT INFORMATION
SHIPPING INFORMATION:
Marine Pollutant: No

Regulation	UN No.	Proper Shipping Name	Class	Package Group	Additional Information
U.S. Department of Transportation (DOT)	UN1950	Aerosols, Flammable	2.1	-	Limited Qty Exception Outer Package < 30 kg gross ERG: 126
Canadian Transportation of Dangerous Goods (TDG)	UN1950	Aerosols, Flammable	2.1	-	Limited Qty Exception Outer Package < 30 kg gross
International Maritime Dangerous Goods (IMDG)	UN1950	Aerosols, Flammable	2.1	-	Limited Qty Exception Outer Package < 30 kg gross EmS-No.: F-D, S-U
International Air Transport Assoc. (IATA)	UN1950	Aerosols, Flammable	2.1	-	Limited Qty Exception per Packing Inst. Y203 Outer Package < 30 kg gross ERG Code: 10L

The transportation regulations are cited according to international regulations and in the form applicable to the United States and Canada. Possible national deviations in other countries are not considered.

SECTION 15: REGULATORY INFORMATION
U.S. FEDERAL REGULATIONS:
TSCA (TOXIC SUBSTANCE CONTROL ACT): All components of this product are listed or exempt on the TSCA list

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Ingredient	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

RCRA 261 (RESOURCE CONSERVATION RECOVERY ACT): This product is defined as a hazardous waste (D001).

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)
Section 302 Extremely Hazardous Substances (TPQ): None

311/312 HAZARD CLASS: None

313 REPORTABLE INGREDIENTS: None

U.S. STATE REGULATIONS:
California Proposition 65 Warning: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

This product contains the following Proposition 65 chemicals.

Ingredient	California Proposition 65
Supplier Trade Secret	carcinogen, 6/28/2019

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

States Right to Know:

Ingredient	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	X	X	X		
Supplier Trade Secret	X	X			
Supplier Trade Secret	X				
Supplier Trade Secret	X	X	X	X	

EPA Pesticide Registration Number: 55541-2

Disclaimer: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required by OSHA for Safety Data Sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING: Causes substantial but temporary eye injury. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. **Extremely Flammable.** Content under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. This pesticide is extremely toxic to fish.

CANADIAN REGULATIONS:

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

WHMIS CLASSIFICATION:

Acute toxicity - Oral (Category 4);
Skin corrosion/irritation (Category 2);
Serious eye damage/eye irritation (Category 2A);
Carcinogenicity (Category 2);
Specific target organ toxicity (single exposure) (Category 3);
Extremely flammable aerosol (Category 1);
Gases under pressure (Liquefied Gas)



DOMESTIC SUBSTANCE LIST (DSL)/NON-DOMESTIC SUBSTANCE LIST (NDSL): All components are listed or exempt

EU REGULATIONS:

Labeling in accordance with EC-Directives

Hazard symbols



Acute toxicity - Oral (Category 4); Skin corrosion/irritation (Category 2); Serious eye damage/eye irritation (Category 2A);
Carcinogenicity (Category 2); Specific target organ toxicity (single exposure) (Category 3); Extremely flammable aerosol (Category 1);
Gases under pressure (Liquefied Gas)

INTERNATIONAL REGULATIONS

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 16: OTHER INFORMATION

HMIS		
Health: 2	Flammability: 4	Reactivity: 0
Special: X		

4=extreme 3=High 2=Moderate 1=Slight 0=Insignificant

REVISED SECTIONS OR REASON FOR REVISION:

ORIGIN DATE: DECEMBER 30, 2020

REVISION 1: JANUARY 16, 2021 Corrected SECTION 2 "Extremely Flammable Aerosol" From Category 2 To Category 1.

DISCLAIMER: The information provided herein was believed to be accurate, to the best knowledge of Adventure Ready Brands, at the time of preparation from a compilation of sources believed to be reliable and is furnished without warranty, expressed or implied. It is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling, storage and use of this product and to determine the suitability of the product for its intended use. This data sheet relates only to the specific product listed and does not relate to use in combination or in any process with other materials