





REVISION HISTORY			
REV	DATE	BY	DESCRIPTION
D	20DEC2023	SDR/CRM	PRN: P2023-2357




ASSEMBLY R4-10-10-601-20 SHOWN


- NOTES:
- A. THE TOLERANCE BETWEEN THE LATCH AND STRIKER BOLT ASSUMES A NON-RIGID DOOR INSTALLATION THAT WILL ALLOW THE DOOR TO MOVE INTO THE NOMINAL POSITION DURING LATCHING. RIGID DOORS MUST HAVE THE STRIKER INSTALLED PER THE PANEL PREPARATION RECOMMENDATION.
 - B. THE MISALIGNMENT VIEW ASSUMES THE LATCH IS CONNECTED TO A PERFECTLY RIGID DOOR AND HINGE; THEREFORE, THERE IS NO DOOR AND/OR HINGE SLACK ASSOCIATED WITH THESE DIMENSIONS. THE MISALIGNMENT VIEW DOES NOT TAKE FLEXING OF THE STRIKER BOLT INTO ACCOUNT.


R4-10-10-601-20		Ø 7.2mm THRU		Ø 7.6 [.299]	
R4-10-11-601-20		1/4-20 THREAD		Ø 6.8 [.268]	
R4-10-12-601-20		M6 THREAD		Ø 6.4 [.252]	
ASSEMBLY PART NUMBER		LATCH MOUNTING HOLE		MINIMUM RECOMMENDED PANEL HOLE	
		THIRD ANGLE PROJECTION		 southco® CONNECT • CREATE • INNOVATE	
		MILLIMETERS [IN]			
SURFACE AREA		TOLERANCES UNLESS OTHERWISE NOTED		DESCRIPTION	
XXXXXmm ²					
VOLUME		ALL DIMENSIONS WITHOUT TOLERANCES ARE FOR REFERENCE ONLY.		R4 STAINLESS STEEL MINI ROTARY LATCH WITH TRIGGER HOLE – RIGHT HAND	
XXXXXmm ³					
PROPRIETARY ITEM		SIZE		SYSTEM	
EXCEPT FOR USES EXPRESSLY GRANTED IN WRITING, INFORMATION DISCLOSED HEREON IS CONFIDENTIAL AND ALL RIGHTS, PATENT AND OTHERWISE, ARE RESERVED BY SOUTHCO, INC.		B		NX	
		DWG NO.		J-R4-10-10-601-20	
PER ASME Y14.5M-2009		DRAWN BY		DATE	
		ACH/JCK		10NOV2010	
		SCALE		SHEET	
		1 : 1		2 OF 3	

REVISION HISTORY			
REV	DATE	BY	DESCRIPTION
D	20DEC2023	SDR/CRM	PRN: P2023-2357



ASSEMBLY R4-10-10-601-20 SHOWN



R4-10-10-601-20		Ø 7.2mm THRU		Ø 7.6 [.299]	
R4-10-11-601-20		1/4-20 THREAD		Ø 6.8 [.268]	
R4-10-12-601-20		M6 THREAD		Ø 6.4 [.252]	
ASSEMBLY PART NUMBER		LATCH MOUNTING HOLE		MINIMUM RECOMMENDED PANEL HOLE	
		THIRD ANGLE PROJECTION		 southco® CONNECT • CREATE • INNOVATE	
		MILLIMETERS [IN]			
		TOLERANCES UNLESS OTHERWISE NOTED		DESCRIPTION R4 STAINLESS STEEL MINI ROTARY LATCH WITH TRIGGER HOLE – RIGHT HAND	
SURFACE AREA XXXXXXmm ²		ALL DIMENSIONS WITHOUT TOLERANCES ARE FOR REFERENCE ONLY.			
VOLUME XXXXXXmm ³					
PROPRIETARY ITEM		SIZE B		SYSTEM NX	
EXCEPT FOR USES EXPRESSLY GRANTED IN WRITING, INFORMATION DISCLOSED HEREON IS CONFIDENTIAL AND ALL RIGHTS, PATENT AND OTHERWISE, ARE RESERVED BY SOUTHCO, INC.		DWG NO. J-R4-10-10-601-20			
		PER ASME Y14.5M-2009		DRAWN BY ACH/JCK	
		DATE 10NOV2010		SCALE 1:1	
				SHEET 3 OF 3	

DESCRIPTION			
R4 STAINLESS STEEL MINI ROTARY LATCH WITH TRIGGER HOLE - RIGHT HAND			
SIZE	SYSTEM	DWG NO.	
B	NX	J-R4-10-10-601-20	