

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

SECTION 1. IDENTIFICATION

Product name	:	PALMOLIVE ANTIBACTERIAL DISHWASHING HAND LIQUID ORANGE
Product code Material		20000035885 B02941120006
Manufacturer or supplier's d	leta	ils
Company name of supplier	:	Colgate-Palmolive Co 300 Park Avenue New York, NY 10022
Telephone	:	US: Consumer Affairs - 1-800-468-6502
Emergency telephone num- ber	:	For emergencies involving spill, leak, fire, exposure or accident call CHEMTREC (24hr) at (800) 424-9300 or (703) 527-3887.
		Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : A formulated dishwashing liquid

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Skin irritation	: Category 2
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000001345Revision Date: 2016/06/09

Hazard statements :	H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements :	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	 Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.
Other hazards	

Other hazards



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
3-Lauroylamidopropyl betaine	4292-10-8	>= 1 - < 5
SODIUM DODECYL BENZENE SULFONATE (LINEAR)	25155-30-0	>= 1 - < 5
ETHANOL (ETHYL ALCOHOL)	64-17-5	>= 1 - < 5
L(+)-LACTIC ACID	79-33-4	>= 1 - < 5
SODIUM XYLENE SULFONATE	1300-72-7	>= 1 - < 5
METHANOL	67-56-1	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. Causes serious eye irritation.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Neutralize with chalk, alkali solution or ammonia. Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	For personal protection see section 8. No special handling advice required.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	:	No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
ETHANOL (ETHYL ALCOHOL)	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
METHANOL	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm	OSHA P0



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

		325 mg/m3	
	TWA	200 ppm	OSHA P0
		260 mg/m3	

Hazardous components without workplace control parameters

Components	CAS-No.
3-Lauroylamidopropyl betaine	4292-10-8
SODIUM DODECYL	25155-30-0
BENZENE SULFONATE	
(LINEAR)	
L(+)-LACTIC ACID	79-33-4
SODIUM XYLENE	1300-72-7
SULFONATE	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
METHANOL	67-56-1	CUST- N15.001117 10	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.

Hand protection

Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	orange
рН	:	3.25
Flash point	:	136 °F





This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

Density

: 1.049 g/cm3

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

3-Lauroylamidopropyl betaine:

Acute oral toxicity	:	LD50 (Rat): 2,335 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402

SODIUM DODECYL BENZENE SULFONATE (LINEAR):

Acute oral toxicity	: LD50 (Rat): 1,080 - 1,980 mg/kg Method: No information available		
Acute inhalation toxicity	:	Remarks: No data available	
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402	

ETHANOL (ETHYL ALCOHOL):



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg
Acute inhalation toxicity	:	LC50 (Rabbit): 124.7 mg/l Exposure time: 4 h Test atmosphere: No information available. Method: No information available.
Acute dermal toxicity	:	LD50 (Rat): > 15,800 mg/kg Method: No information available.
L(+)-LACTIC ACID:		
Acute oral toxicity	:	LD50 (Rat): 3,730 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 7.94 mg/l Exposure time: 4 h Test atmosphere: No information available. Method: No information available.
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: No information available.
SODIUM XYLENE SULFON		
Acute oral toxicity	:	LD50 (Rat): > 7,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rabbit): > 6.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: No information available.
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402
METHANOL:		
Acute oral toxicity		LD50 (Rat): 100 mg/kg
	•	Method: Acute toxicity estimate
Acute inhalation toxicity	:	Acute toxicity estimate (Rat): 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Acute toxicity estimate
Acute dermal toxicity	:	Acute toxicity estimate (Rat): 300 mg/kg Method: Acute toxicity estimate
Skin corrosion/irritation		

Causes skin irritation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

3-Lauroylamidopropyl betaine: Result: Skin irritation

SODIUM DODECYL BENZENE SULFONATE (LINEAR): Result: Severe skin irritation

ETHANOL (ETHYL ALCOHOL): Result: No skin irritation

L(+)-LACTIC ACID:

Result: Severe skin irritation

SODIUM XYLENE SULFONATE: Result: Mild skin irritation

METHANOL: Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Components:

3-Lauroylamidopropyl betaine:

Result: Moderate eye irritation

SODIUM DODECYL BENZENE SULFONATE (LINEAR):

Result: Irritation to eyes, reversing within 21 days

ETHANOL (ETHYL ALCOHOL):

Result: Irritation to eyes, reversing within 21 days



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

L(+)-LACTIC ACID:

Result: Risk of serious damage to eyes.

SODIUM XYLENE SULFONATE:

Result: Irritation to eyes, reversing within 7 days

METHANOL:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product: Remarks: No data available

Components:

3-Lauroylamidopropyl betaine:

Exposure routes: Inhalation Result: Does not cause respiratory sensitisation.

Exposure routes: Dermal Result: Does not cause skin sensitisation.

SODIUM DODECYL BENZENE SULFONATE (LINEAR):

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Result: Does not cause skin sensitisation.

ETHANOL (ETHYL ALCOHOL):

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Result: Does not cause skin sensitisation.

L(+)-LACTIC ACID:

Exposure routes: Inhalation Result: Does not cause respiratory sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

Exposure routes: Dermal Result: Does not cause skin sensitisation.

SODIUM XYLENE SULFONATE:

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Result: Does not cause skin sensitisation.

METHANOL:

Exposure routes: Inhalation Remarks: No data available

Exposure routes: Dermal Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

IARC

Not classified based on available information.

Group 1: Carcinogenic to humans This finished consumer product is not expected to exhibit carcinogenic effects. Exposure through ingestion of Ethanol (64-17-5) is not applicable to the intended use of this product.

ETHANOL (ETHYL 64-17-5 ALCOHOL)

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the SDS.

SECTION 12. ECOLOGICAL INFORMATION

The product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Environmental, Health and Safety group of Colgate-Palmolive and determined to have an acceptable environmental profile. This evaluation is based on available information on individual ingredients, interactions of ingredients, and similar ingredients. Biodegradability claims are supported by data on ingredients (i.e., surfactants are biodegradable) or testing conducted on the final product (i.e., This product is biodegradable).

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	:	Empty remaining contents. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

DOT	NA 1993 Combustible liquid, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,I DOT Non-Bulk: Not Regulated	11
TDG	UN 1993, Flammable Liquid, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,	III
ΙΑΤΑ	UN 1993, Flammable Liquid, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,	III
IMDG	UN 1993, Flammable Liquid, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3,	
ADR		



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

UN 1993, Flammable Liquid, N.O.S. (ETHANOL (ETHYL ALCOHOL)),3, III

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
METHANOL	67-56-1	100	100 (F003)
SODIUM DODECYL BENZENE	25155-30-0	1000	*
SULFONATE (LINEAR)			

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ				
		(lbs)	(lbs)				
SULFURIC ACID	7664-93-9	1000	*				
*: Calculated RQ exceeds reasonably attainable upper limit.							
SARA 311/312 Hazards : /	Acute Health Hazard						
		n this material are subject to the reporting re- SARA Title III, Section 302.					
I	known CAS numbers	not contain any chemical components with s that exceed the threshold (De Minimis) ablished by SARA Title III, Section 313.					

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ETHANOL (ETHYL	64-17-5	4.1759 %
ALCOHOL)		

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345Revision Date: 2016/06/09

	SODIUM DODECYL BENZENE SULFONATE (LINEAR)		4.221 %	
	SULFURIC ACID	7664-93-9	0.0008 %	
The follow 117.3:	ving Hazardous Chemical			ection 311, Table
	SODIUM DODECYL BENZENE SULFONATE (LINEAR)		4.221 %	
	SULFURIC ACID	7664-93-9	0.0008 %	
	uct does not contain any	toxic pollutants listed	under the U.S. Clean Wa	ater Act Section
307				
US State	Regulations			
Massach	usetts Right To Know			
		SODIUM DODECYL BENZENE SULFONATE (LINEAR)		1 - 5 %
	ETHANOL (ETHYL ALCOHOL)		64-17-5	1 - 5 %
	SULFURIC ACID		7664-93-9	0 - 0.1 %
Pennsylv	ania Right To Know			
	WATER	•		50 - 70 %
	Sodium C12-C13	Sodium C12-C13 2EO sulfate		10 - 20 %
		3-Lauroylamidopropyl betaine		1 - 5 %
	SODIUM DODÉC SULFONATE (LIN		25155-30-0	1 - 5 %
	ETHANOL (ETHY	L ALCOHOL)	64-17-5	1 - 5 %
	METHANOL	67-56-1	0.1 - 1 %	
	SODIUM SULFATE		7757-82-6	0.1 - 1 %
New Jers	æy Right To Know			
	WATER		7732-18-5	50 - 70 %
		Sodium C12-C13 2EO sulfate		10 - 20 %
	3-Lauroylamidopro	3-Lauroylamidopropyl betaine		1 - 5 %
	SODIUM DODÉC SULFONATE (LIN	EAR)	25155-30-0 64-17-5	1 - 5 %
		ETHANOL (ETHYL ALCOHOL)		1 - 5 %
	METHANOL		67-56-1	0.1 - 1 %
The com	ponents of this product	are reported in the f	ollowing inventories:	

TSCA

All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 660000001345RevisionDate: 2016/06/09

SECTION 16. OTHER INFORMATION


Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the
product. For information regarding consumer applications of this product, refer to the product label.Version 1.0SDS Number: 66000001345Revision Date: 2016/06/09

Further information



Revision Date : 2016/06/09

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN