

# 安全数据表 *Safety Data Sheet*

Report No. 20230525012

版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

## 第一部分: 化学品及企业标识

### SECTION1: Product and Company Identification

产品型号 Product name	DX52 往复锯 DX52 RECIPROCATING SAW
产品推荐和限制用途 Identified uses	请咨询生产商 Please consult manufacture
安全数据表供应商的详细信息 Details of the supplier of the safety data sheet	
企业名称 Supplier	宝时得科技(中国)有限公司 Positec Technology (China) Co.,Ltd.
企业地址 Address	江苏省苏州市工业园区东旺路 18 号 No.18 Dongwang Road,Suzhou Industrial Park
邮编 Postcode	215123
电子邮箱 E-mail	email@positecgroup.com
联系电话 Tel	+86-512-65152888
传真 Fax	+86-512-65152885
企业应急电话 Emergency telephone number	+86-512-65152888

## 第二部分: 危险性概述

### SECTION 2: Hazards identification

紧急情况 Emergency situation	警告,不可拆卸电池、不可暴露于明火中、不要混合使用不同型号和类型的电池、不要在火中暴露和燃烧、不要短路、挤压、燃烧或拆卸电池。 Warning, do not open and disassemble it, and do not exposed to fire or open flame; Don't mix put batteries with different models and different types. It will expose and burn when in fire; Do not short circuit, extrusion, burning or remove the battery.
-----------------------------	--

## 第三部分: 成份 / 组成信息

### SECTION 3: Composition/information on ingredients

锂电池组 DXB4 化学的成份。 Battery Pack DXB4 dangerous components.		
化学名称 Chemical Name	CAS编号 CAS-No	材料组成 Material Composition
PA6	107-10-8	21.95%
Glass Fibre	65997-17-3	6.59%
EVA	24937-78-8	0.33%
Iron	7439-89-6	12.62%
Carbon	7440-44-0	11.08%

# 安全数据表 *Safety Data Sheet*

Report No. 20230525012

版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

Copper	7440-50-8	12.41%
Lithium nickelate	12031-65-1	5.29%
Aluminium	7429-90-5	4.68%
Lithium manganese oxide	12057-17-9	3.17%
Dimethyl Carbonate	616-38-6	3.09%
Manganese	7439-96-5	2.76%
Cobalt Lithium Dioxide	12190-79-3	2.73%
Polyethylene	9002-88-4	1.97%
Nickel	7440-02-0	3.63%
1,3-Dioxolan-2-one	96-49-1	1.26%
lithium hexafluorophosphate(1-)	21324-40-3	1.20%
Ethyl methyl carbonate	623-53-0	0.97%
1-Propene homopolymer	9003-07-0	0.62%
Polyethylene terephthalate	25038-59-9	0.54%
Carbon black	1333-86-4	0.39%
Polyvinylidene fluoride	24937-79-9	0.39%
lithium carbonate	554-13-2	0.30%
2-Propenoic acid polymer with butyl 2-propenoate, ethenyl acetate and 2-ethylhexyl 2-propenoate	35239-19-1	0.30%
4-Fluoro-1,3-dioxolan-2-one	114435-02-8	0.96%
Carboxyl Methyl Cellulose	9004-32-4	0.12%
Butanedinitrile	110-61-2	0.10%
Octadecylcarbamic acid ethenyl ester homopolymer	36671-85-9	0.07%
Styrene, butadiene copolymer	9003-55-8	0.07%
titanium dioxide	13463-67-7	0.07%
Talc (Mg3H2(SiO3)4)	14807-96-6	0.06%
2-Methyl-2-propenoic acid methyl ester polymer with 1,3-butadiene, ethenylbenzene and 2-propenenitrile	9010-94-0	0.05%
2-Methyl-2-propenoic acid polymer with 1,3-butadiene and ethenylbenzene	9010-93-9	0.05%
Fatty acids, coco polymers with benzoic acid, pentaerythritol and phthalic anhydride	68604-67-1	0.05%
poly(1,4-butylene terephthalate)	24968-12-5	0.05%
lithium tetrafluoroborate, anhydrous	14283-07-9	0.02%
2-Propenenitrile polymer with 1,3-butadiene and ethenylbenzene	9003-56-9	0.02%
1,3-Bis(2,4,6-trioxoperhydropyrimidin-5-ylidene)isoindoline	36888-99-0	0.02%
Magnesium	7439-95-4	0.02%

#### 第四部分: 急救措施

#### SECTION 4: First aid measures

材料从电池内部泄漏 For the material leaked from battery interior	
眼睛接触 Eye contact	如果接触, 用清水冲洗至少15分钟, 上下眼睑翻动, 直到化学残留物消失, 然后立即就医。

# 安全数据表 *Safety Data Sheet*

Report No. 20230525012	
版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

	if contact, rinse with clean water for at least 15mins, turns upper and lower eyelid until the chemical residue gone, then go to see doctor immediately.
皮肤接触 Skin contact	如果接触,用肥皂水冲洗。同时脱掉被污染的衣服和鞋子。如果化学烧伤或持续刺激,请立即就医。 if contact, rinse with suds. Meanwhile take off the polluted clothes and shoes. If chemical burns or continual stimulates, please go to see a doctor immediately.
吸入 Inhalation	立即就医 go to see a doctor immediately
吸入 Inhalation	移至空气新鲜处,保持呼吸道畅通,如有不适,立即就医 remove him to the area that with the clean air immediately, provide him artificial respiration if can not breathe, don't use mouth-to-mouth breath method.
如有呼吸困难,给予氧气以克服呼吸困难。马上去看医生。 If has difficulty to breathe, given oxygen to overcome breathing problem.Go to see a doctor immediately.	

## 第五部分: 消防措施

### SECTION 5: Fire fighting measures

灭火介质 Extinguishing media	
合适的灭火介质 Suitable extinguishing agents	雾状水、抗溶性泡沫、干粉、二氧化碳、砂土 CO2, dry chemical powder, water spray.
不合适的灭火介质 Unsuitable extinguishing agents	无资料 No information available.
源于此物质或混合物的特别危害 Special hazards arising from the substance or mixture	无资料 Not flammable.
对消防人员的建议 Advice for firefighters	消防员应穿戴适当的呼吸器和防护装备 Fire-fighters should wear appropriate breathing apparatus and protective equipment

## 第六部分: 泄漏应急处理

### SECTION 6: First aid measures

作业人员防护措施 Personal precautions	使用个人防护装备。避免接触皮肤、眼睛和衣物。避免吸入烟雾和气体。 Use personal protective clothing. Avoid contact with skin, eyes and clothing. Avoid breathing fume and gas.
环境保护措施 Environmental precautions	不排入排水、地面水、地下水 Do not discharge into the drains/surface waters/groundwater
清理/占用的方法 Methods for cleaning up/taking up	机械收起并送去处置 Take up mechanically and send for disposal.

## 第七部分: 操作处置和储存

### SECTION 7: Handling and storage

处理
----

# 安全数据表 *Safety Data Sheet*

Report No. 20230525012

版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

<b>Handling</b>	
安全处理须知 Advice on safe handling	避免电池短路。避免电池的机械损坏。不要打开或拆卸 Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble.
防火防爆须知 Advice on protection against fire and explosion	远离明火、热表面和火源 Keep away from open flames, hot surfaces and sources of ignition.
<b>Storage</b>	
仓库和容器的要求 Requirements for storage rooms and vessels	在室温下存储。20-60%的额定容量，保存在封闭的容器中。 Storage at room temperature (approx. 20°C) at approx. 20 60% of the nominal capacity Keep in closed original container.

## 第八部分: 暴露控制和个体防护

### SECTION 8: Exposure controls/personal protection

工程控制 Engineering Control	选择合适的通风和温度控制设备，应配备眼睛清洁和淋浴设备。使用本地设备，暴露的浓度在限定范围内。 Select the appropriate ventilation and temperature control equipment, which should be equipped with eye cleaning and shower equipment. Use local equipment to ensure its concentration under the limitation.
眼睛防护 Eye protection	在正常使用下不需要。如果要处理泄漏或电池破裂的情况，请戴有侧面护罩的护目镜。 Not necessary under normal use. Wear safety goggles or glasses with side shields if handling a leaking or ruptured battery.
手部防护 Hand protection	在正常使用下不需要。处理泄漏或破裂的电池时，应戴上橡胶手套。 Not necessary under normal use. Wear rubber gloves if handling a leaking or ruptured battery.
皮肤和身体防护 Skin protection	在正常使用下不需要。在处理泄漏或破裂的电池时，请穿防护服。 Not necessary under normal use. Wear protection suit in case of handling a leaking or ruptured battery
呼吸防护 Respiratory protection	在正常使用下不需要。处理泄露或电池破裂时需要保持空气流通，不要在狭窄的地方处理它。 Not necessary under normal use. Keep the air circulation in case of handling a leaking or ruptured battery. Do not use it in a narrow place in this case.

## 第九部分: 理化特性

### SECTION 9: Physical and chemical properties

电池组型号 Battery pack model	DXB4
物理状态 Physical state	固体
颜色 Color	黑色
气味 Smell	无

# 安全数据表 *Safety Data Sheet*

Report No. 20230525012

版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

电压 Voltage	20V Max(18V d.c.)
重量 Weight	668g
容量 Capacity	4.0Ah
电池包瓦时 Watt-hours of Battery	72Wh
水溶性 Solubility in water	不溶于水 Does not dissolve in water

## 第十部分: 稳定性和反应性

### SECTION 10: Stability and reactivity

稳定性 Stability	在正常储存和使用的情况下, 应保持稳定 It should be stable under the condition of normal storage and operation.
避免接触的条件 Conditions to avoid	过热、暴露于潮湿条件下、机械振动 Overheat; Exposure to humid conditions; Mechanical vibration
禁配物 Taboo materials	强氧化剂。 strong oxidant
危险的分解产物 Hazardous decomposition products	在燃烧的条件下可能产生有害的分解产物 Under the condition of burning may produce harmful decomposition products
有害的聚合反应 Hazardous polymerization reaction	无 N/A

## 第十一部分: 毒理学信息

### SECTION 11: Toxicological information

急性毒性 Acute toxicity	无资料 No data available
皮肤腐蚀/刺激 Skin corrosion/irritation	没有刺激性作用 No irritant effect
严重眼损伤/刺激 Serious eye damage/irritation	没有刺激性作用 No irritating effect
呼吸道或皮肤致敏 Respiratory or skin sensitization	无致敏作用 No sensitizing effects known
特定靶器官系统毒性 Specific target organ system toxicity	无资料 No information available
毒物动力学、代谢和分布 Toxicokinetics, metabolism and distribution	无资料 No information available
吸入危害 Aspiration hazard	无资料 No information available
CMR效应(致癌性、诱变性和生殖毒性) CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)	无资料 No information available



**安全数据表** *Safety Data Sheet*

Report No. 20230525012

版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

ICAO (air) 货物符合一般要求和包装说明966第II节的要求  
The goods meet the requirement in General Requirements and section II of Packing Instruction 966

正确运输名称 和设备包装在一起的锂离子电池  
Proper Shipping Name Lithium ion batteries packed with equipment  
危险等级 9  
Hazard Class  
UN 号 3481  
UN number  
锂电池净重 不超过5Kg  
Net weight of lithium battery Not exceed 5Kg

IATA 货物符合一般要求和包装说明966第II节的要求  
The goods meet the requirement in General Requirements and section II of Packing Instruction 966

正确运输名称 和设备包装在一起的锂离子电池  
Proper Shipping Name Lithium ion batteries packed with equipment  
危险等级 9  
Hazard Class  
UN 号 3481  
UN number

IMDG 本条款不限于国际海事组织国际危规(IMDG)第188条特别规定  
The article is not restricted to IMO IMDG Code according to Special Provision 188

正确运输名称 和设备包装在一起的锂离子电池  
Proper Shipping Name Lithium ion batteries packed with equipment  
危险等级 9  
Hazard Class  
应急表号 F-A, S-I  
EmS-No.  
UN number 3481

RID 不受管制  
Not regulated

ADR 根据特别条款188, 本条不限于ADR  
The article is not restricted to ADR according to Special Provision 188

正确运输名称 和设备包装在一起的锂离子电池  
Proper Shipping Name Lithium ion batteries packed with equipment  
危险等级 9  
Hazard Class



# 安全数据表 *Safety Data Sheet*

Report No. 20230525012	
版本号: 0 Version number	发行日期 25-05-2023 Issue Date 25-May-2023
产品名称: DX52 往复锯 Product name: DX52 RECIPROCATING SAW	修订日期 N/A Revision date N/A

<p>这一信息是基于我们现有的知识，但不构成对具体产品特性的保证，不构成具有法律效力的合同关系。</p>	<p>This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.</p>
--	---

免责声明  
Disclaimer

<p>本材料安全数据表中提供的信息在发布之日就我们所知和所信是正确的。所提供的信息仅用于指导安全搬运、使用、加工、储存、运输、处置和放行，不应视为保修或质量规范。该信息仅与指定的特定材料有关，对于与任何其他材料结合使用或在任何过程中使用的此类材料可能无效，除非文中另有规定。</p>	<p>The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.</p>
---	--

Author	Reviewer	Approval
Jian Pan 25-May-2023	Yanping Yan 25-May-2023	Allen Ding 25-May-2023

----安全数据表结束----  
----End of Safety Data Sheet---