

179227-1 ✓ ACTIVE

AMP CT


TE Internal #: 179227-1

Connector Contact, Socket, Wire-to-Wire / Wire-to-Board, 26 – 22 AWG Wire Size, .12 – .4 mm<sup>2</sup> Wire Size, Tin, Strip, Wire & Cable, 4 A, Signal, AMP CT

[View on TE.com >](#)



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts > AMP COMMON TERMINATION CONTACTS



Contact Type: **Socket**

Connector System: **Wire-to-Board, Wire-to-Wire**

Wire Size: **.12 – .4 mm<sup>2</sup>**

Contact Mating Area Plating Material: **Tin**

[All AMP COMMON TERMINATION CONTACTS \(7\)](#)

**Features**

**Product Type Features**

Connector System	Wire-to-Board, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

**Configuration Features**

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

**Electrical Characteristics**

Insulation Resistance	1000 MΩ
Operating Voltage	125 VAC

**Contact Features**

Mating Pin Diameter	.6 mm[.023 in]
Wire Contact Termination Area Plating Material	Pre-Tin
Contact Shape & Form	Rectangular
Contact Base Material	Copper Alloy



Contact Type	Socket
Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	4 A

#### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

#### Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

#### Dimensions

Accepts Wire Insulation Diameter Range	.93 – 1.5 mm [.037 – .059 in]
Wire Size	.12 – .4 mm <sup>2</sup>

#### Usage Conditions

Operating Temperature Range	-30 – 105 °C [-22 – 221 °F]
-----------------------------	-----------------------------

#### Operation/Application

Circuit Application	Signal
---------------------	--------

#### Packaging Features

Packaging Quantity	10000
Packaging Method	Strip

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts





TE Part # 1-179472-6  
CT DBL ROW HOLDER, CRIMP, 16P, NA



TE Part # 1-179472-8  
CT DBL ROW HOLDER, CRIMP, 18P, NA




TE Part # 1-292254-1  
CT RELAY HDR ASSY 11P NAT



TE Part # 292254-9  
CT RELAY HDR ASSY 9P NAT


## Also in the Series | AMP CT




PCB Connector Mounting(46)



PCB Headers & Receptacles(756)



Wire-to-Board Connector Assemblies  
& Housings(256)



Wire-to-Board Connector Contacts(8)

## Documents

### Product Drawings

#### CRIMP TYPE II REC CONTACT

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_179227-1\\_M2.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_179227-1\\_M2.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_179227-1\\_M2.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

#### POWER\_CONNECTORS\_CATALOG\_SEC02\_CABLE\_MOUNTED

English

#### 2.0MM\_AMP\_CT\_CONNECTOR\_SERIES\_QUICK\_REF\_GUIDE

English

### Product Specifications



### [Crimping of AMP 2.0mm Pitch, CT Crimp Typell Rec Contact](#)

English

### [Application Specification](#)

English

---

### [Product Environmental Compliance](#)

[MD\\_179227-1\\_02272019128\\_dmtec](#)

English

[MD\\_179227-1\\_02272019128\\_dmtec](#)

English

---

### [Instruction Sheets](#)

[Instruction Sheet \(non U.S.\)](#)

English

[STEPPING MOTOR, I/O CONNECTOR](#)

English