201092-4 ✓ ACTIVE

TE Internal #: 201092-4
Rectangular Connector Hardware, Jackscrew Kit, Fixed, Male
Jackscrew, Wire-to-Wire, 6 / 12 / 14 Position, Wire & Cable, Power
& Signal, AMP M Series

Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Hardware

Hardware Type: **Jackscrew Kit**

Jackscrew Type: **Fixed**

Jackscrew Style: **Male**

Connector System: **Wire-to-Wire**

Number of Positions: **6, 12, 14, 15, 16, 20, 26, 28, 34, 41, 42, 50, 75, 104**

Features

Product Type Features

Strain Relief	Without
Product Type	Hardware
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	6, 12, 14, 15, 16, 20, 26, 28, 34, 41, 42, 50, 75, 104

Body Features

Material	Stainless Steel
Thread Lead Type	Single

Mechanical Attachment

Jackscrew Material	Stainless Steel
Jackscrew Finish	None

201092-4

Rectangular Connector Hardware, Jackscrew Kit, Fixed, Male Jackscrew, Wire-to-Wire, 6 / 12 / 14 Position, Wire & Cable, Power & Signal, AMP M Series

Mounting Hardware	Nuts and Lockwashers
Screw & Hole Thread Size	4-40 UNC-2A & 6-32 [M3.5 x .6]
Hardware Type	Jackscrew Kit
Jackscrew Type	Fixed
Jackscrew Style	Male
Connector Mounting Type	Cable Mount (Free-Hanging)

Dimensions

Height	5.72 mm[.225 in]
Length	20.62 mm[.812 in]
Width	5.72 mm[.225 in]

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Operation/Application

For Use With	Turnable Jackscrew
Circuit Application	Power & Signal

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Other

Comment	Two required.

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

201092-4

Rectangular Connector Hardware, Jackscrew Kit, Fixed, Male Jackscrew, Wire-to-Wire, 6 / 12 / 14 Position, Wire & Cable, Power & Signal, AMP M Series

Compatible Parts

TE Part # 201089-4

SERIES"M" JACKSCREW SOCKET ASS

Also in the Series | AMP M Series

Board-to-Board Jumpers & Shunts(7)

Rack & Panel Connectors(1)

Rectangular Connector Hardware(52)

Rectangular Power Connectors(66)

Standard Edge Connectors(2)

Documents

Product Drawings

SER. "M" JACKSCREW STUD KIT

201092-4

Rectangular Connector Hardware, Jackscrew Kit, Fixed, Male Jackscrew, Wire-to-Wire, 6 / 12 / 14 Position, Wire & Cable, Power & Signal, AMP M Series

English

CAD Files

Customer View Model

ENG_CVM_CVM_201092-4_J.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_201092-4_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_201092-4_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M_SERIES_PIN_AND_SOCKET_CONNECTORS

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English