2058299-2 ✔ ACTIVE

LUMAWISE

TE Internal #: 2058299-2

Rectangular Connector Housings, Wire-to-Board, 4 Position, .157 in [4 mm] Centerline, 1 Row, LCP (Liquid Crystal Polymer), Hermaphroditic

View on TE.com >

Connectors > Rectangular Connectors > Rectangular Connector Housings



Connector System: **Wire-to-Board**

Number of Positions: **4**

Centerline (Pitch): **4 mm [.157 in]**

Number of Rows: **1**

Housing Material: **LCP (Liquid Crystal Polymer)**

Features

Product Type Features

Connector System	Wire-to-Board
Connector & Housing Type	Hermaphroditic
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector Type	Housing
Product Type	Connector
Glow Wire Rating	Standard Part - Not Glow Wire

Configuration Features

Number of Positions	4
Number of Rows	1

Electrical Characteristics

Operating Voltage	90 VDC

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	4 mm[.157 in]
Housing Material	LCP (Liquid Crystal Polymer)
Housing Color	Natural

Dimensions

Height	6.35 mm[.249 in]
Length	19.35 mm[.762 in]
Width	20.4 mm[.803 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C

Operation/Application

Circuit Application	Power

Identification Marking

Circuit Identification Feature	With

Industry Standards

Agency/Standard	C22.2 No. 182.3-M1987, CSA, UL 1977, UL
UL File Number	E28476
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 2058302-1
Socket Contact

TE Part # 2213373-1
Socket Contact, gold plated

TE Part # 2213374-1
Blade Contact, gold plated

TE Part # 2213617-2
HERM BLADE & RCPT ,LATCH, POST, SEL GOLD

Documents

Product Drawings

WTB HOUSING, 4 POS, NATURAL

English

CAD Files

Customer View Model

ENG_CVM_CVM_2058299-2_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2058299-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2058299-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

Hermaphroditic Connectors with Select Gold Plating Flyer

Hermaphroditic Connectors with Select Gold Plating Flyer

English

HERMAPHRODITIC_WIRE-TO-BOARD_AND_BOARD-TO-BOARD

HERMAPHRODITIC_WIRE-TO-BOARD_AND_BOARD-TO-BOARD

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English