2106135-2 - ACTIVE

SlimSeal | SlimSeal Standard Connectors

TE Internal #: 2106135-2 Plug & Socket Lighting Connectors, Wire-to-Wire, 2 Position, 3.5 in [.14 mm] Centerline, Sealable, Wire & Cable, Plug, SlimSeal Standard Connectors

View on TE.com >

Connectors > Lighting Connectors > Plug & Socket Connectors



Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): .14 mm [3.5 in]

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Features



Product Type Features

Product Type	Connector
Wire/Cable Type	Discrete Wire
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Lighting Connector Style	Plug
Configuration Features	
Number of Positions	2
Electrical Characteristics	
Operating Voltage	400 VDC
Contact Features	
Accepts Contact Style	Socket
Contact Current Rating (Max)	5 A

2106135-2

Plug & Socket Lighting Connectors, Wire-to-Wire, 2 Position, 3.5 in [.14 mm] Centerline, Sealable, Wire & Cable, Plug, SlimSeal Standard Connectors



Housing Features

Housing Color

Centerline (Pitch)

Usage Conditions

Operating Temperature Range

Black

.14 mm[3.5 in]

-40 - 105 °C[-40 - 221 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Compliant

Compliant

No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224)

Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Halogen Content

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

2106135-2

Plug & Socket Lighting Connectors, Wire-to-Wire, 2 Position, 3.5 in [.14 mm] Centerline, Sealable, Wire & Cable, Plug, SlimSeal Standard Connectors








TE Part # 2106112-3 Assembly, Vertical TH Header, 2-Position

Also in the Series | SlimSeal Standard Connectors



Documents

& For support call+1 800 522 6752

2106135-2

Plug & Socket Lighting Connectors, Wire-to-Wire, 2 Position, 3.5 in [.14 mm] Centerline, Sealable, Wire & Cable, Plug, SlimSeal Standard Connectors



Product Drawings Assembly, Free Hanging Plug, SLC, 2 pos

English

CAD Files

Customer View Model ENG_CVM_CVM_2106135-2_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2106135-2_B1.3d_stp.zip

English

Customer View Model ENG_CVM_CVM_2106135-2_B1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SLIMSEAL_SSL_CONNECOTS

English

Product Specifications Application Specification

English

Product Environmental Compliance MD_2106135-2_0503201972_dmtec

English

MD_2106135-2_0503201972_dmtec

English

Agency Approvals

UL Report

English