

2118308-1 ✓ ACTIVE

TE Internal #: 2118308-1

Antenna, UMTS / LTE / GSM, Non Conductive Surface, Adhesive, MHF, Cable Length .39 ft [.12 m], Embedded, PCB, Product Length 4.33 in [110 mm]

[View on TE.com >](#)



Antennas



Wireless Application: CDMA 1900, CDMA 850, Cellular, GSM, GSM 1800, GSM 900, ISM, LTE, UMTS, ZigBee

Mounts To: **Non Conductive Surface**

Mounting Type: **Adhesive**

Antenna Connector Type: **MHF**

Cable Length: .12 m [.39 ft]

Features

Product Type Features

Antenna Connector Type	MHF
------------------------	-----

Configuration Features

Band Type	5 Band
Number of Ports	1
Antenna Style	Embedded
Antenna Type	PCB

Electrical Characteristics

VSWR (Max)	<3:1
Impedance	50 Ω
Antenna Operation	Passive

Signal Characteristics

Frequency Band	1710 – 1880 MHz, 1850 – 1990 MHz, 1920 – 2170 MHz, 2300 – 2700 MHz, 698 – 960 MHz, 824 – 894 MHz, 868 – 870 MHz, 880 – 960 MHz
Gain (Max)	3.9 dB

Body Features

Product Weight	4.2 g [.1482 oz]
----------------	------------------

Mechanical Attachment



Polarization	Linear
Mounts To	Non Conductive Surface
Mounting Type	Adhesive

Dimensions

Cable Length	.12 m [.39 ft]
Product Length	110 mm [4.33 in]
Product Width	14 mm [.551 in]
Product Height	.02 mm [.052 in]

Operation/Application

Wireless Standard	LTE, UMTS, US Dual, EU Triband & WCDMA
-------------------	--

Industry Standards

Wireless Application	CDMA 1900, CDMA 850, Cellular, GSM, GSM 1800, GSM 900, ISM, LTE, UMTS, ZigBee
----------------------	---

Product Availability

Applicable Region	Americas, EU, Global
-------------------	----------------------

Packaging Features

Packaging Method	Bag & Box
------------------	-----------

Other

Precision Level	Standard
-----------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Documents

Product Drawings

4G World Band, MetaSpan, PCB, Chas

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2118308-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2118308-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2118308-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Antenna Data Sheet 698-960, 1710-2170 & 2300-2700 MHz LTE/Cell Band Antenna

2118308-1

Antenna, UMTS / LTE / GSM, Non Conductive Surface, Adhesive, MHF, Cable Length .39 ft [.12 m], Embedded, PCB, Product Length 4.33 in [110 mm]



English