AMP | Get .64 Connector System

TE Internal #: 2-1419158-2

Housing for Female Terminals, Wire-to-Wire, 23 Position, Brown, Wire & Cable, Signal, Cable Mount (Free-Hanging), Key E, Get .64 Connector System

View on TE.com >

Connectors > Automotive Connectors > Connector Housings > GET .64 CONNECTOR SYSTEM, CONNECTOR HSG

Connector & Housing Type: Housing for Female Terminals

Connector System: Wire-to-Wire

Number of Positions: 23

Sealable: No

Hybrid Connector: Yes

All GET .64 CONNECTOR SYSTEM, CONNECTOR HSG (106)

Features

Product Type Features

Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	Yes
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	23

Body Features

Cable Exit Angle	180°
Body Material	PA GF
Primary Product Color	Brown
Connector Code	E

Contact Features

Contact Size	.64mm

2-1419158-2

Housing for Female Terminals, Wire-to-Wire, 23 Position, Brown, Wire & Cable, Signal, Cable Mount (Free-Hanging), Key E, Get .64 Connector System

Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Dimensions

Product Width	24.7 mm[.972 in]
Product Length	30 mm[1.18 in]
Product Height	20.05 mm[.789 in]

Operation/Application

Circuit Application	Signal

Packaging Features

Packaging Quantity	770
Packaging Method	Carton

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

2-1419158-2

Housing for Female Terminals, Wire-to-Wire, 23 Position, Brown, Wire & Cable,
Signal, Cable Mount (Free-Hanging), Key E, Get .64 Connector System

Compatible Parts

TE Part # CAT-G3353-T273
GET .64 CONNECTOR SYSTEM, RECEPT AND TAB

TE Part # 2-1419158-4
COVER CAP 23P

Also in the Series | Get .64 Connector System

Automotive Connector Caps & Covers (7)

Automotive Housings(108)

Automotive Terminals(30)

Insertion & Extraction Tools(1)

PCB Headers & Receptacles(1)

Documents

Product Drawings
HARNESS HSG(GEM)23P

English

2-1419158-2

Housing for Female Terminals, Wire-to-Wire, 23 Position, Brown, Wire & Cable,
Signal, Cable Mount (Free-Hanging), Key E, Get .64 Connector System

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_2-1419158-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_2-1419158-2_D.3d_stp.zip

English

Customer View Model

ENG_CVM_2-1419158-2_D.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

GET 0.64 Interconnection System

English

Instruction Sheets

Instruction Sheet (U.S.)

English