338696-1 ✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 110

TE Internal #: 338696-1

Crimp Terminal Housings, Tab, Tab Housing, 16 Position, Straight, UL 94V-0, Black, PBT, Mating Alignment, FASTIN-FASTON 110

View on TE.com >

Terminal Type: **Tab**

Housing Type: **Tab Housing**

Number of Positions: **16**

Terminal Orientation: **Straight**

UL Flammability Rating: **UL 94V-0**

Features

Product Type Features

Product Type	Terminal Housing
Sealable	No
Housing Type	Tab Housing
Insulated	No

Configuration Features

Number of Positions	16

Body Features

Primary Product Color	Black

Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	With

338696-1

Crimp Terminal Housings, Tab, Tab Housing, 16 Position, Straight, UL 94V-0, Black, PBT, Mating Alignment, FASTIN-FASTON 110

Crimp Terminal Housing Mounting Style	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT
Centerline (Pitch)	6 mm[.236 in]

Dimensions

Length	35 mm[1.38 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	280
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

|	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, and DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

Crimp Terminal Housings, Tab, Tab Housing, 16 Position, Straight, UL 94V-0, Black, PBT, Mating Alignment, FASTIN-FASTON 110

on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 106455-3
FF 110 PLUG HSG 8P.

TE Part # 106455-4
FF 110 PLUG HSG 8P.

TE Part # 480116-3
FF 250 TAB HSG 2P NYLON BLACK

TE Part # 521289-1
FF 250 TAB HSG 1P NYLON NAT

TE Part # 626065-5
HOUSING 2P .110 FASTIN-ON TAB

TE Part # 171444-1
FF 250 TAB HSG 14P ASSY CONN

TE Part # 171445-1
FF 250 TAB HSG 14P ASSY CONN

TE Part # 1-171433-9
FF TAB HSG 6P NYLON BLACK

TE Part # 927203-1
FF 250 TAB HSG 2P NYLON BLACK

TE Part # 964473-1
FF 110 TAB HSG 10P PBT BLACK

## Also in the Series | FASTIN-FASTON 110

Automotive Housings(1)

Automotive Terminals(5)

Crimp Terminal Housings(34)

Insertion & Extraction Tools(3)

338696-1

Crimp Terminal Housings, Tab, Tab Housing, 16 Position, Straight, UL 94V-0, Black, PBT, Mating Alignment, FASTIN-FASTON 110

Quick Disconnects(83)

Documents

Product Drawings

FASTIN FASTON (FF) HOUSING TAB

English

CAD Files

Customer View Model

ENG_CVM_CVM_338696-1_E.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_338696-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_338696-1_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

White Paper: Nylon Discoloration

English

Product Specifications

Application Specification

English