



Test Probe 130

TE Internal #: 350180
Test Probe Receptacles, Side Entry, Gold, Cable-to-Board, 1
Position, Printed Circuit Board, Power & Signal, Board Mount, Test
Probe 130

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Connector Accessories > Test Probe Receptacles



Profile Height from PCB: 5.46 mm [.215 in]

Funnel Entry: Without

Test Probe Hole Location: Side Entry

Contact Mating Area Plating Material: Gold

Connector System: Cable-to-Board

Features

Product Type Features

Funnel Entry	Without
Test Probe Hole Location	Side Entry
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	1
---------------------	---

Contact Features

Contact Base Material	Brass
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	4.75 A

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Dimensions

--	--



Profile Height from PCB	5.46 mm[.215 in]
-------------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Product Compliance


For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series

Test Probe 130



Documents

Product Drawings

TEST PROBE ASSEMBLY REC PA66 NATURAL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_350180_N_c-350180-n.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_350180_N_c-350180-n.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_350180_N_c-350180-n.3d_stp.zip

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS
English

Product Specifications
Application Specification
English
Test Probe Receptacle Contacts
English

Product Environmental Compliance
MD_350180_08232018044_dmtec
English
MD_350180_08232018044_dmtec
English