



The bright white radiance of the GE energy smart® LED PAR16 lamps isn't just something you see, it's something you feel.

## GE energy smart® LED PAR16 lamps

### PERFORMANCE DATA

BULB SHAPE	BASE TYPE	WATTS	GRAINGER ITEM NUMBER	ORDER CODE	DESCRIPTION	VOLTS	CASE QTY*	MOL (IN)	LUMENS INITIAL	CBCP	INITIAL COLOR TEMP	CRI	+RATED LIFE (YRS) 3HRS/DAY	*RATED LIFE L70(HRS)	ESTIMATED ENERGY COST/YR	ENERGY STAR® STATUS	ADDITIONAL INFORMATION
<b>Compact PAR16 - Dimming</b>																	
PAR16	MED	4.5	34J754	66136	LED5DP16S/NFL/TP	120	3	3.00	180		3000	80	22.8	25,000	\$0.48		Accent, 25° Beam, Silver
<b>Compact PAR16 - Non-Dimming</b>																	
PAR16	MED	4	6CEC3	75848	LED4P16S830/30	120	6	2.87	100	230	3000	80	13.7	15,000	\$0.48		Accent, 30° Beam, Silver
		4.5	6XWL6	62905	LED5P16S/NFL/TP	120	3	2.87	200	800	3000	82	22.8	25,000	\$0.54	★	Accent, 25° Beam, Silver


For additional product and application information, please consult GE's website: [gelighting.com/ThinkLED](http://gelighting.com/ThinkLED)

- \* The life rating is based on the hours of operation the lamp will provide before reaching 70% of its original lumen rating (L70)
  - \*\* Minimum order quantity = 6
  - ★ ENERGY STAR® qualified
  - ^ Estimated energy cost per year based on \$0.11 per kWh energy rate and 3 operating hours per day
- Note: Product descriptions ending in "TP" indicate a card blister or clamshell package nested in a tray for shelf display. Cards also designed for hook display.


ecomagination<sup>SM</sup>




## CHROMATICITY DIAGRAM




## SPECTRAL POWER DISTRIBUTION



## POLAR PLOT—25° BEAM



## CONE DIAGRAM



Product is compliant with material restriction requirements of RoHS  
 energy smart® is a registered trademark of GE  
 ENERGY STAR® and the ENERGY STAR® logo are registered U.S. marks

For additional product and application information, visit  
[www.gelighting.com/ThinkLED](http://www.gelighting.com/ThinkLED)

Information provided is subject to change without notice. Please verify all details with GE. All values are design or typical values when measured under laboratory conditions, and GE makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.

AVAILABLE THROUGH  
**GRAINGER**  
 FOR THE ONES WHO GET IT DONE

© 2012 GE 69178-G 11/05/2012 Printed in USA