



2014 Edition

Industrial Safety & Supply Solutions



Exceptional
Workplaces®



PERSONAL PROTECTIVE EQUIPMENT

- 5 Disposable Apparel
- 31 High-Visibility Apparel
- 37 Seasonal Apparel
- 41 Eyewear
- 59 Goggles
- 62 Face Shields
- 68 Hard Hats & Accessories
- 78 Ear Plugs & Ear Muffs
- 82 Gloves
- 88 Respiratory/PAPR

WELDING SAFETY

- 92 Welding Helmets & ADFs
- 112 Electric Line
- 113 Contour

WILSON* BRAND PRODUCTS

- 117 Welding Curtains
- 120 Stur-D-Screen
- 121 High-Temperature Fabrics
- 125 Hardware & Accessories

WYPALL
BRAND

KIMTECH
BRAND

JACKSON
SAFETY BRAND

KleenGuard
BRAND

Manufacturing an Exceptional Workplace

As a manufacturer, you're in the people business – because people are your most important asset. They make your workplace work. And, at Kimberly-Clark Professional*, we're on a mission to create **Exceptional Workplaces** that are healthier, safer and more productive.

With 58,000 employees working at manufacturing facilities in 37 countries, Kimberly-Clark Professional* understands your manufacturing concerns. It's how we've been able to create the innovative products and programs that help you create your own exceptional workplace.

For example, our Jackson Safety* Welding Helmets with Balder* Technology have achieved the highest rating for optical quality, making welding safer and boosting productivity. We also have programs designed to get your employees actively involved in making their workplace healthier and safer.

From quality apparel and hand protection to welding solutions, you'll find we have what you need to help keep your workplace exceptionally safe, compliant and productive.

We have the
quality products
and innovative
programs you
need to create your
own exceptional
workplace.



Exceptional
Workplaces*

A man with a mustache and glasses, wearing a blue denim shirt and a white protective apron, is smiling while working in a factory. He is holding a large, dark metal pipe. In the background, another worker wearing a white hard hat and a dark blue shirt is visible. The scene is set in an industrial environment with various equipment and materials.

Personal Protective Equipment

**Protection, Comfort & Style
designed around you.**

KleenGuard* Brand Protective Apparel solutions are designed to increase worker compliance and productivity by delivering quality protection with optimal comfort.

KleenGuard* Brand Apparel

A80	Chemical Permeation & Jet Liquid Protection Apparel
A70	Chemical Spray Protection Apparel
A65	Flame Resistant Apparel
A60	Bloodborne Pathogen & Chemical Splash Protection Apparel
A45	Liquid & Particle Protection Surface Prep & Paint Apparel
A40	Liquid & Particle Protection Apparel
A35	Liquid & Particle Protection Apparel
A30	Breathable Splash & Particle Protection Apparel
A20	Breathable Particle Protection Apparel
A10	Light Duty Apparel



Symbol Key

Look for these symbols to help you select the Protective Apparel that meets your specific needs.



Breathable



Allows sweat and moisture vapor to escape



Resistant to dry particulates



Repellent to liquid splashes



Resistant to liquids under pressure



Resistant to blood and body fluids and bloodborne pathogens



Resistant to many liquid and dry particulate chemicals



Resistant to select chemicals and vapors



Antistat



Resistant to flame

KleenGuard* Brand levels of protection

Chemical Permeation & Jet Liquid Protection	A80	Chemical Protection
Chemical Spray Protection	A70	
Flame Resistant	A65	Flame Resistant
Bloodborne Pathogen & Chemical Splash Protection	A60	Liquid Particulate Protection
Liquid & Particle Protection Surface Prep & Paint Apparel	A45	
Liquid & Particle Protection	A40	
Liquid & Particle Protection	A35	
Breathable Splash & Particle Protection	A30	Dry Particulate Protection
Breathable Particle Protection	A20	
Light Duty	A10	

Product by Hazards

	Dry Particle Protection		Liquid Particulate Protection			Flame Resistant	Chemical Protection	
	General Dirt & Grime	Light Splash	Liquid Under Pressure	Isocyanate ¹ & Chromate ²	Blood & Bloodborne Pathogens	Sparks/Flame	Chemical Splash	Chemical Splash & Vapor/Gas
Premium	A20	A30	A40	A45	A60	A65	A70	A80
Economy	A10		A35					

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)

² Tested against potassium chromate (20% concentration)

Choosing a Garment

Before choosing a protective garment, a detailed hazard and risk assessment must be performed. Factors to be considered include **the consequence and likelihood of exposure; specific work environment; route of exposure and the orientation of exposure to the hazard.** Upon recording the hazards and assessing all risks, engineering controls are the first step to mitigating any hazard. When exposure to hazards cannot be engineered completely out of normal operations or maintenance work, and when safe work practices and other forms of administrative controls cannot provide sufficient additional protection, a supplementary method of control is the use of protective clothing.

Styles



**Zipper front,
no elastic**

*A30 Coverall
includes elastic back*



**Zipper front, elastic
wrist & ankles**

Reflex Design
includes elastic back*



**Zipper front, elastic
wrist & ankles,
hooded**


Reflex Design
includes elastic back*




**Zipper front, elastic
wrist & ankles, hood,
boots**

Reflex Design
includes elastic back*

Seams



A **SERGED SEAM** is a basic stitched seam that's appropriate for exposure to non-hazardous substances. Overlap stitching provides strength and durability.



A **BOUND SEAM** is a serged seam that's reinforced with binding for strength and tear resistance.




A **TAPED SEAM** is serged, then reinforced with a film tape that's resistant to water and many liquid chemicals.

If your application requires a chemical resistant taped seam, you should ensure that the tape offers appropriate resistance to the chemical involved.

Reflex* Coverall Design:


- Provides a fuller cut and a generous fit for added range of motion
- 7-1/2 times less likely to rip out vs. minimum ANSI
- 6% longer body length
- 12% more chest room
- Seamless front provides more protection in the primary exposure area



- Solid **Black** line indicates KleenGuard* Brand Reflex* Design
- - - Dotted **Red** line indicates ANSI/ISEA 101-1996 Design Minimums
- **Blue** areas demonstrate the superior Reflex* Design over ANSI design

The following KleenGuard* Brand Coveralls have the Reflex* Design: A20, A30, A45, A60, A70 and A80.

Sizing Chart for Reflex* Design Garments



TAA Compliant

Complying with the Federal Acquisition Regulations (FAR) is something that is top of mind for all Federal Government employees. One of the key elements and most easily missed elements of the FAR is the reference to the Trade Agreements ACT (TAA), meaning products be manufactured or "substantially transformed" in a "designated country." Kimberly-Clark has developed a full line of TAA compliant protective apparel that provides you with the peace of mind and reassurance that you are purchasing product that complies with the Trade Agreements Act.

These items are identified throughout the catalog with this icon:









A10 Light Duty Apparel

Protective wear designed for entry level hazardous dust protection







- Ideal for use when workers are in temporary contact with dirt and grime such as:
 - Food processing
 - General maintenance and manufacturing
- The A10 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles, offering economical, disposable protection for workers who are exposed to dirt and grime.
- Lightweight, breathable coverall providing a cool, comfortable work environment
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams

KleenGuard* A10 Light Duty Coveralls – SMMMS

Zipper Front, Elastic Wrists	Code No.	Size	Case Count
 	10468	L	25
	10636	XL	25
	10616	2XL	25
	10625	3XL	25
	10621	4XL	25
Zipper Front, Elastic Wrists, Attached Hood	Code No.	Size	Case Count
 	12231	L	25
	12225	XL	25
	12226	2XL	25
	12227	3XL	25
	12230	4XL	25
Zipper Front, Elastic Wrists, Attached Hood & Boots	Code No.	Size	Case Count
 	10606	L	25
	10608	XL	25
	10631	2XL	25
	10610	3XL	25
	10615	4XL	25

KleenGuard* A10 Accessories

● = Vending Machine Ready

Apron	Code No.	Size	Case Count
 <ul style="list-style-type: none"> • Polyethylene coated spunbond • Bound neck & ties • One size fits all 	43744	● 28" x 36"	100/cs
Apron	Code No.	Size	Case Count
 <ul style="list-style-type: none"> • Polyethylene 1.75 mil thick • One piece fabric • One size fits all 	43745	28" x 46"	5 Dispenser Cartons/ 100 ea
Lab Coat	Code No.	Size	Case Count
 <ul style="list-style-type: none"> • Serged seams • 4 snap closure • Elastic wrists • Knee length 	40103	L	50
	40104	XL	50
	40105	2XL	50
	40106	3XL	50
	Beard Cover	Code No.	Size
	66815	Universal	1000
	66816	XL	1000






Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel




KleenGuard* A10 Accessories

● = Vending Machine Ready

	Sleeve Protector	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams Elastic top and wrist One size fits all 	23610	18"	200 ea/cs
	Bouffant Cap	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Spunbond Not made with natural rubber White 	36900	M (21")	600 ea/cs Dispenser pack
		36850	M (21")	1000 ea/cs 10 packs/100
		36920	L (24")	450 ea/cs Dispenser pack
		36860	L (24")	1000 ea/cs 10 packs/100
	Shoe Cover	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Spunbond fabric Serged seams Fully elasticized for formed fit 6.5" height Skid resistant bottom Light blue Double-bagged for cleanroom 	36811	● Universal	300 ea/cs 2 packs/150 pairs
		27222	XL	300 ea/cs 2 packs/150 pairs

Cleanroom Packaging (double bag)

	Bouffant Cap	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Rayon, ideal for cleanroom Not made with natural rubber White 	66829	24"	5 bags of 100

A20 Breathable Particle Protection Apparel

Designed to move with you while protecting against non-hazardous and hazardous dust



IDEAL FOR USE when workers are in nonstop contact with dirt and grime such as:


- Laboratories
- Remediation
- Heavy dust environments

And other situations such as:


- Pesticide application
- Modesty garment

The KleenGuard* A20 SMMMS offers superior particle holdout coupled with unmatched comfort attributes offering workers protection without sacrificing comfort. The A20 fabric is five layers of stacked barrier protection (SMMMS) against hazardous particles.

- Lightweight and Breathable
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Passes NFPA 99 for antistatic materials
- Serged seams



Available in White and Blue Denim



KleenGuard* A20 Coveralls meet the EPA Agricultural Worker Protection Standard (WPS) requirements for "coveralls"







Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel



KleenGuard* A20 Coveralls



Available in White and Blue Denim

● = Vending Machine Ready
 ■ = Made to Order (MTO)



Zipper Front	White Code No.	Blue Denim Code No.	Size	Case Count	MTO
 	35671	—	S	24	■
	49002	58532	M	24	
	49003	● 58533	L	24	
	49004	● 58534	XL	24	
	49005	● 58535	2XL	24	
	49006	● 58536	3XL	20	
	49007	● 58537	4XL	20	
	35670	—	5XL/6XL	20	■



Zipper Front, Elastic Back, Wrists & Ankles	White Code No.	Blue Denim Code No.	Size	Case Count	MTO
 	35810	—	S	24	■
	49102	58502	M	24	
	49103	● 58503	L	24	
	49104	● 58504	XL	24	
	49105	● 58505	2XL	24	
	49106	● 58506	3XL	20	
	49107	● 58507	4XL	20	
	30920	23998	5XL	20	■
	27179	—	6XL	21	■
	35669	—	5XL/6XL	20	■



Zipper Front, Elastic Back, Wrists, Ankles & Hood	White Code No.	Blue Denim Code No.	Size	Case Count	MTO
 	49112	58512	M	24	
	49113	58513	L	24	
	49114	● 58514	● XL	24	
	49115	● 58515	● 2XL	24	
	49116	● 58516	● 3XL	20	
	49117	58517	4XL	20	
	30924	—	5XL	20	■



Zipper Front, Elastic Back, Wrists, Ankles, Hood & Boots	White Code No.	Blue Denim Code No.	Size	Case Count	MTO
 	49122	58522	M	24	
	49123	58523	L	24	
	49124	58524	XL	24	
	49125	58525	2XL	24	
	49126	58526	3XL	20	
	49127	58527	4XL	20	
	27258	30910	5XL	20	■

KleenGuard* A20 Accessories


	Apron	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Bound neck & ties White One size fits all 	36550	28" x 40"	100 (10 packs of 10)
	Denim with pockets	36260	28" x 40"	100 (10 packs of 10)



	Lab Coat	Code No.	Size	Case Count	MTO
	<ul style="list-style-type: none"> Serged seams 4 hook and loop closure Elastic wrists Knee length White 	35618	S	30	■
		35619	M	30	
		35620	L	30	
		35621	XL	30	
		35622	2XL	30	
		35623	3XL	30	
		35624	4XL	30	
	35625	5XL	30		
	37427	6XL	30	■	



	Lab Coat	Code No.	Size	Case Count	MTO
	<ul style="list-style-type: none"> Serged seams 4 snap closure Open wrists Knee length Left chest pocket Right hip pocket White 	30913	S	25	■
		10019	M	25	
		10029	L	25	
		10039	XL	25	
		40049	2XL	25	
		30930	3XL	25	■
	30914	4XL	25	■	



	Frock	Code No.	Size	Case Count	MTO
	<ul style="list-style-type: none"> Serged seams 5 snap closure Elastic wrists Below knee length Mandarin collar White 	30926	S	30	■
		36262	M	30	
		36263	L	30	
		36264	XL	30	
		36265	2XL	30	
		30937	3XL	30	■
	30933	4XL	30	■	
	34815	5XL	30	■	



- = Vending Machine Ready
- = Made to Order (MTO)



 Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel



	Shirt	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams 5 snap closure Open wrists Hip length Mandarin collar White 	36212	M	50
		36213	L	50
		36214	XL	50
		36215	2XL	50



	Smock	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Sonic seams Tie closure Elastic wrists Knee length Open neck White 	36150	Universal	60

	Pants	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams Elastic waist Open ankle White 	36222	M	50
		36223	L	50
		36224	XL	50
		36225	2XL	50

	Hood	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams Elastic face seal White 	36890	Universal	100 ea

	Sleeve Protector	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams Elastic top & wrists 21" length ergonomically designed for improved fit White 	36870	21"	200 ea

	Boot Cover	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams Elastic opening 13" height Seamless sole White One size fits all 	36880	Universal	300 ea

	Shoe Cover	Code No.	Size	Case Count
	<ul style="list-style-type: none"> Serged seams Fully elasticized for formed fit 6.5" height White One size fits all 	36885	Universal	300 ea



A30 Breathable Splash & Particle Protection Apparel

Designed to move with you while protecting against hazardous dry particles, aerosols and non-hazardous light liquid splash



IDEAL FOR USE when workers are in nonstop contact with dirt, grime where light splashes exists, such as:

- Pressure washing
- Powder painting
- Pharmaceutical research
- Fine particle contamination
- Aerospace
- Maintenance/General manufacturing
- Aerosolized spray painting

KleenGuard* Apparel Microforce* Barrier SMS Fabric Outer Layers – Cloth-like, yet tough and abrasion-resistant spunbond polypropylene Middle Layers – Intricate web of micro-fibers that filter out many water-based liquids and dry particulates.



- Strong and abrasion resistant
- Filters out many water-based liquids and dry particles
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front provides more protection in the primary exposure area
- Breathable, patented Microforce* barrier SMMMS fabric blocks particles from penetrating garment
- Passes NFPA 99 for antistatic materials
- Serged seams







Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel



KleenGuard* A30 Coveralls

● = Vending Machine Ready
 ■ = Made to Order (MTO)



Zipper Front with 1" Flap & Elastic Back		Code No.	Size	Case Count	MTO
 	35738	S	25	■	
	46002	M	25		
	46003	L	25		
	46004	XL	25		
	46005	2XL	25		
	46006	3XL	21		
	46007	4XL	21		
	35688	5XL/6XL	21	■	



Zipper Front w/1" Flap, Elastic Back, Wrists & Ankles		Code No.	Size	Case Count	MTO
 	30931	S	25	■	
	46102	M	25		
	46103	L	25		
	46104	XL	25		
	46105	2XL	25		
	46106	3XL	21		
	46107	4XL	21		
	30917	5XL	21	■	
	30918	6XL	21	■	
	35737	5XL/6XL	21	■	



Zipper Front w/1" Flap, Elastic Back, Wrists, Ankles & Hood		Code No.	Size	Case Count	MTO
 	30909	S	25	■	
	46112	M	25		
	46113	L	25		
	46114	XL	25		
	46115	2XL	25		
	46116	3XL	21		
	46117	4XL	21		
	30936	5XL	21	■	
	30932	6XL	21	■	

Zipper Front w/1" Flap, Elastic Back, Wrists, Ankles, Hood & Boots		Code No.	Size	Case Count	MTO
 	30908	S	25	■	
	46122	M	25		
	46123	L	25		
	46124	XL	25		
	46125	2XL	25		
	46126	3XL	21		
	46127	4XL	21		
	27238	5XL	21	■	
	27239	6XL	21	■	

KleenGuard* A30 Coveralls — with iFLEX* Stretch Panels

Zipper Front with 1" Flap, Elastic Back & Front, Wrists & Ankles		Code No.	Size	Case Count
 	46132	M	25	
	46133	L	25	
	46134	XL	25	
	46135	2XL	25	
	46136	3XL	21	
	46137	4XL	21	

Zipper Front with 1" Flap, Elastic Back & Front, Wrists, Ankles & Hood		Code No.	Size	Case Count
 	46142	M	25	
	46143	L	25	
	46144	XL	25	
	46145	2XL	25	
	46146	3XL	21	
	46147	4XL	21	

Zipper Front with 1" Flap, Elastic Back & Front, Wrists, Ankles, Hood & Boots		Code No.	Size	Case Count
 	46172	M	25	
	46173	L	25	
	46174	XL	25	
	46175	2XL	25	
	46176	3XL	21	
	46177	4XL	21	



A35 Liquid & Particle Protection Apparel

Designed for economical liquid and particulate barrier protection



IDEAL FOR USE when workers are in contact with hazardous particles or liquids such as:

- Liquid handling
- Pressure washing
- Maintenance
- General manufacturing

Features

- Microporous film laminate
- Meets ANSI/ISEA 101-1996 sizing standard

KleenGuard* A35 Coveralls

Zipper Front	Code No.	Size	Case Count
	38916	S	25
	38917	M	25
	38918	L	25
	38919	XL	25
	38920	2XL	25
	38921	3XL	25
	38922	4XL	25
	38923	5XL	25

Zipper Front, Elastic Wrists & Ankles	Code No.	Size	Case Count
	38925	S	25
	38926	M	25
	38927	L	25
	38929	XL	25
	38930	2XL	25
	38932	3XL	25
	38934	4XL	25
	38935	5XL	25

Zipper Front, Elastic Wrists & Ankles & Hood	Code No.	Size	Case Count
	38936	S	25
	38937	M	25
	38938	L	25
	38939	XL	25
	38941	2XL	25
	38942	3XL	25
	38943	4XL	25
	38944	5XL	25

Zipper Front, Elastic Wrists & Ankles, Hood & Boots	Code No.	Size	Case Count
	38947	S	25
	38948	M	25
	38949	L	25
	38951	XL	25
	38950	2XL	25
	38952	3XL	25
	38953	4XL	25
	38954	5XL	25



Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel

A40 Liquid & Particle Protection Apparel

Designed for protection against hazardous particles and liquids



IDEAL FOR USE when workers are in nonstop contact with hazardous particles or liquids such as:

- Fiberglass manufacturing
- Tank cleaning
- Utilities
- Liquid handling
- Pressure washing
- Maintenance/ General manufacturing
- Mold remediation
- Agriculture
- Lead abatement
- Sewage work

Features

- Liquid barrier, particulate barrier, low in lint
- Passes NFPA 99 for antistatic materials
- Passes ASTM F1670 testing for penetration of blood and body fluids
- Meets ANSI/ISEA 101-1996 sizing standards
- Serged seams

KleenGuard* A40 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Potassium Chromate (20%)	F903 Method D	Pass
Isocyanate Paint (40%)	F903 Method D	Pass
Blood Penetration	ASTM F1670	Pass





Also available
with **Blue
Breathable Back**







Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel

KleenGuard* A40 Coveralls

● = Vending Machine Ready
■ = Made to Order (MTO)

Zipper Front	Code No.	Size	Case Count	MTO
 	27151	● S	25	■
	44302	● M	25	
	44303	● L	25	
	44304	● XL	25	
	44305	● 2XL	25	
	44306	● 3XL	25	
	44307	● 4XL	25	
	30922	● 5XL	25	■
	30927	● 6XL	25	■

Zipper Front, Elastic Wrists & Ankles	Code No.	Size	Case Count	MTO
 	30905	S	25	■
	44312	M	25	
	44313	● L	25	
	44314	● XL	25	
	44315	● 2XL	25	
	44316	● 3XL	25	
	44317	● 4XL	25	
	30904	5XL	25	■
	27189	6XL	25	■
	35630	5XL/6XL	25	■

Zipper Front, Elastic Wrists, Ankles & Hood	Code No.	Size	Case Count	MTO
 	30940	● S	25	■
	44322	● M	25	
	44323	● L	25	
	44324	● XL	25	
	44325	● 2XL	25	
	44326	● 3XL	25	
	44327	● 4XL	25	
	27158	5XL	25	
	30921	6XL	25	■


Zipper Front, Elastic Wrists, Ankles, Hood & Boots



Code No.	Size	Case Count	MTO
30939	S	25	■
44332	M	25	
44333	L	25	
44334	XL	25	
44335	2XL	25	
44336	3XL	25	
44337	4XL	25	
30907	5XL	25	■
30934	6XL	25	■

KleenGuard* A40 Coveralls with Blue Breathable Back

Zipper Front, Elastic Wrists, Ankles & Hood





Code No.	Size	Case Count
37591	L	25
37163	XL	25
37164	2XL	25
37165	3XL	25
38508	4XL	25
37584	5XL/6XL	25







Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel



KleenGuard* A40 Accessories



● = Vending Machine Ready
■ = Made to Order (MTO)



	Lab Coat	Code No.	Size	Case Count	MTO
	• Serged seams • 4 snap closure • Open wrists • Knee length • Left chest pocket • Right hip pocket • White	35617	XS	30	■
		27201	S	30	■
		44452	M	30	
		44453	L	30	
		44454	XL	30	
		44455	2XL	30	
		44456	3XL	30	
		27207	4XL	30	■
	30935	5XL	30	■	



	Lab Coat	Code No.	Size	Case Count	MTO
	• Serged seams • 5 snap closure • Elastic wrists • Knee length • No pocket • White	30938	S	30	■
		44442	M	30	■
		44443	L	30	
		44444	XL	30	
		44445	2XL	30	
		44446	3XL	30	
		30923	4XL	30	
		30941	5XL	30	■



	Shirt	Code No.	Size	Case Count
	• Serged seams • 5 snap closure • Hip length • No pocket • White	44402	M	50
		44403	L	50
		44404	XL	50
		44405	2XL	50



	Apron	Code No.	Size	Case Count
	• Bound neck & ties • White • One size fits all	44481	28" x 40"	100



	Pants	Code No.	Size	Case Count
	• Serged seams • Elastic waist • Open ankle • White	44412	M	50
		44413	L	50
		44414	XL	50
		44415	2XL	50



	Sleeve Protector	Code No.	Size	Case Count
	• Serged seams • Elastic top & wrists • 18" length • White	44480	● 18"	200

	Boot Cover	Code No.	Size	Case Count
	• Serged seams • Elastic opening • 17" height • Seamless sole • White • One size fits all	44491	Universal	400

	Boot Cover	Code No.	Size	Case Count
	• Serged seams • Elastic top • Elastic at ankle • Highly durable • PVC sole • 18" height • White	36779	M/L	400
		44495	XL/2XL	400

	Shoe Cover	Code No.	Size	Case Count
	• Serged seams • Elastic opening • 7" height • Seamless sole • White • One size fits all	27000	Universal	300

	Shoe Cover	Code No.	Size	Case Count
	• Serged seams • Fully elasticized for formed fit • 7" height • White • One size fits all	44490	Universal	400

	Shoe Cover	Code No.	Size	Case Count
	• Serged seams • Elastic Top • Highly durable PVC sole • 5.25" height • White	44492	M/L	400
		44494	XL/2XL	400

A45 Liquid & Particle Protection Surface Prep & Paint Apparel

Designed to move with you while protecting in work environments where hazardous or non-hazardous contaminants may be present



IDEAL FOR USE in surface Prep and paint application areas where isocyanate¹ & chromate dust protection is mandated.

Made with lighter weight fabric than KleenGuard* A40 Liquid and Particle Protection suit allowing for improved comfort without sacrificing protection.

Designed specifically for the Surface Prep & Paint area in mind, KleenGuard* A45 allows more freedom of movement and less restriction allowing the worker to complete their job without modifying the garment.

Features

- Silicone Free²
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Passes NFPA 99 for antistatic materials
- Not processed with natural rubber latex
- Protects against isocyanates¹
- Protects against chromate dust
- Respirator fit hood design
- Water resistant zipper
- Serged seams

KleenGuard* A45 Fabric Liquid Chemical Resistance Test

Chemicals	Test Method	Results
Isocyanate paint (1 lot data) 40%	F903 Method D	Pass
Chromated epoxy corrosion primer (1 lot data) 10%	F903 Method D	Pass

¹ Tested against polyurethane containing polymeric isocyanate (40% concentration)

² Per BMS 15-5G Method 2611 and AMS 3819C, 1% detection limit, Based on 1 lot







Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel





Reflex* Coverall Design offers excellent fit and freedom of movement

KleenGuard* A45 Coveralls



Zipper Front	Code No.	Size	Case Count
 	41483	S	25
	41484	M	25
	41485	L	25
	41486	XL	25
	41487	2XL	25
	41488	3XL	25
	41489	4XL	25
	41490	5XL/6XL	25

Zipper Front, Elastic Wrists & Ankles	Code No.	Size	Case Count
 	41491	S	25
	41492	M	25
	41493	L	25
	41494	XL	25
	41495	2XL	25
	41496	3XL	25
	41497	4XL	25
	41498	5XL/6XL	25

Zipper Front, Elastic Wrists, Ankles & Hood

	Code No.	Size	Case Count
 	41503	S	25
	41504	M	25
	41505	L	25
	41506	XL	25
	41507	2XL	25
	41508	3XL	25
	41509	4XL	25
	41510	5XL/6XL	25

Zipper Front, Elastic Wrists, Ankles, Hood & Boots

	Code No.	Size	Case Count
 	41513	S	25
	41514	M	25
	41515	L	25
	41516	XL	25
	41517	2XL	25
	41518	3XL	25
	41519	4XL	25
	41520	5XL/6XL	25



A60 Bloodborne Pathogen & Chemical Protection Apparel

Designed to move with you offering protection in work environments where contact with blood, bodily fluids and bloodborne pathogens hazards are present



Recommended by:
American Biorecovery Association



IDEAL FOR USE when workers may come into contact with bloodborne pathogens in:

- Crime lab
- Emergency medical response
- Crime scene cleanup
- Embalming/forensics and animal research

This protective coverall is made from a patented seven-layer fabric. The tough outer layers protect the film barrier from tearing and abrasion.

- Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and bloodborne pathogens
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front to provide more protection in the primary exposure area
- Three layer fabric construction features:
 - A middle layer of microporous film that allows heat and sweat vapor to escape keeping the worker cool
 - Outer layer film barrier against tearing and abrasion
- Taped storm flap
- Passes NFPA 99 for antistatic materials
- Serged seams

KleenGuard* A60 Fabric Liquid Chemical Resistance Test

Chemicals	Liquid Penetration Method D
	ASTM F903 Test Duration: 60 mins. Saturation Exposure
Acetone	Pass
Acetonitrile	Pass
Dichloromethane	Pass
Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass
MEK (99.5)	Pass
Methanol	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (97%)	Pass
Tetrahydrofuran	Pass
Sodium Hypochlorite (household bleach)	Pass
Isocyanate Hardener (65%)	Pass



WARNING: Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.







Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel



KleenGuard* A60 Coveralls

● = Vending Machine Ready
 ■ = Made to Order (MTO)



Zipper Front	Code No.	Size	Case Count	MTO
 	23681	S	24	■
	45232	M	24	
	45233	L	24	
	45234	XL	24	
	45235	2XL	24	
	45236	3XL	20	
	45237	4XL	20	



Zipper Front, Storm Flap, Elastic Back, Wrists & Ankles	Code No.	Size	Case Count	MTO
 	35407	S	24	■
	45002	M	24	
	45003	● L	24	
	45004	● XL	24	
	45005	● 2XL	24	
	45006	● 3XL	20	
	45007	● 4XL	20	
	27288	5XL	20	■
	30954	6XL	20	■



Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles & Hood	Code No.	Size	Case Count	MTO
 	45022	M	24	
	45023	L	24	
	45024	XL	24	
	45025	2XL	24	
	45026	3XL	20	
	45027	4XL	20	
	30955	5XL	20	■
	12939	6XL	20	■

Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles, Hood & Boots	Code No.	Size	Case Count	MTO
 	45092	M	24	
	45093	L	24	
	45094	XL	24	
	45095	2XL	24	
	45096	3XL	20	
	45097	4XL	20	
	30943	5XL	20	■
	12940	6XL	20	■

KleenGuard* A60 Accessories


Lab Coat	Code No.	Size	Case Count	MTO
  <ul style="list-style-type: none"> • Serged seams • 4 snap closure • Open Wrists • Knee length • Left chest pocket • Right hip pocket • White 	30945	S	25	■
	45512	M	25	
	45513	L	25	
	45514	XL	25	
	45518	2XL	25	
	27326	3XL	25	■
	27327	4XL	25	■
	27328	5XL	25	■

Sleeve Protector	Code No.	Size	Case Count
  <ul style="list-style-type: none"> • Serged seams • Elastic top & Wrists • 21" length • Ergonomically designed to fit to arm • Denim 	36871	21"	200

Hood	Code No.	Size	Case Count
  <ul style="list-style-type: none"> • Serged seams • Elastic face seal • White 	45343	Universal	100

KleenGuard* A60 Apparel Fabric

Outer Layers – Cloth-like, yet tough and abrasion-resistant spunbond polypropylene



Middle Layers – Breathable microporous film offering resistance to many liquids and dry particulates

A65 Flame Resistant Apparel

Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible



IDEAL FOR USE when workers may be exposed to sparks; in environments, such as:

- Oil refining
- Utilities
- Welding processes
- Grinding processes

KleenGuard* A65 is breathable with a high moisture vapor transmission rate to be worn comfortably over Flame Resistant garments.



- Flame resistant and compliant with NFPA 701 FLAME PROPAGATION TEST (1999 edition)
- Complies with flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.2-2000
- Passes NFPA 99 for antistatic materials
- Design meets ANSI/ISEA 101-1996 sizing standard.
- Serged seams




Do not use for fire protection. Avoid open flame or intense heat. KleenGuard A65 garments does not provide thermal insulation/protection.*

KleenGuard* A65 Blue Coveralls

● = Vending Machine Ready
■ = Made to Order (MTO)

Zipper Front	Code No.	Size	Case Count	MTO
 	45312	M	25	
	45313	L	25	
	45314	XL	25	
	45315	2XL	25	
	45316	3XL	21	
	45317	4XL	21	
	32420	5XL	21	
	32417	6XL	21	

Zipper Front, Elastic Wrists, Ankles, Hood & Boots



Code No.	Size	Case Count	MTO
45352	M	25	
45353	L	25	
45354	XL	25	
45355	2XL	25	
45356	3XL	21	
45357	4XL	21	
30952	5XL	21	■
30951	6XL	21	■

Zipper Front, Elastic Wrists, Ankles & Hood




Code No.	Size	Case Count	MTO
45322	M	25	
45323	L	25	
45324	XL	25	
45325	2XL	25	
45326	3XL	21	
45327	4XL	21	
23558	5XL	21	■
23559	6XL	21	■

KleenGuard* A65 Lab Coat



- Serged seams
- 4 hook & loop closure
- Open Wrist
- Knee length
- White

Lab Coat	Code No.	Size	Case Count	MTO
	12810	M	25	
	12811	L	25	
	12812	XL	25	
	12813	2XL	25	
	12814	3XL	25	
	12815	4XL	25	
	12886	5XL	20	■
	12887	6XL	20	■



Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel

A70 Chemical Spray Protection Apparel

Designed to move with you offering protection in environments where contact with hazardous chemicals are present



IDEAL FOR USE when workers may come into contact with hazardous chemicals, as in:

- Hazardous waste remediation
- Environmental cleanup
- Petrochemical/oil refining
- Acid/caustic handling
- Biohazard cleanup
- Tank cleaning
- Pharmaceutical manufacturing

KleenGuard* A70 is 1.5 mil polyethylene-coated fabric resistant to many water-based liquids, greases and oils, and liquid chemical splashes. Protection with exceptional comfort is why 75% of industrial workers preferred KleenGuard* A70 over the leading brand for fit and productivity.

- Wick-away lining for enhanced comfort
- Liquid-resistant, extra-long zipper
- Taped, sealable zipper flap
- REFLEX* Coverall Design offers excellent fit and freedom of movement
- Seamless front for more protection in the primary exposure area
- Bound seams
- Passes NFPA 99 for antistatic materials



KleenGuard* A70 Apparel Fabric Liquid Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903	Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate ($\mu\text{g}/\text{cm}^2/\text{min}$)
Acetone	Pass	Immediate	7.9
Acetonitrile	Pass	Immediate	8.97
Carbon Disulfide	Pass	Immediate	76.3
Dichloromethane	Pass	Immediate	85.1
Diethylamine	Pass	Immediate	High
n,n-Dimethylformamide	Pass	Immediate	2.54
Ethyl Acetate	Pass	Immediate	40.3
n-Hexane	Pass	Immediate	High
Methanol	Pass	Immediate	1.71
Nitrobenzene	Pass	Immediate	97.4
Sodium Hydroxide (50%)	Pass	>480	Not detected
Sulfuric Acid (98%)	Pass	>480	Not detected
Tetrachloroethylene	Pass	Immediate	High
Tetrahydrofuran	Pass	Immediate	32.8
Toluene	Pass	Immediate	High

WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.

As we are continually collecting new data, reference the Technical Data Guide for A70 for the most up-to-date data at www.kcprofessional.com.

KleenGuard* A70 – Bound Seams • Yellow

Zipper Front, Storm Flap,
Elastic Wrists, Ankles & Hood



Code No.	Size	Case Count
09812	M	12
09813	L	12
09814	XL	12
09815	2XL	12
09816	3XL	12
09817	4XL	12
09818	5XL	12

Zipper Front, Storm Flap,
Elastic Wrists, Hood & Boots



Code No.	Size	Case Count
00682	M	12
00683	L	12
00684	XL	12
00685	2XL	12
00686	3XL	12
00687	4XL	12
00688	5XL	12



KleenGuard* A70 Accessories

● = Vending Machine Ready

Smock



- Bound seams
- Elastic wrist
- Bound neck
- Back neck snaps
- Elastic shoulder for proper fit
- Yellow

Code No.	Size	Case Count
09829	44" Length	25
09830	52" Length	25

Sleeve Protector



- Bound seams
- Elastic top & wrist
- 21" length
- Ergonomically designed to fit to arm
- Yellow

Code No.	Size	Case Count
97780	● 21" Length	200

Apron



- Bound seams
- Bound neck and ties
- Yellow
- One size fits all

Code No.	Size	Case Count
97790	● 29" x 44"	100

A80 Chemical Permeation & Jet Liquid Protection Apparel

Designed to move with you offering protection in environments where contact with hazardous chemical vapors may be present



IDEAL FOR USE when workers may come into contact with hazardous chemicals vapors such as:

- Chemical handling/mixing/cleanup
- Hazardous material handling
- Hazardous waste cleanup
- Industrial Hazmat teams
- Petrochemicals
- Utilities
- Saranex® 23-P Film laminated
- Taped, sealable zipper flap
- Liquid-resistant, extra-long zipper
- Reflex* Coverall Design offers excellent fit and freedom of movement
- Seamless front provides more protection in the primary exposure area
- Respirator fit hood design for compatibility with complementary PPE
- Taped seams











⚠ WARNING: Fabric passes penetration testing; however, the chemical is a known or suspected carcinogen or skin absorbed toxin.


As we are continually collecting new data, reference the Technical Data Guide for A80 for the most up-to-date data at www.kcprofessional.com.

KleenGuard* A80 Apparel Fabric Liquid & Gas Chemical Resistance Test

Chemicals ASTM F1001	Liquid Penetration ASTM F903		Vapor Permeation ASTM F739	
	Test Duration: 60 mins. Saturation Exposure	Normalized Breakthrough (min.)	Rate (µg/cm ² /min)	
Acetone	Pass	23	0.92	
Acetonitrile	Pass ⚠	72.5	0.32	
Ammonia	NA (gas)	>480	Not detected	
1,3 Butadiene	Pass	>480	Not detected	
Carbon Disulfide	Pass ⚠	Immediate	70.6	
Chlorine	NA (gas)	>480	Not detected	
Dichloromethane	Pass ⚠	Immediate	High	
Diethylamine	Pass ⚠	17	92.6	
n,n-Dimethylformamide	Pass	127.5	1.33	
Ethyl Acetate	Pass	10	5.6	
Ethylene Oxide	Pass	14.5	18.5	
n-Hexane	Pass ⚠	>480	Not detected	
Hydrochloric Acid (99%)	Pass	>480	Not detected	
Methanol	Pass ⚠	>480	Not detected	
Methyl Chloride	Pass	>480	Not detected	
Nitrobenzene	Pass	89	6.96	
Sodium Hydroxide (50%)	Pass	>480	Not detected	
Sulfuric Acid (98%)	Pass	>480	Not detected	
Tetrachloroethylene	Pass ⚠	10.5	17.4	
Tetrahydrofuran	Pass	Immediate	289	
Toluene	Pass ⚠	2.5	369.5	

KleenGuard* A80 Taped Seams

Chemicals ASTM F1001	Liquid Penetration ASTM F903
	Test Duration: 60 mins. Saturation Exposure
Acetone	Pass
Acetonitrile	Pass 
Carbon Disulfide	Pass 
Dichloromethane	Pass 
Diethylamine	Pass 
n,n-Dimethylformamide	Pass
Ethyl Acetate	Pass
n-Hexane	Pass 
Methanol	Pass 
Nitrobenzene	Pass
Sodium Hydroxide (50%)	Pass
Sulfuric Acid (98%)	Pass
Tetrachloroethylene	Pass 
Tetrahydrofuran	Pass
Toluene	Pass 



 **WARNING:** Fabric passes penetration testing; however, the chemical is considered a known or suspected carcinogen or skin-absorbed toxin.



As we are continually collecting new data, reference the Technical Data Guide for A80 for the most up-to-date data at www.kcprofessional.com.

**Seams
taped with
Saranex®
23-P Film**



KleenGuard* A80 – Level B/C Coveralls Taped Seams • White

■ = Made to Order (MTO)



Zipper Front, Storm Flap, Elastic Wrists, Ankles & Respirator-Fit Hood	Code No.	Size	Case Count	MTO
 	45643	L	12	
	45644	XL	12	
	45645	2XL	12	
	45646	3XL	10	
	45647	4XL	10	
	30946	5XL	10	■
	30947	6XL	10	■

Zipper Front, Storm Flap, Elastic Wrists, Ankles, Respirator-Fit Hood & Boots	Code No.	Size	Case Count	MTO
 	45663	L	12	
	45664	XL	12	
	45665	2XL	12	
	45666	3XL	10	
	45667	4XL	10	
	30948	5XL	10	■
	30949	6XL	10	■

KleenGuard* A80 Accessories

Sleeve Protector	Code No.	Size	Case Count
 	45749	21"	100

- Taped seams
- Elastic top & wrist
- 21" length
- Ergonomically designed to fit to arm
- White

Apron	Code No.	Size	Case Count
 	45748	29" x 44"	50

- White
- One size fits all



Choose protective apparel based on hazard type at

www.kcproductselector.com



Kimberly-Clark has developed a full line of TAA Compliant Protective Apparel

Jackson Safety* High-Visibility Safety Apparel

Choose from a wide variety of ANSI/ISEA-approved safety wear designed for people who work in and around areas requiring high visibility.



WHAT IS ANSI/ISEA Z107-2004?

ANSI/ISEA Z107-2004 is a voluntary consensus standard for high-visibility safety apparel. ANSI/ISEA Z107-2004 represents what the industry views as necessary to adequately protect workers from the hazards associated with low visibility. OSHA set forth requirements in regulation 29 CFR 1926.6(d), that “employees exposed to public vehicular traffic shall be provided with, and shall wear, warning vests or suitable garments marked with or made of reflectorized or high-visibility safety material.”

Effective November 24, 2008, the federal regulation 23 CFR 634, states: All workers within the right-of-way of a Federal-Aid highway who are exposed either to traffic (vehicles using the highway for purposes of travel) or construction equipment within the work area shall wear high-visibility safety apparel. Per this regulation, high-visibility safety apparel is defined as personal protective safety clothing that is intended to provide conspicuity during both daytime and nighttime usage and meets the ANSI/ISEA Z107-2004 Class 2 or 3 requirements.

Four classes of safety garments are offered for high-visibility protection.



ANSI Class 1 garments provide the minimum amount of required material to differentiate the wearer from a work environment that is non-complex. There are very few transportation occupations that allow for this class and it may never be used while working on or near Federally-Aided highways.



ANSI Class 2 garments provide superior visibility for wearers by the additional coverage of the torso and are more conspicuous than Class 1 garments. Per 23 CFR 634, a minimum of Class 2 safety garments are required for workers within the right-of-way of a Federally-Aided highway.



ANSI Class 3 garments offer greater visibility to the wearer in both complex backgrounds and through a full range of body movements to the arms and/or legs. These garments are recommended for workers with high task loads in a wide range of weather conditions. All ANSI Class 3 garments must have sleeves with the required amount of reflective tape.



ANSI Class E is the only standard that is specific to high-visibility pants and is generally used for workers and vehicle operators whose occupations require full head-to-toe visibility and/or when work backgrounds are complex. The worker is required to combine the Class E garment with a Class 2 or Class 3 garment.

Minimum Areas of Visible Material per ANSI/ISEA Z107-2004

Garment Performance	Class 3	Class 2	Class 1
	Square Meters / Square Inches	Square Meters / Square Inches	Square Meters / Square Inches
Background Material	0.80 m ² / 1240 in ²	0.50 m ² / 775 in ²	0.14 m ² / 217 in ²
Retroflective Material	0.20 m ² / 310 in ²	0.13 m ² / 201 in ²	0.10 m ² / 155 in ²

ANSI Z107-2004: The American National Standards Institute (ANSI) publishes a regulatory safety standard for high-visibility clothing. The standard defines three classes of successively more visible garments that protect workers exposed to increasingly higher levels of risk from motor vehicles and heavy equipment.

23 CFR 634: Effective Nov. 24, 2008, a Federal regulation that mandates: All workers within the right-of-way of a Federal-Aid highway who are exposed either to traffic (vehicles using the highway for purposes of travel) or construction equipment within the work area shall wear high-visibility safety apparel. Per this regulation, high-visibility safety apparel is defined as personal protective safety clothing that is intended to provide conspicuity during both daytime and nighttime usage and meets the ANSI/ISEA Z107-2004 Class 2 or 3 requirements.

MUTCD: The Manual on Uniform Traffic Control Devices (MUTCD) is a document issued by the Federal Highway Administration (FHWA) of the United States Department of Transportation (USDOT) to specify the standards by which traffic signs, road markings, and signals

are designed, installed and used. These specifications include the shapes, colors, and fonts used in road markings and signs.

NCHRP 350: The National Cooperative Highway Research Program (NCHRP) represents uniform guidelines for conducting full-scale crash tests for permanent and temporary highway safety features. The crash performance is judged on occupant risk and vehicle trajectory. Products addressed in these guidelines include longitudinal Barricadeers, transitions, end terminals, crash cushions, breakaway/yielding supports, truck-mounted attenuators and work zone traffic control devices.

ITE: The Institute of Transportation Engineers (ITE) is an international educational and scientific association of transportation professionals who attempt to meet mobility and safety standards. ITE facilitates the application of technology and scientific principles to research, plan, functional design, implementation, operation, policy development and management for any mode of transportation. Jackson Safety's line of Barricade lights have all been awarded ITE certification.

FMVSS 125: Federal Motor Vehicle Safety Standards (FMVSS) is a standard that applies to the shape, size, and performance requirements for reusable day and night warning devices that can be erected on or near the roadway to warn approaching motorists of the presence of a stopped vehicle. Our safety triangles conform to FMVSS standards.

OSHA: Occupational Safety and Health Administration (OSHA) is a division of the United States Department of Labor. Their mission is to prevent work-related injuries, illnesses and deaths by issuing and enforcing standards for workplace safety and health.

ISEA: The International Safety Equipment Association (ISEA) is the primary trade association in the U.S. for companies that manufacture safety and personal protective equipment. The member companies are world leaders in the design and manufacturing of protective clothing and equipment used in factories, construction sites, hospitals, clinics, farms, schools, laboratories, emergency response and in the home.

ANSI Class 3

ANSI Class 3 garments offer greater visibility to the wearer in both complex backgrounds and through a full range of body movements to the arms and/or legs.

ANSI Class 3 Safety Vest – Deluxe Style



22896

Code No.	Old Code	Description	Size	Product Features
22890	3022337	Solid Orange With Lime Prismatic	M/L	<ul style="list-style-type: none"> • 4-pocket design – 2 interior and 2 exterior pockets • Rugged color-matched front zipper closure • Durable material with mesh or solid options • Silver bead or color prismatic reflective tape • 360° visibility with reflective tape • 100% polyester • Machine washable • Meets ANSI/ISEA Z107-2004 Class 3 Standards
22891	3022338	Solid Orange With Lime Prismatic	XL/2X	
22892	3022339	Solid Orange With Lime Prismatic	3X/4X	
22893	3022340	Solid Lime With Lime Prismatic	M/L	
22894	3022341	Solid Lime With Lime Prismatic	XL/2X	
22895	3022342	Solid Lime With Lime Prismatic	3X/4X	
22896	3022343	Mesh Orange With Silver Reflective	M/L	
22897	3022344	Mesh Orange With Silver Reflective	XL/2X	
22898	3022345	Mesh Orange With Silver Reflective	3X/4X	
22899	3022346	Mesh Lime With Silver Reflective	M/L	
22901	3022347	Mesh Lime With Silver Reflective	XL/2X	
22903	3022348	Mesh Lime With Silver Reflective	3X/4X	

ANSI Class 3 Safety Vest – Standard Mesh Style



22907

Code No.	Old Code	Description	Size	Product Features
22904	3022349	Mesh Orange With Silver Reflective	M/L	<ul style="list-style-type: none"> • Hook-and-loop front closure • Silver bead reflective tape on mesh fabric • 360° visibility with reflective tape
22905	3022350	Mesh Orange With Silver Reflective	XL/2X	
22906	3022351	Mesh Orange With Silver Reflective	3X/4X	
22907	3022352	Mesh Lime With Silver Reflective	M/L	<ul style="list-style-type: none"> • 100% polyester • Machine washable • Meets ANSI/ISEA Z107-2004 Class 3 Standards
22908	3022353	Mesh Lime With Silver Reflective	XL/2X	
22909	3022354	Mesh Lime With Silver Reflective	3X/4X	

ANSI Class 2

ANSI Class 2 vests provide superior visibility for wearers through additional torso coverage. Also more conspicuous than Class 1 vests.

ANSI Class 2 Safety Vest – Deluxe Style



22834

Code No.	Old Code	Description	Size	Product Features
22828	3022275	Solid Orange With Lime Prismatic	M/L	<ul style="list-style-type: none"> • 4-pocket design - 2 interior and 2 exterior pockets • Rugged color-matched front zipper closure
22829	3022276	Solid Orange With Lime Prismatic	XL/2X	
22830	3022277	Solid Orange With Lime Prismatic	3X/4X	
22831	3022278	Solid Lime With Orange Prismatic	M/L	<ul style="list-style-type: none"> • Durable material with mesh or solid options • Silver bead or color prismatic reflective tape
22832	3022279	Solid Lime With Orange Prismatic	XL/2X	
22833	3022280	Solid Lime With Orange Prismatic	3X/4X	
22834	3022281	Mesh Orange With Silver Reflective	M/L	<ul style="list-style-type: none"> • 360° visibility with reflective tape • 100% polyester • Machine washable
22835	3022282	Mesh Orange With Silver Reflective	XL/2X	
22836	3022283	Mesh Orange With Silver Reflective	3X/4X	
22837	3022284	Mesh Lime With Silver Reflective	M/L	<ul style="list-style-type: none"> • Meets ANSI/ISEA Z107-2004 Class 2 Standards
22838	3022285	Mesh Lime With Silver Reflective	XL/2X	
22839	3022286	Mesh Lime With Silver Reflective	3X/4X	

ANSI Class 2 Safety Vest – Standard Style



22849


Code No.	Old Code	Description	Size	Product Features
22840	3022287	Solid Orange With Silver Reflective	M/L	<ul style="list-style-type: none"> • Hook-and-loop front closure • Silver bead reflective tape on mesh or solid options • 360° visibility with reflective tape
22841	3022288	Solid Orange With Silver Reflective	XL/2X	
22842	3022289	Solid Orange With Silver Reflective	3X/4X	
22843	3022290	Solid Lime With Silver Reflective	M/L	<ul style="list-style-type: none"> • 100% polyester • Machine washable • Meets ANSI/ISEA Z107-2004 Class 2 Standards
22844	3022291	Solid Lime With Silver Reflective	XL/2X	
22845	3022292	Solid Lime With Silver Reflective	3X/4X	
22846	3022293	Mesh Orange With Silver Reflective	M/L	<ul style="list-style-type: none"> • Meets ANSI/ISEA Z107-2004 Class 2 Standards
22847	3022294	Mesh Orange With Silver Reflective	XL/2X	
22848	3022295	Mesh Orange With Silver Reflective	3X/4X	
22849	3022296	Mesh Lime With Silver Reflective	M/L	<ul style="list-style-type: none"> • Meets ANSI/ISEA Z107-2004 Class 2 Standards
22850	3022297	Mesh Lime With Silver Reflective	XL/2X	
22851	3022298	Mesh Lime With Silver Reflective	3X/4X	

ANSI Class 2 Safety Vest with 5 Point Breakaway – Standard Mesh Style




22879


Code No.	Old Code	Description	Size	Product Features
22876	3022323	Mesh Lime With Silver Reflective, 5 Pt. B-A	M/L	<ul style="list-style-type: none"> • 5 Point Breakaway safety vest system prevents fabric from getting caught on vehicles, machinery and more
22877	3022324	Mesh Lime With Silver Reflective, 5 Pt. B-A	XL/2X	
22878	3022325	Mesh Lime With Silver Reflective, 5 Pt. B-A	3X/4X	
22879	3022326	Mesh Orange With Silver Reflective, 5 Pt. B-A	M/L	<ul style="list-style-type: none"> • Breaks apart at both shoulders, both sides and front • Silver bead reflective tape on mesh fabric • 360° visibility with reflective tape • 100% polyester • Machine washable • Meets ANSI/ISEA Z107-2004 Class 2 Standards
22880	3022327	Mesh Orange With Silver Reflective, 5 Pt. B-A	XL/2X	
22881	3022328	Mesh Orange With Silver Reflective, 5 Pt. B-A	3X/4X	



Waist Breakaway



Shoulder Breakaway



Side Breakaway

ANSI Class 2



ANSI Class 2 Two-Tone Safety Vest – Deluxe Style



Code No.	Old Code	Description	Size	Product Features
20292	3012870	Solid Orange With Silver Over Lime	M-XL	<ul style="list-style-type: none"> • 3-pocket design – 2 interior and 1 exterior • Rugged color-matched front zipper closure on mesh or solid fabric • 4" split fluorescent trim with 2" wide beaded reflective tape • Adjustable panel-belt system for tailored fit over bulky clothes • 360° visibility with reflective tape • 100% polyester • Machine washable • Meets ANSI/ISEA Z107-2004 Class 2 Standards
20293	3012872	Solid Orange With Silver Over Lime	2X-5X	
20294	3012873	Solid Lime With Silver Over Orange	M-XL	
20295	3012874	Solid Lime With Silver Over Orange	2X-5X	
20296	3012875	Mesh Orange With Silver Over Lime	M-XL	
20297	3012876	Mesh Orange With Silver Over Lime	2X-5X	
20298	3012877	Mesh Lime With Silver Over Orange	M-XL	
20299	3012878	Mesh Lime With Silver Over Orange	2X-5X	

ANSI Class 2 Flame-Retardant Safety Vest – Standard Style



Code No.	Old Code	Description	Size	Product Features
22807	3022263	Lime With Silver Reflective	M/L	<ul style="list-style-type: none"> • Flame Retardant material is treated with a chemical substance that imparts flame resistance on a fabric • Meets the requirements for NFPA 701 • 100% polyester • Machine washable • Hook-and-loop front closure • 360° visibility with reflective tape • Meets ANSI/ISEA Z107-2004 Class 2 Standards
22808	3022264	Lime With Silver Reflective	XL/2X	
22809	3022265	Lime With Silver Reflective	3X/4X	

Non-ANSI and Specialty Vests

Do not meet ANSI/ISEA Z107 Standards

Econo Style ESK Safety Vests



Code No.	Old Code	Description	Product Features
21659	3017585	Orange, No Reflective	<ul style="list-style-type: none"> • One size fits most • Elastic sides for easy fit • Mesh fabric • Hook-and-loop closure
21661	3017587	Orange, 1/2" Silver Beaded	
21662	3017589	Orange, 3/4" Lime Prismatic	
21665	3017594	Orange, 1-3/8" Lime Prismatic	
21660	3017586	Lime, No Reflective	
21663	3017591	Lime, 3/4" White Prismatic	
21664	3017593	Lime, 1-1/2" Orange-Silver Orange Reflective On Lime, 2-Tone	



LAUNDRY INSTRUCTIONS

Jackson Safety* Vests require wearers to adhere to basic laundry instructions:

- Machine wash cold
- Do not use bleach
- Do not iron
- Recommended maximum 25 washings

ANSI VEST SIZING

Vest Size	Chest Size Across	Length From Shoulders to Waist	Arm Hole Opening
M/L	38" - 44"	25"	11 - 3/4"
XL/2X	46" - 52"	28"	12 - 1/4"
3X/4X	54" - 60"	29"	12 - 3/4"

ANSI Class 1

ANSI Class 1 garments provide the minimum amount of required material to differentiate the wearer in non-complex work environments.

ANSI Class 1 Safety Vest – Deluxe Solid Style



Code No.	Old Code	Description	Size	Product Features
22825	3022272	Solid Orange With Lime Prismatic	M-L	<ul style="list-style-type: none"> • 4-pocket design – 2 interior and 2 exterior pockets • Rugged color-matched front zipper closure on solid fabric • 360° visibility with color prismatic reflective tape • 100% polyester • Machine washable • Meets ANSI/ISEA Z107-2004 Class 1 Standards
22826	3022273	Solid Orange With Lime Prismatic	XL-2X	
22827	3022274	Solid Orange With Lime Prismatic	3X-4X	

ANSI Class 3 Rain Jacket



Code No.	Old Code	Description	Size	Product Features
20306	3012930	Lime With Silver Reflective	L	<ul style="list-style-type: none"> • Polyester outer shell provides a waterproof and breathable system • Two outside front pockets with flip over snap closure and one inside pocket • Underarm vents for added circulation and cooling • Convenient stow away hood inside collar • Snap closure on sleeve cuff closes the space around the hands • 360° visibility with reflective tape. • Machine washable • Meets ANSI/ISEA Z107-2004 Class 3 standards
20307	3012931	Lime With Silver Reflective	XL	
20308	3012932	Lime With Silver Reflective	2X	
20309	3012933	Lime With Silver Reflective	3X	

ANSI Class E is the only standard that is specific to high-visibility pants and is generally used for workers and vehicle operators whose occupations require full head-to-toe visibility and/or when work backgrounds are complex.

ANSI Class E Rain Pants



Code No.	Old Code	Description	Size	Product Features
20315	3012939	Lime Class E Rain Pants With Silver Reflective	L	<ul style="list-style-type: none"> • Polyester outer shell provides a waterproof and breathable system • Two outside front pockets with flip over snap closure • 360° visibility with reflective tape • Machine washable • Meets ANSI/ISEA Z107-2004 Class E standards
20316	3012940	Lime Class E Rain Pants With Silver Reflective	XL	
20317	3012941	Lime Class E Rain Pants With Silver Reflective	2X	
20318	3012942	Lime Class E Rain Pants With Silver Reflective	3X	

High-Visibility Head Protection

Does not meet ANSI/ISEA Z107-2004 Standards

High-Visibility Head Protection – Reflective Ball Caps



Code No.	Old Code	Description	Std. Pack	Product Features
20349	3013114	Lime With Silver Reflective	12	<ul style="list-style-type: none"> • 360° visibility with 2" wide silver beaded reflective tape • Machine washable • Breathable, mesh fabric • Adjustable strap (one size fits most)
20348	3013113	Orange With Silver Reflective	12	

Screen Printing for Vests and T-Shirts

- Orders must meet or exceed a minimum purchase amount and must be of the same style. Sizes within a style can be mixed.
- Customization is only available for ANSI vests and t-shirts.
- Printing can be done on front or back.
- Standard colors include: Black, White, Blue, Red, Green.
- Two-color screen printing is available on vests only.
- Screen size is determined by the smallest vest on the initial order.
- Reverse screen printing is not available.
- Vector artwork is required in .EPS, .PDF or .AI format. One measurement of at least 5" with a resolution of at least 600dpi (3000 x 3000 pixels) is acceptable.
- All items related to equipment setup become the property of Kimberly-Clark Professional*.

Printing Dimensions

Description	Size	Printing Dimensions (BACK)	Printing Dimensions (FRONT)
ANSI Class 3 Vest – Deluxe, Solid/Mesh	M/L	12"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 3 Vest – Standard, Solid/Mesh	M/L	14"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 2 Vest – Standard, Solid/Mesh	M/L	11"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 2 Vest – Deluxe, Solid/Mesh	M/L	11"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 2 Vest – Standard 5 Pt. Breakaway	M/XL	11"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 2 Vest – Two Tone, Deluxe	M/L [†]	7"W X 7"H	N/A
ANSI Class 2 Vest – Two-Tone 5 Pt. Breakaway	M/L [†]	7"W X 7"H	N/A
ANSI Class 1 Vest – Deluxe, Solid	M/L	11.5"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 1 Vest – Standard, Mesh	M/L	12"W X 10"H	3"W X 3"H Right Side Only
ANSI Class 2 T-Shirt	L	12"W X 10"H	7"W X 7"H
ANSI Class 3 T-Shirt	L	12"W X 10"H	7"W X 7"H

[†]On all of the ANSI Class 2 Two-Tone Vests, the screen printing Dimensions do not increase with size changes.

1C silk screen (vests & t-shirts) 2C silk screen (vests only). Standard colors available: Black, Blue, Red, White, Green. (2C max per vest)

Jackson Safety*




Seasonal Apparel

Choose from a number of seasonal products including lightweight cooling headbands, winterliners and wind guards that make protection and comfort easy in both hot and cold weather.

Winterliners

Kimberly-Clark Professional* offers a comprehensive line of thermal winterwear designed to protect workers from the elements.

Temperature Range Coding

	45° to 32°F or 8° to 0°C		32° to 0°F or 0° to -20°C		0° to -20°F or -20° to -28°C
---	--------------------------	---	---------------------------	---	------------------------------

The above suggested ranges are to assist in choosing an appropriate liner for various climates

165 Winterliner



Code No.	Old Code	Description	Case Count	Product Features
14498	3000438	165 Winterliner	12/Pack	<ul style="list-style-type: none"> • Lightweight protection that can be worn under caps and hats • Two string ties for comfortable, close fit • Inner shell: napped flannel • Meets 16 CFR 1610, Class 1

200 Winterliner



Code No.	Old Code	Description	Case Count	Product Features
14500	3000440	200 Winterliner	12/Pack	<ul style="list-style-type: none"> • Can be worn under caps and hats • Hook-and-loop fastener for a comfortable, close fit • Outer shell: cotton twill • Lining: polyester fleece • Thread: spun poly • Meets 16 CFR 1610, Class 1

225 Plus Winterliner



Code No.	Old Code	Description	Case Count	Product Features
14502	3000442	225 Plus Winterliner	12/Pack	<ul style="list-style-type: none"> • Can be worn under caps and hats • Hook-and-loop fastener for a comfortable, close fit • Outer shell: quilted nylon with extra thick foam fill • Lining: polyester fleece • Meets 16 CFR 1610, Class 1

250M Winterliner



Code No.	Old Code	Description	Case Count	Product Features
16762	3005348	250M Winterliner	12/Pack	<ul style="list-style-type: none"> • Can be worn under caps and hats • Hook-and-loop fastener for a comfortable, close fit • Outer shell: cotton twill • Lining: polyester fleece • Meets 16 CFR 1610, Class 1

305 TSL Winterliner



Code No.	Old Code	Description	Case Count	Product Features
14503	3000443	305 TSL Winterliner	3/Pack	<ul style="list-style-type: none"> • Ideal for cold-weather environments • Full head and neck coverage with extra-wide wrapped collar • Shoulder-length liner can be tucked into jacket • Hook-and-loop fastener straps • Outer shell: 100% cotton twill • Inner shell: heavyweight fleece • Meets 16 CFR 1610, Class 1

325 Ultra Winterliner



Code No.	Old Code	Description	Case Count	Product Features
14499	3000439	325 Ultra Winterliner	3/Pack	<ul style="list-style-type: none"> • Ideal for cold-weather environments • Can be worn over hearing products • Top section is flame retardant • Bottom section is flame resistant • Detachable bottom section is double layered, heavy spun polyester • Nape piece closes with two buttons • Top shell: cotton twill • Lining: brushed 100% polyester fleece (top only) • Bottom shell: double nylon knit • Meets 16 CFR 1610, Class 1

375 Winterliner



Code No.	Old Code	Description	Case Count	Product Features
16763	3005349	375 Winterliner	3/Pack	<ul style="list-style-type: none"> • Ideal for cold-weather environment • Long nape offered for extra neck coverage from wind • Outer shell: cotton twill • Lining: polyester sherpa • Meets 16 CFR 1610, Class 1

400 Winterliner



Code No.	Old Code	Description	Case Count
14501	3000441	400 Winterliner	3/Pack

- Product Features**
- Ideal for extreme cold-weather environments
 - Full head and neck coverage with extra-long nape and wraparound collar
 - Shoulder length that can be tucked into jacket
 - Outer shell: cotton twill
 - Lining: polyester sherpa
 - Meets 16 CFR 1610, Class 1

440 Max Winterliner with Mouthpiece



Code No.	Old Code	Description	Case Count
16765	3005351	440 Max Winterliner	3/Pack

- Product Features**
- Ideal for extreme cold-weather environments
 - Can be worn under most caps and hats
 - Wide neck piece
 - Lower forehead coverage
 - Detachable face piece (not shown) for extra cold temperatures
 - Outer shell: nylon quilt
 - Lining: polyester sherpa
 - Meets 16 CFR 1610, Class 1

Wind Jammer II



Code No.	Old Code	Description	Case Count
16761	3005347	Wind Jammer II	12/Pack

- Product Features**
- Ideal for extreme cold-weather environments
 - Heavy-duty polyester fleece with lightweight comfort and warmth
 - Silver with black trim and fastener straps
 - Meets 16 CFR 1610, Class 1

Wind Jammer IV



Code No.	Old Code	Description	Case Count
16760	3005346	Wind Jammer IV	3/Pack

- Product Features**
- Ideal for extreme cold-weather environments
 - Long nape and wraparound design provides extra warmth and a snug fit
 - Silver with black fastener straps and elastic border stitching
 - Meets 16 CFR 1610, Class 1

Arctic 2-In-1 Sport*



Code No.	Old Code	Description	Case Count
16651	3004789	Arctic 2-In-1 Sport*, Royal Blue/Red	3/Pack
16650	3004788	Arctic 2-In-1 Sport*, Silver/Navy Blue	3/Pack

- Product Features**
- Ideal for extreme cold-weather environments
 - Great coverage with reduced drafting
 - Top shell made of polyester fleece with elastic around the face; bottom shell made of spun polyester
 - Meets 16 CFR 1610, Class 1

Flash-Tex* Liners

Flash-Tex* Liners are designed to assist in complying with OSHA 1910.269.

Flash-Tex* LINERS – 650 NPR and 695 NPR

Flame Resistant		Laundering Data		Char Length †	
Outer Shell	Inner Shell	Outer Shell	Inner Shell	Outer	Inner
Nomex® inherently flame resistant	Proban® durable flame resistant	FR properties last lifetime	Retains FR properties up to 25 industrial washes or 50 domestic washes	2.4	3.5

Note: Data obtained from material manufacturers' testing. For additional technical information, contact Customer Service.

†The length of brittle residue when material is exposed to thermal energy.

650 NPR Winterliner



Code No.	Old Code	Description	Case Count	Product Features
16766	3005354	650 NPR Winterliner	6/Pack	<ul style="list-style-type: none"> • Ideal for cold-weather environments • Cotton chinstrap Leather/Nomex® tabs attach to hard hats • Longer nape for neck and lower forehead protection • Provides protection from electrical arc energy exposure • Outer shell: Retains FR protection throughout life of the product – 100% Nomex® IIIA • Inner shell: Flame resistance through 25 industrial washes or 50 domestic washes – 100% Proban® cotton

695 NPR Winterliner



Code No.	Old Code	Description	Case Count	Product Features
16767	3005355	695 NPR Winterliner	3/Pack	<ul style="list-style-type: none"> • Ideal for very cold-weather environments • Full head and neck liner with wide wraparound collar • Universal to fit all head sizes • Leather/Nomex® tabs attach to hard hats • Provides protection from electrical arc energy exposure • Outer shell: Retains FR protection throughout life of the product – 100% Nomex® IIIA • Inner shell: Flame resistance through 25 industrial washes or 50 domestic washes – 100% Proban® cotton

Nomex® Hood Winterliner



Code No.	Old Code	Description	Case Count	Product Features
14504	3000444	Nomex® Hood	12/Pack	<ul style="list-style-type: none"> • 100% Nomex® double-layered, knitted hood provides extra protection around the face • Full head and neck coverage with extra-wide collar • Shoulder length collar can be tucked into jacket • Can be worn under a hard hat or welding helmet as protection against flame and electrical arcs • Retains FR protection throughout life of the product

IMPORTANT

- All models are flame retardant treated unless otherwise noted.
- Flame resistance is the fabric's ability to self extinguish when source of flame or thermal ignition is removed.
- Flame resistance is meaningful only when applied to specific tests used to measure the characteristic.
- 16 CFR 1610, Class I: "Textiles meeting these requirements are generally accepted by the trade as having no unusual burning characteristics." Windgard*, Wind Jammer II, IV, and Arctic 2-N-1 Sport* meet 16 CFR 1610, Class I.



Jackson Safety* and Smith & Wesson® Eye Protection

Jackson Safety* Eyewear is available for different work environments and a variety of different tasks. Designed with the wearer's needs and style in mind, Jackson Safety* Brand offers a comprehensive portfolio of eye protection options including a wide variety of performance safety eyewear from Smith & Wesson.

V100	Specialty Goggle Protection
V90	Shield Goggle Protection
V80	Splash Goggle Protection
V70	Particle Goggle Protection
V60	Reader Protection
V50	Shield Protection
V40	Contour Protection
V30	Sport Style Protection
V20	Basic Protection
V10	Economy Protection



Jackson Safety* Eyewear lenses are made of a polycarbonate material that provides 99.9% UVA/UVB/UVC protection.


Standards

- **ANSI Z87.1+:** The American National Standards Institute (ANSI) creates standards for the design, construction, testing, and use of eye protection devices. OSHA references the ANSI Z87+ 2010 standard as a minimum OSHA requirement.
- **CSA:** The Canadian Standards Association is a not-for-profit, membership-based association in Canada that develops standards that address real needs, such as enhancing public safety and health.
- **CE:** A European product marking and certification system.

Other Governing Bodies

OSHA: Occupational Safety and Health Administration (OSHA) is an agency of the United States Department of Labor. Their mission is to prevent work-related injuries, illnesses and deaths by issuing and enforcing standards for workplace safety and health.

ISEA: The International Safety Equipment Association is the trade association in the United States for companies that manufacture safety and personal protective equipment.



Smith & Wesson®

Selecting the Right Eyewear

Lens Color Selection

Color	Description	Environment
Clear	Allows maximum visible light transmission	Indoor
Teal	Provides enhanced contrast	Indoor
Light Blue	Provides enhanced contrast	Indoor
Amber/Yellow	Light gathering properties for low contrast areas	Low Light
Orange	Light gathering properties for low contrast areas	Low Light
Copper/Brown	Filters light and enhances contrast in hazy, foggy, or low light	Low Light
Indoor/Outdoor	Move from indoor or shaded conditions to outdoor	Indoor/Outdoor
Bronze	Provides visual definition with increased contrast	Indoor/Outdoor
1/2 Shade	1/2 way between clear and smoke tint	Indoor/Outdoor
Smoke	Worn on bright, sunny days provide glare reduction	Outdoor
Smoke Mirror	Smoke tint sunglass with outer mirror finish coating	Outdoor
Silver Mirror	Smoke tint sunglass with outer silver mirror finish coating	Outdoor
Red Mirror	Smoke tint sunglass with outer red mirror finish coating	Outdoor
Gold Mirror	Smoke tint sunglass with outer gold mirror finish coating	Outdoor
Blue Mirror	Smoke tint sunglass with outer blue mirror finish coating	Outdoor
Smoke Polarized	Smoke tint sunglass with polarized technology embedded	Outdoor
Brown Polarized	Brown tint sunglass with polarized technology embedded	Outdoor
Blue Shield/ Copper Blue Block	Filters out blue light for enhanced contrast	Outdoor
Metallic Rainbow	Amplifies color contrast with outdoor metallic finish coating	Outdoor
IRUV 3.0	Protects against infrared (IR) and ultraviolet radiation (UVA/UVB)	Light Cutting/Brazing
IRUV 5.0	Protects against infrared (IR) and ultraviolet radiation (UVA/UVB)	Medium Cutting/Brazing

Lens Type Selection

Uncoated	For economical budgets and fewer uses
Hardcoated	For scratch resistance and longer life
Anti-Fog	For humid environments and temperature variances
Polarized	For protection from glare, reduced eye fatigue, and superior optical clarity

Additional Important Selection Considerations























Hazard Protection	Ensure that the hazards you are encountering are being protected against when choosing your eyewear.
Comfort and Fit	Eyewear that is comfortable to wear all day with the proper fit will ensure you maximize your comfort while helping to minimize your unprotected risk.
Style	Style is an important feature of any eyewear and can help boost compliance.
Base Curve	A higher base curve provides more wraparound protection and peripheral vision, and can reduce the need for side shields.



Actual lens colors may vary according to each style



Eyewear Selection Guide

Function	STANDARD SERIES	Page	PERFORMANCE SERIES	Page
Visitor <i>An Economical Option</i>	V10 Element* 	46	V20 Purity* 	47
OTG <i>To wear Over The Glass (over standard glasses)</i>	V10 Unispec* II 	46	V50 OTG* 	51
Adjustable Fit <i>To fit multiple face shapes</i>	V20 Visio* 	47	V40 Maxfire* 	50
Smaller Faces <i>To fit smaller or slimmer heads</i>	V30 Nemesis* S 	49	Smith & Wesson® Magnum® Mini 	56
Active Style	V30 Nemesis* 	48	Smith & Wesson® Equalizer* 	54
Modern Style	V40 Hellraiser* 	50	Smith & Wesson® Elite* 	55
Full View <i>Frameless to provide an unobstructed vertical view</i>	V30 Nemesis* VL 	49	Smith & Wesson® Magnum® 3G 	56
Reader <i>Integrating prescription Rx into safety eyewear</i>	V60 Nemesis* RX 	52	V60 Safeview* 	53
Shielded Protection <i>Sealed and/or padded</i>	V50 Calico* 	51	V80 Wildcat* 	60
Goggle	V80 Monogoggle* 211 	59	V80 Revolution* 	60
Full Face	V90 Shield* 	61	V90 Monoshield* 	61

NOTE: Not all styles are represented here

V10 Economy Protection

V10 Expo* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
22514	3020277	Clear Lens, Black Frame, Uncoated	
22515	3020278	Smoke Lens, Black Frame, Uncoated	

- Product Features**
- An economical solution for providing eyewear protection and comfort
 - Lightweight, wraparound protection provides a wide field of vision
 - Three-point adjustable temples provide a custom fit to any face
 - Ideal as a visitor spec

V10 Element* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
25627	3004880	Clear Lens, Translucent Temples, Uncoated	
25631	3004882	Smoke Lens, Black Temples, Uncoated	
25638	3011379	Indoor/Outdoor Lens, Black Temples, Uncoated	
29094	3004883	Amber Lens, Black Temples, Uncoated	
29110	3011380	Blue Mirror Lens, Black Temples, Mirror Coated	
33072	—	Light Blue Lens, Light Blue Temples, Uncoated	

- Product Features**
- Lightweight popular styling with an economical price
 - Universal nose bridge for comfort
 - 100% polycarbonate (no rubber, metal or other components)
 - Dielectric¹, thermoplastic construction
 - Visible Light Transmittance (VLT): 55% (applies to product code 33072 only)
 - Commonly used in sodium vapor lighting conditions to help reduce eye strain and increase comfort (applies to product code 33072 only)

V10 Unispec* II Safety Eyewear • Pairs/Box: 50



Code No.	Old Code	Description	Lens
16727 [▪]	3005206	Clear Lens, Clear Temples, Hardcoated	
25646	3000285	Clear Lens, Clear Temples, Uncoated	
29058	3000323	IRUV Shade 3.0 Lens, IRUV 3.0 Temples	
29059	3000324	IRUV Shade 5.0 Lens, IRUV 5.0 Temples	

- Product Features**
- Low-cost wraparound protection with one-piece polycarbonate lens and Uncoated lens (applies to code 25646 only)
 - Fits over most prescription eyewear
 - Side shields provide added protection
 - Dielectric¹, thermoplastic construction

¹CE Certified [†]CSA Z94.3 Compliant [▪]CSA Certified AF - Anti-Fog

Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards

¹ Dielectric means all exposed parts are plastic or rubber

V20 Basic Protection



V20 Purity* Safety Eyewear • Pairs/Box: 12



All standard packs of 12 are shipped in retail Gravity Feed Display box.

Code No.	Description	Lens
25649	Amber Lens, Amber Temples	Amber
25650	Clear Lens, Clear Temples	Clear
25652	Smoke Lens, Smoke Temples	Smoke
25654	Clear Anti-Fog Lens, Clear Temples	AF
25656	Indoor/Outdoor Lens, Clear Temples	Indoor/Outdoor

- Product Features**
- Wraparound lens for better eye protection
 - Comfortable, padded temples
 - 99.9% UVA/UVB protection
 - CSA Z94.3 Certified
 - Scratch resistant with an anti-fog coating
 - Dielectric¹, thermoplastic construction



V20 Envision* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
14477	3000337	Clear Lens, Black Temples	Clear
14478	3000338	Clear Anti-Fog Lens, Black Temples	AF
14479	3000339	Smoke Lens, Black Temples	Smoke
14480	3000341	Indoor/Outdoor Lens, Black Temples	Indoor/Outdoor

- Product Features**
- Four-point adjustable and ratchet temples create a custom fit with wraparound protection
 - Soft-grip comfort temples
 - Dust-reducing browguard



V20 Pro* Safety Eyewear • Pairs/Box: 12



Code No.	Description	Lens
39698	Clear Hard Coat Lens, Black Tips	Clear
39676	Smoke Hard Coat Lens, Black Tips	Smoke
39681	Clear Anti-Fog Hard Coat Lens, Black Tips	AF
39680	Indoor/Outdoor Hard Coat Lens, Black Tips	Indoor/Outdoor
39677	Amber Hard Coat Lens, Black Tips	Amber

- Product Features**
- Soft touch temples for enhanced comfort
 - Vented rubber nose pad helps channel sweat away from face
 - Sleek, lightweight design that can help boost compliance
 - Protective polycarbonate lens with 99.9% UV protection
 - Metal-free design with screw-less hinges to minimize electrical transference risk



V20 Visio* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
14470	3000303	Clear Lens, Silver Temples	Clear
14471	3000304	Clear Anti-Fog Lens, Black Temples	AF
14472	3000305	Smoke Lens, Black Temples	Smoke
14473	3000306	Smoke Anti-Fog Lens, Silver/Black Temples	AF
14474	3000307	Amber Lens, Black Temples	Amber
14475	3000308	Blue Mirror, Black Temples	Blue Mirror
14476	3000309	Indoor/Outdoor Lens, Black Temples	Indoor/Outdoor

- Product Features**
- One-piece polycarbonate lens with three-point adjustable temples for a comfortable fit
 - Unique duo-tone frame

[†] CE Certified [†] CSA Z94.3 Compliant [▪] CSA Certified AF - Anti-Fog
 Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards
¹ Dielectric means all exposed parts are plastic or rubber

V30 Sport Style Protection

BASE CURVE
8

V30 Nemesis* Safety Eyewear • Pairs/Box: 12

	Code No.	Old Code	Description	Lens
	25676 ♦	3000354	Clear Lens, Black Frame	
	25679	3000355	Clear Anti-Fog Lens, Black Frame	AF
	25688 ♦	3000356	Smoke Mirror Lens, Black Frame	
	22475	3020121	Smoke Anti-Fog Lens, Black Frame	AF
	25685	3000357	Indoor/Outdoor Lens, Black Frame	
	14481	3000358	Blue Mirror Lens, Black Frame	
	25659	3000359	Amber Lens, Black Frame	
	22476	3020122	Amber Anti-Fog Lens, Black Frame	AF
	19639	3011373	Light Blue Lens, Blue Frame	
	19642	3011374	Copper Blue Shield Lens, Black Frame	
	22610	—	Amber Lens, Camo Frame	
	22611	3020709	Smoke Lens, Inferno/Red Frame	
	19644 ♦	3011375	Bronze Lens, Camo Frame	
	22608 ♦	3020706	Clear Anti-Fog Lens, Camo Frame	AF
	22609 ♦	3020707	Smoke Anti-Fog Lens, Camo Frame	AF
	25692	3004762	IRUV Shade 3.0 Lens, Black Frame	
	25671	3004761	IRUV Shade 5.0 Lens, Black Frame	

Product Features

- Sporty, flexible, lightweight design
- Soft-touch temples for added comfort
- Single-lens wraparound protection
- Every pair includes a neck cord
- Available in reader style lenses
- Available in prescription strength; see V60 Nemesis* RX





Select eyewear available in retail display box. Only part numbers with ♦ are available in gravity feed displays.

Every pair includes a neck cord

V30 Nemesis* Polarized Safety Eyewear • Pairs/Box: 12

BASE CURVE
8

	Code No.	Description	Lens
	28635	Polarized Smoke Lens, Gunmetal Frame	
	28637	Polarized Brown Lens, Brown Frame	

Product Features

- Superior polarized lens technology reduces eye stress and fatigue caused by excessive glare from surfaces that commonly reflect bright sunlight
- Wraparound lens with an 8 base curve for greater protection around the eye
- Soft-touch temples for ultimate comfort in extended-use situations
- Lenses provide 99.9% UV protection
- EN166 7.3.1 resistance to surface damage by fine particles – “K” mark for superior anti-scratch performance
- EN 1836 4.1.4.2 for polarization quality
- Meets ANSI Z87.1+ standards
- Every pair includes a neck cord



All standard packs of 12 are shipped in retail Gravity Feed Display box.

Every pair includes a neck cord

† CE Certified † CSA Z94.3 Compliant † CSA Certified AF - Anti-Fog

Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards

‡ Dielectric means all exposed parts are plastic or rubber

V30 Nemesis* VL Safety Eyewear • Pairs/Box: 12



Every pair includes a neck cord

Code No.	Old Code	Description	Lens
20470	3013536	Clear Lens, Gunmetal Temples	
29111 †	3013537	Clear Anti-Fog Lens, Gunmetal Temples	AF
25704 †	3013538	Smoke Lens, Gunmetal Temples	
29112 †	3013539	Indoor/Outdoor Lens, Gunmetal Temples	
20471	3013540	Blue Mirror Lens, Gunmetal Temples	
20472	3013542	Bronze Lens, Camo Temples	
20473	3013544	IRUV Shade 5.0 Lens, Gunmetal Temples	

Product Features

- Frameless lightweight
- No-brow design increases upward and peripheral vision
- Slip-stop temples reduce slipping
- Compact profile accommodates smaller faces
- Every pair includes a neck cord

V30 Nemesis* CSA Safety Eyewear • Pairs/Box: 12



Every pair includes a neck cord

Code No.	Old Code	Description	Lens
20378 ■	3013296	Clear Lens, Black Frame	
20380 † ■	3013298	Smoke Mirror Lens, Black Frame	
20381 † ■	3013299	Indoor/Outdoor Lens, Black Frame	
20379 † ■	3013297	Clear Anti-Fog Lens, Black Frame	AF
20382 ■	3013300	Blue Mirror Lens, Black Frame	
20383 ■	3013301	Light Blue Lens, Blue Frame	
20384 ■	3013302	Copper Blue Shield Lens, Black Frame	
20385 ■	3013303	Smoke Lens, Gunmetal Frame	
20386 ■	3013304	Bronze Lens, Camo Frame	
20640 † ■	3014556	IRUV Shade 5.0 Lens, Black Frame	
25673 ■	—	Amber Lens, Black Frame	

Product Features

- Sporty, flexible, lightweight design with soft-touch temples
- Large, single-lens wraparound protection
- Every pair includes a neck cord
- Designed to comply with CSA Z94.3

V30 Nemesis* S Safety Eyewear • Pairs/Box: 12



Every pair includes a neck cord

Code No.	Description	Lens
38474	Clear Hard Coat Lens, Black Frame with Black Tips	
38476	Smoke Hard Coat Lens, Black Frame with Black Tips	
38478	Clear Anti-Fog Lens, Black Frame with Pink Tips	AF
38480	I/O Hard Coat Lens, Black Frame with Green Tips	

Product Features

- Sporty eyewear that fits the smaller, slimmer head without adjustments
- Soft touch temples for added comfort
- Contemporary styling, available in a variety of frame colors and lens tints, ensures complete wearer acceptance
- Fun temple tip colors for individuality
- Every pair includes a neck cord



† CE Certified † CSA Z94.3 Compliant ■ CSA Certified AF - Anti-Fog
Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards
‡ Dielectric means all exposed parts are plastic or rubber

V40 Contour Protection

BASE CURVE
8

V40 Hellraiser* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
20539	3013851	Clear Lens, Black Frame	
28615 †	3013853	Clear Anti-Fog Lens, Black Frame	AF
25714 †	3013854	Smoke Lens, Black Frame	
25716 †	3013856	Indoor/Outdoor Lens, Black Frame	
20541	3013855	Amber Lens, Black Frame	
20542	3013857	Light Blue Lens, Black Frame	
20543	3013858	Blue Mirror Lens, Black Frame	
20544	3013859	IRUV Shade 3.0 Lens, Black Frame	
20545	3013860	IRUV Shade 5.0 Lens, Black Frame	

Product Features

- Streamlined, sunglass styling with lightweight and flexible design
- Flex point temples for comfort and stability



All standard packs of 12 are shipped in retail Gravity Feed Display box.

BASE CURVE
8

V40 Ace* Safety Eyewear • Pairs/Box: 12



Code No.	Description	Lens
38501	Clear Hard Coat Lens, Black Frame	
38492	Smoke Hard Coat Lens, Black Frame	

Product Features

- Modern styling drives worker acceptance for greater compliance
- Lightweight, easy-to-wear design
- Dual lens construction to balance weight and coverage
- Ribbed nose cushion and rubber grip temple insert reduce slippage to increase comfort
- Polycarbonate lens provides 99.9% UVA, UVB and UVC protection
- Meets ANSI Z87+ 2010

BASE CURVE
9

V40 Maxfire* Safety Eyewear • Pairs/Box: 12



Code No.	Description	Lens
38499	Clear Anti-Fog Lens, Black Frame with Red Tips	AF
38485	Smoke Anti-Fog Lens, Brown Frame with Brown Tips	AF
38490	Indoor/Outdoor Lens Anti-Fog Lens, Brown Frame with Brown Tips	AF
38494	Amber Anti-Fog Lens, Black Frame with Red Tips	AF

Product Features

- Lightweight safety glass with adjustable temples for a custom fit
- Adjustable nosepiece
- Soft rubber insert on the brow and the temples and along the ear for additional comfort
- Universal Fit
- Provides 99.9% UV protection against harmful UV rays
- Contemporary styling, available in a variety of frame colors and lens tints, ensures complete wearer acceptance
- Premium Anti-Scratch Performance – EN166 7.3.1 "K" Rating

† CE Certified † CSA Z94.3 Compliant ▪ CSA Certified AF - Anti-Fog

Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards

† Dielectric means all exposed parts are plastic or rubber

BASE CURVE
10

V40 Maxfire* S Safety Eyewear • Pairs/Box: 12



Code No.	Description	Lens
38498	Clear Anti-Fog Lens, Black Frame with Red Tips	AF
38484	Smoke Anti-Fog Lens, Brown Frame with Brown Tips	AF
38489	Indoor/Outdoor Lens Anti-Fog Lens, Brown Frame with Brown Tips	AF
38493	Amber Anti-Fog Lens, Black Frame with Red Tips	AF

- Product Features**
- Contemporary styling that fits smaller, slimmer heads
 - Provides 99.9% UV protection against harmful UV rays
 - Premium Anti-Scratch Performance – EN166 7.3.1 “K” Rating

V50 Shield Protection

BASE CURVE
4

V50 OTG* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
20746 †	3015022	Clear Anti-Fog Lens, Black Frame	AF
20747 †	3015023	Smoke Mirror Anti-Fog Lens, Brown Frame	AF
20748 †	3015024	Indoor/Outdoor Lens Lens, Black Frame	
21917	3018175	IRUV Shade 5.0 Lens, Black Frame	

- Product Features**
- Streamlined, stylish and comfortable, this over-the-glass safety eyewear fits over most prescription eyewear
 - Integral side shields provide added protection

BASE CURVE
6

V50 Cudas* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
14464	3000287	Clear Lens, Black Frame	
14466	3000288	Clear Anti-Fog Lens, Black Frame	AF
14467	3000289	Smoke Lens, Black Frame	
14468	3000290	Smoke Anti-Fog Lens, Black Frame	AF
14469	3000293	Amber Anti-Fog Lens, Black Frame	AF

- Product Features**
- Lens curve provides for peripheral vision and protection
 - Durable, modified nylon frame with Cudaslide adjustable temples for an individual fit with 5 different lengths

CSA BASE CURVE
8

V50 Calico* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
25672 †▪	08661	Clear Anti-Fog Lens, Black Frame	AF
25674 †▪	08660	Amber Anti-Fog Lens, Black Frame	AF
25675 †▪	08662	Smoke Anti-Fog Lens, Black Frame	AF
36692 †▪	—	1/2 Shade Anti-Fog Lens, Black Frame	AF



Interchangeable head strap allows tighter fit

- Product Features**
- Lightweight “wraparound” design for added comfort and protection
 - Impact-resistant polycarbonate lens
 - Interchangeable temples can be removed
 - EN166 N Anti-fog coating provides protection against fogging
 - Fog shield provides extra protection around lens
 - Cushioned brow bar for additional comfort and ventilation
 - Provides 99.9% UV protection
 - Meets ANSI Standards; CE and CSA Certified
 - EN166 7.3.1 resistance to surface damage by fine particles – “K” mark for superior anti-scratch performance

† CE Certified †CSA Z94.3 Compliant ▪ CSA Certified AF - Anti-Fog
Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards
‡ Dielectric means all exposed parts are plastic or rubber

V50 Epic* Safety Eyewear • Pairs/Box: 12



Code No.	Description	Lens
33345 [▪]	Clear Super Anti-Fog Lens, Black & Red Temples	AF
33347 [▪]	Indoor/Outdoor Super Anti-Fog Lens, Black & Red Temples	AF
35327 [▪]	Smoke Super Anti-Fog Lens, Black & Red Temples	AF

- Product Features**
- Anti-fog protection 2x the "N" anti-fog standard according to EN166
 - Lightweight design
 - Soft, flexible, non-slip temples
 - Headstrap can be changed to temple bars with an easy click of a button
 - Soft nosepiece for comfort
 - Soft padded liner provides complete seal to face to protect from dust and debris
 - Top and bottom direct ventilation combined with VisiClear 2[®] anti-fog coating provides exceptional protection against fogging

V50 Nomads* Safety Eyewear • Pairs/Box: 10



Code No.	Old Code	Description	Lens
16323	3003291	Clear Lens, Black Frame	
16335	3003295	Metallic Blue Lens, Black Frame	
16331	3003294	Metallic Rainbow Lens, Black Frame	
16328	3003293	Silver Mirror Lens, Black Frame	
16326	3003292	Smoke Lens, Black Frame	

- Product Features**
- Compact design ideal for smaller faces
 - Stylish lightweight with detachable side shields
 - Highly mirrored lenses ideal for various lighting conditions

V60 Reader Protection

V60 Nemesis* RX Safety Eyewear • Pairs/Box: 6



Every pair includes a neck cord

Code No.	Old Code	Description	Lens
28618 ^{†▪}	3013305	Clear Lens, Black Frame, +1.0	
28621 ^{†▪}	3013306	Clear Lens, Black Frame, +1.5	
28624 ^{†▪}	3013307	Clear Lens, Black Frame, +2.0	
28627 ^{†▪}	3013308	Clear Lens, Black Frame, +2.5	
28630 ^{†▪}	3013309	Clear Lens, Black Frame, +3.0	
22516	3020285	Smoke Lens, Black Frame, +1.5	
22518	3020286	Smoke Lens, Black Frame, +2.0	
22519	3020287	Smoke Lens, Black Frame, +2.5	

- Product Features**
- "Cheaters" style with diopters for vision assistance
 - Larger lens for wraparound impact protection
 - Enhanced nosepiece design to channel away sweat
 - Every pair includes a neck cord

[†]CE Certified [‡]CSA Z94.3 Compliant [▪]CSA Certified AF - Anti-Fog
 Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards
[‡] Dielectric means all exposed parts are plastic or rubber



V60 30-06* RX Safety Eyewear • Pairs/Box: 6



Code No.	Old Code	Description	Lens
19872	3011712	Brown Lens, Tortoise Frame, +1.5	Brown
19874	3011713	Brown Lens, Tortoise Frame, +2.0	Brown
19875	3011714	Brown Lens, Tortoise Frame, +2.5	Brown
19876	3011716	Clear Lens, Black Frame, +1.0	Clear
19878	3011717	Clear Lens, Black Frame, +1.5	Clear
19879	3011718	Clear Lens, Black Frame, +2.0	Clear
19891	3011719	Clear Lens, Black Frame, +2.5	Clear
19892	3011720	Clear Lens, Black Frame, +3.0	Clear
19893	3011724	Amber Lens, Black Frame, +1.5	Amber
19894	3011725	Amber Lens, Black Frame, +2.0	Amber
19913	3011726	Amber Lens, Black Frame, +2.5	Amber
20553	3013933	IRUV Shade 5.0 Lens, Black Frame, +1.5	IRUV
20558	3013968	IRUV Shade 5.0 Lens, Black Frame, +2.0	IRUV
20559	3013969	IRUV Shade 5.0 Lens, Black Frame, +2.5	IRUV

- Product Features**
- Stylish, ergonomic, nylon frame
 - Soft, comfortable, self-adjusting, rubber nose pad
 - "Cheaters" style with diopters for vision assistance



V60 30-06* Dual Readers Safety Eyewear • Pairs/Box: 6



Code No.	Old Code	Description	Lens
20387	3013327	Clear Lens, Black Frame, +1.5	Clear
20388	3013328	Clear Lens, Black Frame, +2.0	Clear
20389	3013329	Clear Lens, Black Frame, +2.5	Clear

- Product Features**
- Stylish, ergonomic, nylon frame
 - Soft, comfortable, self-adjusting, rubber nose pad
 - "Cheaters" style with diopters for vision assistance



V60 Safeview* Safety Eyewear with RX Inserts • Pairs/Box: 12



Code No.	Description	Lens
38503	Clear Anti-Fog Lens, Black Frame with Black Tips	AF
38505	Smoke Anti-Fog Lens, Black Frame with Black Tips	AF
38507	Indoor/Outdoor Anti-Fog Lens, Metallic Blue Frame with Black Tips	AF
38504	Amber Anti-Fog Lens, Black Frame with Black Tips	AF

- Product Features**
- A convenient way to get prescription eyewear into your workplace
 - Easily fill your prescription at a local vision center with the included prescription insert which clicks easily into frame
 - Clear peripheral vision without the need for side shields
 - Lightweight safety eyewear with adjustable ratchet-action temples for a custom fit
 - Universal Fit
 - Provides 99.9% UV protection against harmful UVA & UVB
 - Every pair includes a neck cord

Every pair includes a neck cord



† CE Certified † CSA Z94.3 Compliant ▪ CSA Certified AF - Anti-Fog
 Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards
 † Dielectric means all exposed parts are plastic or rubber

V70 Particle Goggle Protection

V70 SG30 Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
16675	3005067	Clear Lens, Green Frame	200	<ul style="list-style-type: none"> Economical impact protection Direct ventilation

V70 Monogoggle* 202 Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
16666	3005052	Clear Lens, Green Frame	36	<ul style="list-style-type: none"> Unventilated design provides protection from dust and splashes Lightweight two-piece frame with separate nosepiece for better fit and comfort Can be worn over most prescription eyeglasses Fine dust and particle D5 protector Dust and splash D4 protector
16667	3005055	Clear VisiClear* Lens, Green Frame	36	

V80 Splash Goggle Protection

V80 SG34 Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
16674	3005066	Clear Lens, Green Frame	200	<ul style="list-style-type: none"> Economical splash protection Button vents provide indirect venting
16362	3003415	Clear Lens, Green Frame	50	

V80 Monogoggle* 211 Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
14384	3000005	Clear Lens, Green Frame	36	<ul style="list-style-type: none"> Patented indirect ventilation system provides increased airflow, minimizes condensation and fogging, and protects against splash Soft-frame design with pantoscopic angle to improve work area visibility Soft, pliable plastic nosepiece for a snug, comfortable seal Can be worn over most prescription eyeglasses
14387	3000013	Clear VisiClear* Lens, Green Frame	36	
16668	3005056	Clear VisiClear* Lens, Green Frame With Foam	36	
16670	3005058	Clear VisiClear* Lens, Smoke Frame	36	
16669	3005057	Clear VisiClear* Lens, Green Frame Respiratory	36	

V80 Monogoggle* VPC Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
16361	3003414	Clear VisiClear* Lens, Bronze Frame	36	<ul style="list-style-type: none"> Indirect ventilation is ideal for splash protection Pantoscopic design improves work area visibility Soft, pliable nosepiece Headband buckle located towards rear of goggle, so that it will not interfere with peripheral vision Can be worn over most prescription eyeglasses Respiratory fit

V80 MRXV* Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
16676	3005068	Clear Lens, Blue Frame	36	<ul style="list-style-type: none"> Indirect ventilation offers splash protection
16677	3005069	Clear VisiClear* Lens, Blue Frame	36	
16678	3005070	Clear Lens, Smoke Frame	36	
16679	3005071	Clear VisiClear* Lens, Smoke Frame	36	

V80 Monogoggle* XTR* OTG Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
18624	3010334	Clear Anti-Fog Lens, Blue Frame	6	<ul style="list-style-type: none"> This stylish goggle protects against splashes, while providing increased visibility due to its cylindrical lens A soft, pliable frame conforms to the face for comfort and is easy to clean Indirect ventilation Can be worn over most prescription eyeglasses
18625	3010335	Smoke Anti-Fog Lens, Blue Frame	6	
18626	3010338	IRUV Shade 5.0 Anti-Fog Lens, Black Frame	6	
30707	3010339	Clear Anti-Fog Replacement Lens	12	
30708	3010340	Smoke Anti-Fog Replacement Lens	12	

V80 Revolution* OTG Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
14399	3000048	Clear VisiClear* Lens, Blue Frame	30	<ul style="list-style-type: none"> Cross Vent* Technology keeps air flowing in and moisture out VisiClear* anti-fog and anti-scratch lens coating Accommodates large Rx insert (sold separately) Expanded visual field Can be worn over most prescription eyeglasses Can also be used in a cleanroom environment
14401	3000049	Smoke VisiClear* Lens, Blue Frame	30	
14402	3000050	Amber VisiClear* Lens, Blue Frame	30	
18483	3009654	Clear VisiClear* Lens, Black Frame	30	

V80 Wildcat* Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
20525 †	3013710	Clear Anti-Fog Lens, Black Frame	12	<ul style="list-style-type: none"> Extreme heat resistance – will not melt, drip or ignite at 350° F for five minutes Adjustable side vents help increase airflow Fits naturally to the contour of your face Lightweight and comfortable with a pivot headband that allows for optimal placement CSA Z94.3 compliant
20526 †	3013711	Smoke Anti-Fog Lens, Black Frame	12	
20527 †	3013712	Amber Anti-Fog Lens, Black Frame	12	
20528 †	3013713	IRUV Shade 3.0 Anti-Fog Lens, Black Frame	12	
20529 †	3013714	IRUV Shade 5.0 Anti-Fog Lens, Black Frame	12	

Jackson Safety* Eyewear meets ANSI Z87.1+ Standards

† CE Certified † CSA Z94.3 Compliant ■ CSA Certified

V90 Shield Goggle Protection

V90 Monoshield* Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
16671	3005059	Clear Lens, Green Frame	12	<ul style="list-style-type: none"> • Monogoggle* 211 attaches to shield with PVC gasket • Can be worn with caps and disposable respirators • Clear see-through material allows for easy wearer identification • Polycarbonate shield provides face protection • Can be worn with hard hats and respirators • Can be worn over most prescription eyeglasses

V90 Shield Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
18629	3010343	Clear Anti-Fog Lens, Blue Frame	6	<ul style="list-style-type: none"> • Features the Monogoggle* XTR* with indirect ventilation and a polycarbonate shield for full face protection • Shield detaches from the goggle • Curved Face Shield conforms to shape of face offering added protection • Can be used over most prescription eyeglasses
18631	3010345	IRUV Shade 3.0 Anti-Fog Lens, Black Frame	6	
18633	3010346	IRUV Shade 5.0 Anti-Fog Lens, Black Frame	6	
30707	3010339	Clear Anti-Fog Replacement Lens	12	
30708	3010340	Smoke Anti-Fog Replacement Lens	12	

V100 Specialty Goggle Protection

V100 WS Series IRUV Cutting Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
15991	3002695	IRUV Shade 5.0 Lens, Red Frame – Fixed Front	12	<ul style="list-style-type: none"> • Features a 2" x 4.25" IRUV Shade 5.0 lens • Flexible frame with an adjustable elastic strap • Available in a fixed or lift front design
15992	3002696	IRUV Shade 5.0 Lens, Red Frame – Lift Front	12	

V100 WR Series IRUV Cutting Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
15986	3002687	IRUV Shade 5.0 Lens, Red Frame	24	<ul style="list-style-type: none"> • Features a 2" x 4.25" IRUV Shade 5.0 fixed front lens • Rigid frame with an adjustable elastic strap • Also available in a deep frame to fit over most prescription eyeglasses
15987	3002688	IRUV Shade 5.0 Lens, Red Frame – OTG	24	

V100 WA Series IRUV Cutting Goggle Protection



Code No.	Old Code	Description	Pairs/Box	Product Features
15988	3002689	IRUV Shade 5.0 Lens, Red Frame, Including Headgear	12	<ul style="list-style-type: none"> • Features a 2" x 4.25" IRUV Shade 5.0 fixed front lens • Ratchet headgear for a comfortable fit • Also available in a deep frame to fit over most prescription eyeglasses
15990	3002690	IRUV Shade 5.0 Lens, Red Frame, Including Headgear – OTG	12	



Smith & Wesson® Protection

Smith & Wesson® 44 Magnum® Safety Eyewear • Pairs/Box: 12

BASE CURVE
7



Code No.	Old Code	Description	Lens	Product Features
23452 †	3023378	Clear Anti-Fog Lens, Black Frame	AF	<ul style="list-style-type: none"> • Soft-touch temples naturally contour to the head for a secure and comfortable fit • Flexible nosepiece is shaped to easily conform to various nose shapes and sizes • Cut-to-shape distinctive and stylish one-piece lens • Designed with vents on temples to increase airflow • Scratch-resistant polycarbonate lens provides 99.9% UV protection against harmful UV rays • CSA Z94.3 Compliant
23453 †	3023379	Smoke Anti-Fog Lens, Black Frame	AF	
23454 †	3023380	Indoor/Outdoor Anti-Fog Lens, Black Frame	AF	
23456 †	3023381	Amber Anti-Fog Lens, Black Frame	AF	
23457 †	3023382	Brown Anti-Fog Lens, Brown Frame	AF	

Smith & Wesson® Caliber® Safety Eyewear • Pairs/Box: 12

BASE CURVE
7



Code No.	Old Code	Description	Lens	Product Features
23006 †	3023024	Clear Anti-Fog Lens, Black Frame	AF	<ul style="list-style-type: none"> • Ergonomic, rubber nose pads with built-in airflow holes will adjust to fit the shape of any nose for an ideal fit • Cut-to-shape lens provides less distortion around the edges • Hinge stops to help prevent lens damage • Contoured, soft-touch rubber temples
23007 †	3023025	Smoke Anti-Fog Lens, Black Frame	AF	
23008 †	3023026	Indoor/Outdoor Anti-Fog Lens, Black Frame	AF	
23009 †	3023027	Amber Anti-Fog Lens, Black Frame	AF	
23010 †	3023028	Brown Anti-Fog Lens, Brown Frame	AF	

Smith & Wesson® Equalizer® Safety Eyewear • Pairs/Box: 12

BASE CURVE
8



Code No.	Old Code	Description	Lens	Product Features
21294	3016306	Clear Lens, Gunmetal Frame		<ul style="list-style-type: none"> • Stylized frame features a cutting edge design that is ideal for work and play • Sport grip temples help to reduce slippage • Dual lenses offer wraparound protection • Every pair of glasses comes with a Smith & Wesson® microfiber carry pouch that doubles as a cleaning cloth
21296	3016307	Clear Anti-Fog Lens, Gunmetal Frame	AF	
21297	3016308	Smoke Anti-Fog Lens, Gunmetal Frame	AF	
21298	3016309	Indoor/Outdoor Lens, Gunmetal Frame		
21299	3016310	Amber Lens, Red Frame		
21301	3016311	Blue Mirror Lens, Blue Frame		

Every pair comes with a microfiber bag

† CE Certified † CSA Z94.3 Compliant ▪ CSA Certified AF - Anti-Fog

Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards

† Dielectric means all exposed parts are plastic or rubber

Smith & Wesson® Code 4* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
19832	3011685	Copper Blue Lens, Black Frame	
19833	3011687	Clear Lens, Black Frame	
19834	3011688	Mirror Lens, Black Frame	
19835	3011689	Orange Lens, Platinum Frame	
19836	3011690	Smoke Lens, Black Frame	

- Product Features**
- Stylish frame feature with cutting edge design ideal for work and play
 - Ribbed, non-slip nose cushion
 - Contoured temple tips for precise fit
 - Hinge stop helps to prevent lens damage

Smith & Wesson® 38 Special* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
19856	3011699	Clear Lens, Black Frame	
19859	3011703	Smoke Lens, Black Frame	
19857	3011701	Gradient Smoke Lens, Metallic Gray Frame	
19855	3011698	Blue Mirror Lens, Chrome Frame	
19858	3011702	Red Mirror Lens, Black Frame	

- Product Features**
- Legendary frame design
 - Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit

Smith & Wesson® Elite* Safety Eyewear • Pairs/Box: 12



Every pair comes with a microfiber bag

Code No.	Old Code	Description	Lens
21302	3016312	Clear Anti-Fog Lens, Black Frame	AF
21303	3016313	Smoke Anti-Fog Lens, Black Frame	AF
21306	3016315	Indoor/Outdoor Lens, Black Frame	
21305	3016314	Amber Anti-Fog Lens, Black Frame	AF
21307	3016316	Blue Mirror Lens, Black Frame	

- Product Features**
- Lightweight "retro-style" design provides the latest fashion statement in eyewear
 - Wide temple provides structural integrity and stability
 - Anti-scratch, dual lenses offer wraparound protection
 - Every pair of glasses comes with a Smith & Wesson® microfiber carry pouch that doubles as a cleaning cloth

Smith & Wesson® Phantom* Safety Eyewear • Pairs/Box: 12



Code No.	Old Code	Description	Lens
19838	3011693	Clear Anti-fog Lens, Pewter Frame	AF
19839	3011694	Clear Lens, Pewter Frame	
19853	3011696	Smoke Lens, Black Frame	

- Product Features**
- Futuristic, frameless design
 - Ribbed, non-slip rubber nosepiece
 - Straight back bayonet design eliminates temple pressure

* CE Certified *CSA Z94.3 Compliant *CSA Certified AF - Anti-Fog
 Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards
 † Dielectric means all exposed parts are plastic or rubber

Smith & Wesson® Magnum® 3G Safety Eyewear • Pairs/Box: 12

	Code No.	Old Code	Description	Lens	Product Features		
	19792	3011668	IRUV 3.0 Lens, Black Frame		<ul style="list-style-type: none"> • Classic Smith & Wesson® Magnum Style with built-in hinge stops to help prevent scratches • Ergonomically dimensioned three-point fit for the ultimate in comfort; self-adjusting nose pad with rubber fingers • Available in reduced sizes for smaller faces – Magnum Minis • Cut lens for distortion-free optics 		
	19793	3011669	IRUV 5.0 Lens, Black Frame				
	19794	3011670	Clear Anti-Fog Lens, Black Frame	AF			
	19796	3011671	Copper Blue Block Lens, Black Frame				
	19799	3011672	Clear Lens, Black Frame				
	19823	3011674	Smoke Lens, Black Frame				
	19829	3011678	Orange Lens, Platinum Frame				
	19830	3011679	Teal Lens, Platinum Frame				
	19831	3011681	I/O Lens, Metallic Gray Frame				
	19940	3011824	Gold Metallic Mirror Lens, Black Frame				
	19955	3011840	Smoke Anti-Fog Lens, Black Frame,	AF			
	19961	3011841	Clear Lens, Platinum Frame				
	Magnum® Mini						
		19822	3011673	Mini, Clear Lens, Black Frame			
		19824	3011675	Mini, Smoke Lens, Black Frame			
		19828	3011677	Mini, Amber Lens, Black Frame			
		20337	3013025	Mini, Mirror Lens, Black Frame			
		20338	3013026	Mini, Copper Blue Block Lens, Black Frame			
		20339	3013027	Mini, I/O Lens, Gray Frame			

Smith & Wesson® Viewmaster* Polarized Safety Eyewear • Pairs/Box: 12

	Code No.	Old Code	Description	Lens	Product Features
<p>Every pair comes with a microfiber bag</p>	19871 ¹	3011704	Polarized Gray Lens, Metallic Gray Frame		<ul style="list-style-type: none"> • Polarized safety lenses help reduce reflected glare • Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit • Every pair of glasses comes with a microfiber carry pouch that doubles as a cleaning cloth

Smith & Wesson® Sigma* Safety Eyewear • Pairs/Box: 12

	Code No.	Old Code	Description	Lens	Product Features
<p>Every pair comes with a microfiber bag</p>	20350	3013122	Clear Lens, Gunmetal Frame		<ul style="list-style-type: none"> • Contemporary combination of gunmetal finish frame and stylish chrome temples • Soft foam pad along brow provides a snug and comfortable fit • Lightweight, stylish design offers protection • Every pair of glasses comes with a microfiber carry pouch that doubles as a cleaning cloth
	20352	3013124	Smoke Lens, Gunmetal Frame		
	20353	3013125	Indoor/Outdoor Lens, Gunmetal Frame		
	20351	3013123	Amber Lens, Gunmetal Frame		

¹ CE Certified ² CSA Z94.3 Compliant ³ CSA Certified AF - Anti-Fog

Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards

¹ Dielectric means all exposed parts are plastic or rubber

Eyewear Displays



6-Pair Stacking Display

Code No.	Old Code	Description	Product Features
20566	3014039	6-pair stationary display	<ul style="list-style-type: none"> Capacity: 6 pairs of glasses Dimensions: 22"H x 5"D Some assembly required



Smith & Wesson® 16-Pair Display

Code No.	Old Code	Description	Product Features
22749	3021601	16-pair display	<ul style="list-style-type: none"> Capacity: 16 pairs of glasses Dimensions: 19.5"H x 11.5"W x 11"D No assembly required



16-Pair Display

Code No.	Old Code	Description	Product Features
22752	3021607	16-pair display	<ul style="list-style-type: none"> Capacity: 16 pairs of glasses Dimensions: 19.5"H x 11.5"W x 11"D No assembly required



Locking Displays

Code No.	Old Code	Description	Product Features
20565	3014038	18-pair locking spinner	<ul style="list-style-type: none"> Locking, rotating counter display reduces theft Capacity: 18 or 24 pair of glasses Dimensions: (18-pr.) 17"H x 11.5"D (24-pr.) 17"H x 12"D
20564	3014037	24-pair locking display	

¹ CE Certified ² CSA Z94.3 Compliant ³ CSA Certified AF - Anti-Fog

Jackson Safety* and Smith & Wesson® Eyewear meets ANSI Z87.1+ 2010 Standards

⁴ Dielectric means all exposed parts are plastic or rubber

Lens Cleaning

Lens-Cleaning Towelettes



Code No.	Description	Qty/Box	Product Features
14551	Lens-cleaning towelettes	100 towelettes/ box 10 boxes/case	<ul style="list-style-type: none"> Sturdy, corrugate construction with easy wall mount design For glass, plastic and polycarbonate lenses, goggles and face shields Anti-fog, anti-static formula

Kimtech SCIENCE* Lens Cleaning Station



Code No.	Delivery System	Color	Material	Size W" x L"	Boxes/Case	Units/Box	Total/Case
34623	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	4	560 & 8 oz.	2,240
34644	Pop-Up* Box	White	1-ply tissue	4.4" x 8.4"	4	1120 & 16 oz.	4,480

Eyewear Customization Program

Custom Eyewear Decorating Dimensions

Frame Style	Frame Side – Dimensions	Lens Dimensions
V10 Element*	Right: 1/2"W X 1/4"H	3/4"W X 3/8"H
V20 Envision*	Right: 1/2"W X 1/4"H	N/A
V20 Visio*	Right & Left: 3/4"W X 1/8"H	1/2"W X 1/2"H
V30 Nemesis*	Left: 3/4"W X 1/8"H	3/4"W X 1/8"H
V30 Nemesis* VL	Left: 3/4"W X 3/16"H	3/4"W X 1/8"H
V40 Hellraiser*	Right: 1/2"W X 3/16"H	N/A
V40 Platinum X*	Right: 3/4"W X 1/8"H	3/4"W X 3/8"H
V50 OTG*	Left: 7/8"W X 1/4"H	N/A
V50 Cudas*	Right: 5/8"W X 1/8"H	1/2"W X 1/2"H
S&W® 44 Magnum	Right: 7/8"W X 1/8"H	3/4"W X 1/4"H
S&W® Equalizer*	Right: 3/4"W X 1/8"H	1/2"W X 1/2"H
S&W® 38 Special*	Right: 7/8"W X 1/8"H	N/A
S&W® Elite*	Right: 1"W X 1/4"H	N/A
S&W® Viewmaster*	Right: 3/4"W X 3/8"H	N/A

- Orders must meet or exceed a minimum purchase amount (\$).
- Orders must be in full-case increments.
- Camera-ready artwork must be provided (black on glossy white or film positive with sharp images). Non-camera-ready artwork may be subject to additional charges and extended lead time.
- Eyewear may be printed on the lens or temple, right or left.
- All items related to equipment setup become the property of Kimberly-Clark Professional*.
- For more information and pricing please contact your customer service representative at **800-428-8185** or visit **www.kc-safety.com**



Jackson Safety* Face Shields

Used in conjunction with protective eyewear, Jackson Safety* Brand Face Shields provide a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others.

All Jackson Safety* Brand Face Shields meet ANSI Z87.1 2010 Standards when used with any Jackson Safety* Brand Headgear.

(except for 28765)

F60	Wire Face Shields
F50	Polycarbonate Special Face Shields
F40	Propionate Face Shields
F30	Acetate Face Shields
F20	Polycarbonate Face Shields
F10	PETG Face Shields

MATERIAL TYPES		LENS TINTS
PETG	<ul style="list-style-type: none"> • A low-cost, recyclable option 	<p>Clear Allows for maximum visible light transmission.</p> <p>IRUV Worn for applications and in environments where others are performing welding tasks such as torch brazing, torch soldering, gas welding, and oxygen cutting. Available in Shades 3.0 and 5.0.</p> <p>SPECIAL TINTS Enhances vision and reduces glare by blocking light transmission. Available in light, medium, and dark green tints.</p> <p>WARNING: APPLICATIONS & SAFETY Face shields do not provide unlimited eye and face protection – primary eye protection (safety eyewear or goggles) must be worn.</p>
Polycarbonate	<ul style="list-style-type: none"> • Impact performance • Good performance against heat • Excellent cold flexibility 	
Acetate	<ul style="list-style-type: none"> • Robust combination of weight and strength • Excellent cold flexibility 	
Propionate	<ul style="list-style-type: none"> • Lightweight 	
Wire Mesh	<ul style="list-style-type: none"> • Wear with face shield to dissipate heat • Ideal for flying debris applications • Air flow for comfort 	

Recommended Applications	F10 PETG	F30 Acetate & F40 Propionate	F20 Polycarbonate & F50 Polycarbonate Special	F60 Wire Mesh
	GOOD	BETTER	BEST	
Light industrial manufacturing	●	●	●	
Cutting or grinding metal			● (IRUV only)	
Cutting wood			●	●
Splash (general) **	●	●	●	
Impact			●	
High-heat applications			●	●
Landscaping	●	●	●	●
Food processing	●	●	●	





F10 PETG Face Shields



PETG Face Shields

Meets ANSI Z87.1 2010 Standards

Code No.	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29104	3005399	Clear	8" X 15.5" X .040"	100	E	Unbound	8154LB	●
29101	3005382	Medium Green	8" X 15.5" X .040"	36	E	Unbound	8154LB	●
28962	3029190	Clear	9" X 15.5" X .040"	50	D	Bound	34-40 AP	●
28963	3029191	Clear	9" X 15.5" X .040"	50	D	Unbound	34-40 AP	●
28765 ¹	3005392	Clear	6" X 15.5" X .040"	36	N	Unbound	—	●



For more information about the Hard Hat Interchange System, refer to page 73.

¹Face Shield 28765 only works with C10 Bump Caps that have the face shield attachment (see page 72) Code 28765 does not meet ANSI Z87.1 2010 Standards


F20 Polycarbonate Face Shields



Polycarbonate Face Shields

Meets ANSI Z87.1+ 2010 Standards

Code No.	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29087 †	3002832	Clear	8" X 15.5" X .060"	12	D	Unbound	34-60	●
29109 †	3009492	Clear	8" X 15.5" X .060"	12	E	Unbound	34-60	●
29098 †	3005377	Clear	10" X 20" X .040"	36	K	Unbound	4200	●
29099 †	3005378	Clear	8" X 15.5" X .040"	36	F	Unbound	8140	●
29096 †	3005371	Clear	8" X 15.5" X .040"	25	E	Bound	8154	●
30706 †	3005372	Clear	8" X 15.5" X .040"	36	E	Unbound	8154	●
14132 †	3005375	Clear	8" X 15.5" X .060"	36	E	Unbound	8156	●
29103 †	3005385	Clear	9" X 19.25" X .060"	36	L	Unbound	9196	●
29100 †	3005379	Dark Green	8" X 15.5" X .040"	36	E	Unbound	8154	●
29097 †	3005373	Medium Green	8" X 15.5" X .040"	36	E	Unbound	8154	●
▲ 29062 †	3000449	Clear	8" X 15.5" X .040"	12	T	Unbound	Chin Cup 8154	●




F30 Acetate Face Shields



Acetate Face Shields

Meets ANSI Z87.1 2010 Standards

Code No.	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29078 ††	3002806	Clear	8" X 12" X .040"	24	C	Bound	8040	●
29079	3002808	Clear	9" X 15.5" X .040"	24	D	Bound	34-40	●
29091	3002848	Clear	9" X 15.5" X .040"	50	D	Bound	34-40	●
29082	3002817	Light Green	9" X 15.5" X .040"	12	D	Bound	34-41	●
29090	3002845	Dark Green	9" X 15.5" X .040"	50	D	Bound	34-42	●
29083	3002826	Clear	9" X 19.5" X .040"	12	I	Unbound	1940-U	●
29052	3000122	Clear	8" X 15.5" X .040"	24	E	Bound	8154	●
29054	3000125	Clear	8" X 15.5" X .060"	24	E	Bound	8156	●
▲ 29056	3000136	Clear	9" X 19.5" X .040"	24	O	Unbound	Chin Cup H9194	●
▲ 14445	3000146	Clear	9" X 20" X .040"	12	Q	Unbound	Chin Cup 9204	●
29060	3000411	Clear	9" X 19" X .040"	24	P	Unbound	9154	●
29053	3000123	Medium Green	8" X 15.5" X .040"	24	D	Bound	8154M	●



† CSA Z94.3 Compliant

▲ Chin Cup

†† Face Shield 29078 does not meet ANSI Z87.1 splash protection requirements when used with headgear 29076



F40 Propionate Face Shields



Propionate Face Shields

Meets ANSI Z87.1 2010 Standards

Code No.	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
29084	3002830	Clear	9" X 15.5" X .060"	12	G	Unbound	915-60	●
29089	3002843	Clear	9" X 15.5" X .060"	50	G	Unbound	915-60	●
29086	3002831	Dark Green	9" X 15.5" X .060"	12	G	Unbound	915-63	●
28766	3000175	Clear	10" X 20" X .060"	1	H	Unbound	10206 P	●




F50 Polycarbonate Special Face Shields



Polycarbonate Special Face Shields

Meets ANSI Z87.1+ 2010 Standards

Code No.	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other	Compatible with Hard Hat Interchange System
26262 †	3002813	IRUV 3.0	8" X 15.5" X .060"	12	D	Unbound	34-63	●
29080 †	3002810	IRUV 5.0	8" X 15.5" X .060"	12	D	Unbound	34-65	●
28633 †	3002838	IRUV 5.0	8" X 15.5" X .060"	50	D	Unbound	34-65	●
28634 †	3000162	Gold	10" X 20" X .060"	1	H	Unbound	10206 GD	●






F60 Wire Face Shields

Wire Face Shields

Meets ANSI Z87.1 2010 Standards

Code No.	Old Code	Shade	Dimensions	Case Count	Shape	Bound	Other
29081 †	3002812	Mesh	9" X 15.5" X .016"	12	E	Bound	40 Mesh Steel
29055 †	3000127	Mesh	8" X 15.5" X .020"	12	C	Bound	815 Mesh Steel
29102 ▲	3005383	Mesh	6.5" x 15.5" x .020"	30	N	Bound	6513 Mesh Steel



▲ Fits with Part # 3000001 and Part # 3000006 headgear only.

Wire mesh face shields are not splash protectors.

Not intended for high-impact protection.
Apply over a face shield to dissipate heat.

† CSA Z94.3 Compliant

Headgear

GOOD



Code No.	Old Code	Description	Vertical Lock-in	Case Count	Suspension
14386 †	3000012	Model K10	No	12	Pinlock

Sweatband included with all Jackson Safety* Headgear

BETTER



29076

Code No.	Old Code	Description	Vertical Lock-in	Case Count	Suspension
29076†	3002437	131-B	Yes	12	Pinlock
14381 †	3000001	Model K Headgear	No	12	Ratchet
29051 †	3000006	Model K Bulk	No	60	Ratchet
14382 †	3000002	Model K Headgear with clear face shield (code 29078)	No	12	Ratchet
16941 †	3005845	AF 4000 Headgear with clear face shield (code 29052)	Yes	12	Ratchet

Sweatband included with all Jackson Safety* Headgear



14382



16941

BEST



Code No.	Old Code	Description	Vertical Lock-in	Case Count	Suspension
14940 †	3002436	170-SB	Yes	12	Ratchet
29077 †	3002447	170-SB Bulk	Yes	40	Ratchet

Sweatband included with all Jackson Safety* Headgear

Accessories

Sweatbands



Code No.	Old Code	Description	Case Count
15976	3002665	HLT Assembly 270-10 Cloth	12
14958	3002459	CAP Assembly 391 Cloth	12

Turn Toggles

Code No.	Old Code	Description	Case Count	Suspension
30589	3002456	337-3 Turn Toggles (Set of 12)	12 Sets of 12	N/A

† CSA Z94.3 Compliant

†† Face Shield 29078 does not meet ANSI Z87.1 splash protection requirements when used with headgear 29076



With a variety of styles and suspension options available, Jackson Safety* Brand Hard Hats and attachment accessories are your first line of defense against potential head hazards.

TYPES & CLASS STANDARDS

Protective hard hats are classified according to the specific impact and electrical performance requirements they are designed to meet. All protective hard hats in accordance with this standard shall meet either Type I or Type II impact requirements. In addition, all hard hats are further classified as meeting Class C, Class G, or Class E electrical requirements.

IMPACT TYPES

Type I: Hard hats intended to reduce the force of impact resulting from a blow only to the top of the head.

Type II: Hard hats intended to reduce the force of impact resulting from a blow which may receive limited protection off center, lateral or to the top of the head.

ELECTRICAL CLASSES

Class C (Conductive): Class C hard hats are not intended to provide protection against contact with electrical conductors.

Class G (General): Class G hard hats are intended to reduce the danger of contact exposure to low-voltage conductors. Test samples are proof-tested at 2200 volts (phase to ground). However, this voltage is not

intended as an indication of the voltage at which the hard hat protects the wearer.

Class E (Electrical): Class E hard hats are intended to reduce the danger of exposure to higher-voltage conductors. Test samples are proof-tested at 20,000 volts (phase to ground). However, this voltage is not intended as an indication of the voltage at which the hard hat protects the wearer.

OPTIONAL STANDARDS



Reverse Donning: Reverse wearing option hard hats must pass force transmission requirements whether they are worn facing frontward or backwards in accordance with the manufacturer's wearing instructions.

LT-Low Temperature: Hard hats marked with LT for low temperature shall pass impact testing after samples are placed in an environmental chamber maintained at $-30^{\circ}\text{C} \pm 2^{\circ}\text{C}$ for at least four hours with the base of the helmet facing upward.

HV-High Visibility: Hard hats marked with HV for high visibility shall demonstrate chromaticity and luminance developed for high-visibility applications.

Color Selection Chart

Colors	SC-6	SENTRY III*	CHARGER*	BLOCKHEAD*	SC-16	Western Outlaw	Bump Cap
Blue (PMS 2935C)	●	●	●	●	●		●
Brown (PMS 1535C)	●						
Tan						●	
Black						●	
Grey (PMS 430C)	●	●	●			●	●
Green (PMS 3425C)	●	●	●	●			●
Hi-Viz Lime (PMS 381C)	●	●	●				
Hi-Viz Orange (PMS 811C)	●	●	●	●			
Orange (PMS 1665C)	●	●	●	●			●
Red (PMS 1797C)	●	●	●	●			●
White	●	●	●	●	●	●	●
Yellow (PMS 012C)	●	●	●	●	●		●
Neon Pink			●				



SC-6 Hard Hat

Case Count: 12



Ratchet Code	Old Code	Color	
14833	3001987	Yellow	
14834	3001988	White	
14836	3001989	Brown	
14837	3001990	Green	
14838	3001991	Blue	
14839	3001992	Orange	
14841	3001993	Red	
14842	3001994	Gray	
14843	3001996	Hi-Viz Orange	
14845	3001998	Hi-Viz Lime	

Product Features

- Meets ANSI Z89.1, Class C, G & E
- Smooth dome design
- Lightweight, molded from dielectric High Density Polyethylene (HDPE)
- 4 pt. ratchet suspension
- Accessory slots for attaching additional personal protective equipment
- Head sizes 6½ to 8

REPLACEMENT PARTS	Description	Case Count
14936	3002428 4 Pt. Suspension	6
14937	3002430 2 Pt. Chinstrap	12/Bag
14958	3002459 Sweatband	12



SC-6 Hard Hat works with the Hard Hat Interchange System

Sentry III* Hard Hat

Case Count: 12



Ratchet Code	Old Code	Color	Product Features
14407	3000061	Yellow	<ul style="list-style-type: none"> • Meets ANSI Z89.1, Class C, G & E • Low-profile, silhouette-styled cap • Low-riding nape strap • Flat customizable front area • Accessory slots for attaching additional personal protective equipment • 6 pt. ratchet suspension • Head sizes 6½ to 8
14409	3000064	White	
14411	3000067	Gray	
14414	3000070	Green	
14416	3000072	Blue	
14418	3000075	Red	
14420	3000078	Orange	
14423	3000085	Hi-Viz Orange	
14462	3000204	Hi-Viz Lime	

REPLACEMENT PARTS		Description	Case Count
14426	3000095	6 Pt. Suspension	6
14429	3000105	Sweatband	12/Bag
14434	3000114	2 Pt. Chinstrap	12/Bag
18446	3009653	4 Pt. Chinstrap	12/Bag

Charger* Hard Hat

Case Count: 12



Ratchet Suspension



Pinlock Suspension

Ratchet Code	Old Code	Plastic Pinlock Code	Old Code	Color	Product Features
20392	3013362	20425	3013409	White	<ul style="list-style-type: none"> • Meets ANSI Z89.1, Class C, G & E • Lightweight for comfort, molded from High Density Polyethylene (HDPE) • Contoured dome with shorter bill for improved upward vision • Built-in rain trough • Accessory slots for attaching additional personal protective equipment • Choice of 4 pt. ratchet or plastic pinlock suspension • Head sizes 6½ to 8
20393	3013363	20428	3013412	Blue	
20394	3013364	20429	3013413	Red	
20395	3013365	20433	3013416	Hi-Viz Orange	
20396	3013366	20426	3013410	Hi-Viz Lime	
20397	3013367	20434	3013417	Gray	
20398	3013368	20431	3013414	Orange	
20399	3013369	20432	3013415	Green	
20401	3013370	20427	3013411	Yellow	
20403	3013372	20436	3013420	Neon Pink	

REPLACEMENT PARTS		Description	Case Count
20422	3013403	20424 3013405 4 Pt. Suspension	6
14429	3000105	14429 3000105 Sweatband	12/Bag
14434	3000114	14434 3000114 2 Pt. Chinstrap	12/Bag
18446	3009653	18446 3009653 4 Pt. Chinstrap	12/Bag

Blockhead* Full Brim Hard Hat

Case Count: 10



Ratchet Code	Old Code	Color	
20697	3014874	White	
20698	3014875	Yellow	
20699	3014876	Blue	
20701	3014877	Orange	
20702	3014878	Red	
20718	3014902	Green	
20738	3014982	Hi-Viz Orange	

Product Features

- Meets ANSI Z89.1 Class C, G & E
- Full 360° brim protects wearer from nature's elements
- Lightweight for comfort, molded from High Density Polyethylene (HDPE)
- Smooth dome leaves no crevices for buildup
- Anti-glare bill
- Soft, absorbent brow-pad
- 8 pt. ratchet suspension
- Head sizes 6½ to 8

REPLACEMENT PARTS		Description	Case Count
20703	3014879	8 Pt. Suspension	6
14429	3000105	Sweatband	12/Bag
14937	3002430	2 Pt. Chinstrap	12/Bag
18446	3009653	4 Pt. Chinstrap	12/Bag

SC-16 Fiberglass Hard Hat

Case Count: 12



Code No.	Old Code	Color	
14831	3001981	White	
14832	3001983	Blue	
14829	3001980	Yellow	

Product Features

- Meets ANSI Z89.1, Class C, G & E
- 4 pt. ratchet suspension
- Head sizes 6½ to 8
- Made from fiberglass to protect from higher heat applications
- Accessory slots for attaching additional personal protective equipment

REPLACEMENT PARTS		Description	Case Count
14936	3002428	4 Pt. Suspension	6
14937	3002430	2 Pt. Chinstrap	12/Bag
14958	3002459	Sweatband	12



Western Outlaw* Hard Hat

Case Count: 4



Code No.	Old Code	Color	
17330	3007313	Black	
19502	3010944	Tan	
19500	3010943	White	
19525	3010945	Gray	

- Product Features**
- Meets ANSI Z89.1, Class C, G & E
 - Wide 360* brim
 - 4 pt. ratchet suspension
 - Head sizes 6½ to 8

REPLACEMENT PARTS	Description	Case Count
14459	3000187 4 Pt. Suspension	6
14429	3000105 Sweatband	12/Bag

C10 Bump Cap

Compatible with Face Shield 28765

Case Count: 12



Code No.	Old Code	With Face Shield Attachment	Old Code	Color	
14811	3001937	20186	3012332	White	
14809	3001936	20187	3012333	Yellow	
14812	3001938	20189	3012335	Green	
14813	3001939	20188	3012334	Blue	
14814	3001940	20192	3012337	Orange	
14815	3001941	20191	3012336	Red	
14816	3001942			Gray	

- Product Features**
- Protection from minor bumps where ANSI standards are not required
 - Lightweight for comfort
 - 4 pt. pinlock suspension features an absorbent brow pad
 - Pinlock sizing from head sizes 6½ to 8¼
 - Available with face shield attachment to become compatible with face shield 28765 on Page 63.

REPLACEMENT PARTS	Description	Case Count
20194	4 Pt. Suspension	12
18428	Sweatband	12/Bag

Bump Cap
20186 with Face
Shield 28765

CAUTION: Bump caps are not designed for protection against impact from falling or glancing objects. Does not meet ANSI Z89.1 requirements

HARD HAT CUSTOMIZATION PROGRAM

- Orders must meet or exceed a minimum purchase amount (\$).
- Orders must be in full-case increments.
- Vector artwork is required in .EPS, .PDF or .AI format. One measurement of at least 5" with a resolution of at least 600dpi (3000 x 3000 pixels) is acceptable.
- Hard hats may be printed on the front, back, left or right side.
- All items related to equipment setup become the property of Kimberly-Clark Professional*.
- For more information and pricing please contact your customer service representative at **800-428-8185** or visit **www.kc-safety.com**.

Imprint Dimensions Per Location Per Style

Model	Front		Back		Side	
	Height	Width	Height	Width	Height	Width
SC-6	2"	3"	2"	2"	2"	3"
Sentry III*	2"	2"	2"	2"	1-1/4"	3-1/4"
Charger*	2"	3"	2"	1-7/8"	2"	3"
Blockhead*	2"	3"	2"	2"	2"	3"
SC-16	2"	3"	2"	2"	2"	3"





Jackson Safety* Hard Hat Interchange System

The All-In-One Safety Solution. Injuries can happen in a split second – even during the time it takes to remove a hard hat when you need a face shield or welding helmet.

Now it's easy to stay protected at all times with the Jackson Safety* Hard Hat Interchange System from Kimberly-Clark Professional*. It lets you easily add, remove or switch between your welding helmet or face shield – all without removing your hard hat.

Hard Hat Interchange System



39477

Code No.	Description	Case Count	Product Features
39477	Hard Hat Interchange System	6	<ul style="list-style-type: none"> • One button action for quick release, even with gloves on • Vertical lock-in eliminates helmet/face shield creep • Audible click – Know your PPE is assembled correctly without visual inspection • Keep your hard hat ANSI Z98.1 class E rated with dielectric Hard Hat Interchange System • Accommodates all Jackson Safety* face shields; HSL Series hoods; HaloX hoods & NITRO* hoods
38426	Interchange Welding Helmet System	6	
38425	Hard Hat Interchange Face Shield System	6	
39476	Hard Hat Interchange System SC-6 Replacement Blades	6	




Keep Your Hat On — And Your Productivity Up.

See how easy it is to stay protected at all times in this "How to" video.

Face Shield Cap Adapters

Hard Hat and Cap Adapter Compatibility

	SC-6	Sentry III*	Charger*	Blockhead* Full Brim	SC-16
					
Blade Mounted: 437 Capshield	●	●			
Blade Mounted: 382 B Cap Adapter	●	●	●		
Cord Mounted: 337 Capshield	●	●	●		
Spring Mounted: 137 Capshield	●	●	●		
Spring Mounted: Model C Cap Adapter	●	●	●		
Spring Mounted: 37 Hatshield				●	
A5500X	●	●	●		●
Model H Hat Adapter				●	
Model P Cap Adapter	●	●	●		●

Blade Mounted

437 Capshield



Code No.	Old Code	Description	Case Count	Product Features
14947	3002444	437 Capshield	12	<ul style="list-style-type: none"> Totally dielectric¹, all plastic device for slotted caps Curved plastic channel fits over the bill of the cap and includes pivoting blades that snap easily into cap slots Face shields are secured with integral plastic lugs Attaches to SC-6, and Sentry III* Hard Hats

A-5500X



Code No.	Old Code	Description	Case Count	Product Features
14506	3000448	A-5500X	15	<ul style="list-style-type: none"> Lightweight design for slotted caps Pivots up and secures in different positions Face shields are secured with integral plastic lugs Attaches to SC-6, Sentry III* and Charger* Hard Hats

382 B Cap Adapter



Code No.	Old Code	Description	Case Count	Product Features
14944	3002441	382 B Cap Adapter	12	<ul style="list-style-type: none"> Totally dielectric¹ for slotted caps Cost-effective adapter Polyethylene spark deflector with pivoting blades Face shields are secured with integral plastic lugs Attaches to SC-6, Sentry III* and Charger* Hard Hats
14951	3002449	Bulk Pack	40	

¹ Dielectric means all exposed parts are plastic or rubber

82 B Capmount Adapter



Code No.	Old Code	Description	Case Count	Product Features
14941	3002438	82 B Capmount Adapter (Plastic detach brackets)	12	<ul style="list-style-type: none"> • Used with slotted caps • Polyethylene spark deflector with quick detach brackets • Face shields are secured with integral plastic lugs • Attaches to any cap equipped with 87 mounting blades
14949	3002446	82 BM Capmount Adapter (Metal detach brackets)	12	

Cord Mounted

337 Capshield



Code No.	Old Code	Description	Case Count	Product Features
14946	3002443	337 Capshield	12	<ul style="list-style-type: none"> • Totally dielectric¹ device for non-slotted caps • Curved plastic channel fits over the bill and secures with adjustable rubber headband that stretches around the exterior cap crown • Face shields are secured with integral plastic lugs • Attaches to SC-6, Sentry III* and Charger* Hard Hats

282 B Capmount Adapter



Code No.	Old Code	Description	Case Count	Product Features
14943	3002440	282 B Capmount Adapter	12	<ul style="list-style-type: none"> • Used with non-slotted caps • Uses clips pressed over the cap rim for firm fit • Polyethylene spark deflector
14952	3002450	282 B Capmount Adapter (Bulk)	40	

A-5500SN



Code No.	Old Code	Description	Case Count	Product Features
14505	3000447	A-5500SN	12	<ul style="list-style-type: none"> • Totally dielectric • Heavy duty rubber cord holds bracket in place • Attaches to SC-6 and Charger* Hard Hats

Model K-4 Cap Adapter



Code No.	Old Code	Description	Case Count	Product Features
14398	3000046	Model K-4 Cap Adapter	6	<ul style="list-style-type: none"> • Holds face shield firmly on caps with heavy duty clips and springs • Includes spark guard with slots that can hold face shield in down position
14397	3000045	Model K-4 Cap Adapter (Bulk)	60	

Cap Coil Spring Attachments

Model P Cap Adapter



Code No.	Description	Case Count	Product Features
14391	3000034 Model P Cap Adapter	24	<ul style="list-style-type: none"> • Locking device holds face shield securely in the up or down position • Face shield sold separately • Attaches to SC-6, Sentry III*, and Charger* Hard Hats

Used with bill-forward facing hats

137 Capshield



Code No.	Description	Case Count	Product Features
14948	3002445 137 Capshield	12	<ul style="list-style-type: none">• Cap coil spring attachment• Metal device for non-slotted caps• Curved aluminum channel and coil spring attachment• Attaches to SC-6, Sentry III* and Charger* Hard Hats

182 B Capmount Adapter



Code No.	Description	Case Count	Product Features
14942	3002439 182 B Capmount Adapter	12	<ul style="list-style-type: none">• Used with non-slotted caps• Polyethylene spark deflector• Face shields are secured with integral plastic lugs

Model C Cap Adapter



Code No.	Description	Case Count	Product Features
14390	3000032 Model C	24	<ul style="list-style-type: none">• Model C cap adapter easily attaches face shield• Face shield sold separately• Attaches to SC-6, Sentry III* and Charger* Hard Hats

Used with bill backward facing hats

Model H Hat Adapter



Code No.	Description	Case Count	Product Features
14393	3000038 Model H Hat Adapter	24	<ul style="list-style-type: none">• Locking device holds face shield securely in the up or down position• Attaches to full brim hard hats

37 Hatshield



Code No.	Description	Case Count	Product Features
14945	3002442 37 Hatshield	12	<ul style="list-style-type: none">• Curved aluminum channel and coil spring attachment allows attachment of most Jackson Safety* Face Shields• Attaches to full brim hard hats

Hard Hat Accessories

Safe 2 Protection System



Code No.	Old Code	Description	Case Count	Product Features
16797	3005410	Safe 2 Face Shield Bracket	1/Box	<ul style="list-style-type: none"> • System is designed for slotted caps • Face shield bracket features an encapsulated stainless steel spring which ensures that the face shield stays in the selected position • Face shields are shaped to follow the contours of the face • Hard hat, bracket, face shield, and ear muffs all sold separately • Vibe capmount earmuffs can be used instead of code 16810
25973	3005401	Safe Clear Polycarbonate Face Shield	1/Box	
16800	3005415	Safe Nylon Mesh Face Shield	1/Box	
16799	3005413	Safe Steel Mesh Face Shield	1/Box	
16810	3005524	Capmate Earmuffs NRR 22	1/Box	

AA-7 Windgard* Head Protection



Code No.	Old Code	Description	Case Count	Product Features
16756	3005341	AA-7, Red	12/Pack	<ul style="list-style-type: none"> • Warmth for temps 32° to 0°F (0° to -20°C) • Fits over most safety caps and full-brim styles
14494	3000434	AA-7, Navy Blue	12/Pack	
14495	3000435	AA-7, Orange	12/Pack	

AA-8 Windgard* Head Protection



Code No.	Old Code	Description	Case Count	Product Features
14496	3000436	AA-8, Red	12/Pack	<ul style="list-style-type: none"> • Warmth for temps 32° to 0°F (0° to -20°C) • Snug-fitting cap style fits over most hard hats

AA-9 Windgard* Head Protection



Code No.	Old Code	Description	Case Count	Product Features
16757	3005342	AA-9, Red	12/Pack	<ul style="list-style-type: none"> • Warmth for temps 0° to -20°F (-20° to -28 °C) • Full face and neck model protects mouth and cheeks • Fits over most safety caps
14497	3000434	AA-9, Navy Blue	12/Pack	

Jackson Safety* Hearing Protection

Jackson Safety* Brand Hearing Protection provides quality, comfort and ease-of-use in reusable and disposable styles for excellent attenuation in a wide variety of noise-level environments. For hearing protection solutions, choose from a wide variety of ear plugs, clips and passive earmuffs designed to make your work day safer and more productive.

H70	Passive Earmuffs
H20	Reusable Triple Flange
H10	Disposable Plugs


Getting to Know Hearing

Hearing protection should be taken very seriously and protectors, either muffs or plugs, should be comfortable to wear and offer sufficient attenuation to prevent hearing loss based on individual protection needed.



What Level of Protection Do You Need?

All hearing protectors sold by Kimberly-Clark Professional* are tested to the American National Standards Institute (ANSI) S3.19-1974 Standard to receive a Noise Reduction Rating (NRR), which is labeled on all such products as required by the US Environmental Protection Agency (EPA).

This number gives the consumer a method to judge performance among different models of hearing protectors – a higher NRR indicating more effective protection against sound. Some models of hearing protectors have multiple NRR numbers. This reflects the fact that these hearing protectors may be worn with their headbands in different positions.



Jackson Safety* Hearing Protection

Description	NRR	Multiple-Use	Comfort	Fit	Innovative	Type	Fits with Other PPE	Replacement Part
 H20 Reusable Earplugs	26	YES	● ●	●	N/A	Flanged	YES	N/A
 H10 Disposable Earplugs	31	NO	● ●	Requires Rolling Down	N/A	Bullet	YES	N/A



H10 Disposable Earplugs

H10 Disposable Earplugs



Code No.	Description	NRR	Class	Case Count	Product Features
67210	Uncorded	31	A(L)	200 Pairs/Box; 8 Boxes/Case	<ul style="list-style-type: none"> • Soft roll-down foam • Smooth "bullet" shape for easy insertion • High visibility for easy compliance monitoring • Gravity feed display box
67212	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case	

H10 Disposable Earplugs Dispenser and Bulk Pack (500 Pair)



Code No.	Description	NRR	Class	Case Count	Product Features
25708	Uncorded	31	A(L)	500 Pairs/Bag; 4 Bags/Case	<p>EARPLUGS:</p> <ul style="list-style-type: none"> • Featuring H10 uncorded disposable foam earplugs • 500 pairs (or 1000 earplugs) packed in a polybag <p>DISPENSER:</p> <ul style="list-style-type: none"> • Wall-mountable and desktop-ready • Easy, flip open for quick refill • Clear globe helps to indicate when to refill • Mounting template and hardware included
25709	Dispenser	N/A	N/A	1 Dispenser/Case	

H10 Metal Detectable Disposable Earplugs




Code No.	Description	NRR	Class	Case Count	Product Features
13821	Corded	31	A(L)	100 Pairs/Box; 8 Boxes/Case	<ul style="list-style-type: none"> • Designed to deliver on performance and comfort and help you improve compliance all through the day • Distinctive color for easy compliance monitoring • Individual packaging for hygienic storage, universal size • Metal embedded in the earplug for easy detection




H20 Reusable Triple Flange Earplugs

H20 Reusable Earplugs


	Code No.	Description	NRR	Class	Case Count	Product Features
	67220	Uncorded	26	A(L)	100 Pairs/Box; 4 Boxes/Case	<ul style="list-style-type: none"> • One size fits all • Ridged for a better grip with insertion and removal • Soft TPE flanges for comfortable fit and seal
	67221	Corded	26	A(L)	100 Pairs/Box; 4 Boxes/Case	

H20 Metal Detectable Reusable Earplugs


	Code No.	Description	NRR	Class	Case Count	Product Features
	13822	Corded	26	A(L)	100 Pairs/Box; 4 Boxes/Case	<ul style="list-style-type: none"> • Designed to deliver on performance and comfort and help you improve compliance all through the day • Distinctive color for easy compliance monitoring • Individual packaging for hygienic storage, universal size • Metal embedded in the earplug for easy detection



H70 Passive Earmuffs

H70 Onyx* Earmuffs

	Code No.	Old Code	Description	NRR	Case Count	Product Features
	20771	3015085	Headband Style	23	1/Pack	<ul style="list-style-type: none"> • Lightweight, durable & economical protection for low- or medium-level noise environments • Ultra-soft ear cushions for comfort and extended wear • Ball-and-socket pivoting cup attachment provides optimum pressure distribution • Header bag packaging • Earmuff is dielectric¹ with no exposed metal parts
	20772	3015086	Headband Style	26	1/Pack	

H70 Vibe* Earmuffs

	Code No.	Old Code	Description	NRR	Case Count	Product Features
	20773	3015087	Headband, Orange	23	1/Pack	<ul style="list-style-type: none"> • Innovative design with soft padded headband which adjusts to fit most head shapes and sizes • Dielectric¹, durable thermoplastic material retains shape and pressure for consistent noise reduction • Various noise levels available in headband and capmount styles • Clamshell packaging
	20774	3015089	Headband, Red	26	1/Pack	
	20775	3015090	Headband, Black	29	1/Pack	
	20776	3015091	Capmount, Orange	22	1/Pack	
	20777	3015092	Capmount, Red	25	1/Pack	
	20778	3015093	Capmount, Black	27	1/Pack	

Also see Safe 2 Protection System on page 77.

¹ Dielectric means all exposed parts are plastic or rubber



KleenGuard* and Jackson Safety* Hand Protection



KleenGuard* Thin Mil Gloves and Jackson Safety* Brand Gloves offer a broad range of quality hand protection specially designed with built-in comfort features.

To see our Cleanroom and Laboratory products, go to kcprofessional.com.

G80	Chemical Resistant Gloves
G60	Cut Resistant Gloves
G40	General Purpose Gloves
G35	Inspection Gloves
G10	Thin Mil Gloves

KleenGuard* and Jackson Safety* Brand Gloves	Product Features								Product Applications								
	Tactile Sensitivity	Excellent Grip/Dexterity	Not made with natural rubber latex	Powder-Free	Light-Duty Protection	Food Handling	Cut Resistance (EN388)	Abrasion Resistance (EN388)	Small Parts Handling	Warehousing/Shipping/Receiving	Janitorial/General Maintenance	Framing/Finishing	HVAC/Equipment Handling	Masonry/Cement	Metal/Glass Handling	Automotive/Aircraft Assembly	Chemical Plants/Processing
G10 Flex Blue Nitrile	•		•	•	•	•			•								
G10 Arctic Blue Nitrile	•		•	•	•	•			•								
G10 Grey Nitrile	•		•	•	•	•			•								
G10 Blue Nitrile	•		•	•	•	•			•							•	
G35 Inspection	•		•	•	•											•	
G40 Foam Nitrile Coated		•	•	•			1	4	•	•	•		•			•	
G40 Latex [†] Coated		•		•			2	2		•	•			•			
G40 Polyurethane Coated	•	•	•	•			1	3	•	•	•	•				•	
G40 Smooth Nitrile [†]		•		•			1	3	•	•	•	•				•	
G60 Level 2 Nitrile Coated Cut Resistant [†]		•		•			2	3	•				•		•		
G60 Level 2 Polyurethane Coated Cut Resistant [†]		•		•			2	2	•	•			•		•	•	
G60 Level 3 Economy Cut [†]		•		•			3	4					•		•		
G60 Purple Nitrile* Level 3 Cut Resistant		•	•	•			3	4	•				•		•		
G60 Level 3 Polyurethane Coated Cut Resistant		•	•	•			3	4					•		•	•	
G60 Level 3 Knuckle Coated, High-Visibility Cut Resistant [†]		•		•			3	4					•		•		
G60 Level 5 Polyurethane Coated Cut Resistant		•	•	•			5	4					•		•	•	
G60 Level 2 Cut Resistant Sleeves [†]		•		•			2	N/A					•		•	•	
G60 Level 5 Cut Resistant Sleeves [†]		•		•			5	1					•		•	•	
G80 Nitrile Chemical Resistant		•	•	•		•					•					•	•
G80 Neoprene/Latex Chemical Resistant [†]		•		•							•					•	•

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G10 Thin Mil Gloves

G10 Flex Blue Nitrile Gloves



Code No.	Color	Size	Case Count	Product Features
38518	Blue	XS	100 gloves/box • 10 boxes/case	• Suitable for general purpose applications
38519	Blue	S	100 gloves/box • 10 boxes/case	• Approved for food handling per U.S. FDA regulations
38520	Blue	M	100 gloves/box • 10 boxes/case	• Powder-free
38521	Blue	L	100 gloves/box • 10 boxes/case	• 2.0 mil thickness, 9.5" length
38522	Blue	XL	100 gloves/box • 10 boxes/case	• Not made with natural rubber latex

G10 Arctic Blue Nitrile Gloves



Code No.	Color	Size	Case Count	Product Features
90095	Arctic Blue	XS	200 gloves/box • 10 boxes/case	• Textured fingertips; powder-free
90096	Arctic Blue	S	200 gloves/box • 10 boxes/case	• Outstanding comfort and ease of movement
90097	Arctic Blue	M	200 gloves/box • 10 boxes/case	• Approved for food handling per U.S. FDA regulations
90098	Arctic Blue	L	200 gloves/box • 10 boxes/case	• CFIA Approved
90099	Arctic Blue	XL	180 gloves/box • 10 boxes/case	• 2 mil thickness, 9.5" length • 100% more gloves per case • Not made with natural rubber latex

G10 Grey Nitrile Gloves



Code No.	Color	Size	Case Count	Product Features
97820	Grey	XS	150 gloves/box • 10 boxes/case	• Textured fingertips; powder-free
97821	Grey	S	150 gloves/box • 10 boxes/case	• Excellent tactile sensitivity
97822	Grey	M	150 gloves/box • 10 boxes/case	• Approved for food handling per U.S. FDA regulations
97823	Grey	L	150 gloves/box • 10 boxes/case	• CFIA Approved
97824	Grey	XL	140 gloves/box • 10 boxes/case	• 3.5 mil thickness, 9.5" length • 50% more gloves per case • Not made with natural rubber latex

G10 Blue Nitrile Gloves



Code No.	Color	Size	Case Count	Product Features
57370	Blue	XS	100 gloves/box • 10 boxes/case	• Textured fingertips; powder-free
57371	Blue	S	100 gloves/box • 10 boxes/case	• Excellent tactile sensitivity
57372	● Blue	M	100 gloves/box • 10 boxes/case	• Approved for food handling per U.S. FDA regulations
57373	● Blue	L	100 gloves/box • 10 boxes/case	• CFIA Approved
57374	● Blue	XL	90 gloves/box • 10 boxes/case	• 6 mil thickness; 9.5" length • Not made with natural rubber latex

● = Vending Machine Ready



Suitable for aerospace industry



Vending Machine Ready: Available in individual packs for vending. See KCP Vending offering for product code & information

G35 Inspection Gloves

G35 Inspection Gloves



Code No.	Color	Size	Case Count	Product Features
38716	White Nylon	XS	12 pairs/bag • 10 bags/case	<ul style="list-style-type: none"> • Not made with silicone • Low Linting • 100% white nylon • Seamless knit shell • Colored yarn on cuff • Ambidextrous
38717	White Nylon	S	12 pairs/bag • 10 bags/case	
38718	White Nylon	M	12 pairs/bag • 10 bags/case	
38719	White Nylon	L	12 pairs/bag • 10 bags/case	
38720	White Nylon	XL	12 pairs/bag • 10 bags/case	

G40 General Purpose Gloves

G40 Foam Nitrile Coated Gloves

● = Vending Machine Ready



Code No.	Color	Size	Case Count	Product Features
40225	● Blue & Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • 25% better productivity than leather • Excellent grip and dexterity • Seamless knit nylon back for comfort • Highest EN388 abrasion rating
40226	● Blue & Black	8 (M)	12 pairs/bag • 5 bags/case	
40227	● Blue & Black	9 (L)	12 pairs/bag • 5 bags/case	
40228	● Blue & Black	10 (XL)	12 pairs/bag • 5 bags/case	
40229	● Blue & Black	11 (2XL)	12 pairs/bag • 5 bags/case	

G40 Latex[†] Coated Gloves

● = Vending Machine Ready



Code No.	Color	Size	Case Count	Product Features
97270	Grey & Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • Breathable cotton back for comfort • Crinkled latex coating for excellent grip • Highest EN388 tear resistance rating • Excellent durability
97271	● Grey & Black	8 (M)	12 pairs/bag • 5 bags/case	
97272	● Grey & Black	9 (L)	12 pairs/bag • 5 bags/case	
97273	● Grey & Black	10 (XL)	12 pairs/bag • 5 bags/case	
97274	Grey & Black	11 (2XL)	12 pairs/bag • 5 bags/case	

[†] CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G40 Polyurethane Coated Gloves

● = Vending Machine Ready



Code No.	Color	Size	Case Count	Product Features
13837	Black	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • Thin mil feel for tactile sensitivity • Excellent grip and dexterity • Seamless knit construction for comfort • Tear resistant • Abrasion resistant
13838	Black	8 (M)	12 pairs/bag • 5 bags/case	
13839	● Black	9 (L)	12 pairs/bag • 5 bags/case	
13840	● Black	10 (XL)	12 pairs/bag • 5 bags/case	
13841	Black	11 (2XL)	12 pairs/bag • 5 bags/case	
38726	Grey	7 (S)	12 pairs/bag • 5 bags/case	
38727	Grey	8 (M)	12 pairs/bag • 5 bags/case	
38728	Grey	9 (L)	12 pairs/bag • 5 bags/case	
38729	Grey	10 (XL)	12 pairs/bag • 5 bags/case	
38730	Grey	11 (2XL)	12 pairs/bag • 5 bags/case	

G40 Smooth Nitrile+ Coated Gloves†



Code No.	Color	Size	Case Count
38428	Black	7 (S)	12 pairs/bag • 5 bags/case
38429	Black	8 (M)	12 pairs/bag • 5 bags/case
38430	Black	9 (L)	12 pairs/bag • 5 bags/case
38431	Black	10 (XL)	12 pairs/bag • 5 bags/case
38432	Black	11 (2XL)	12 pairs/bag • 5 bags/case
13833	Blue	7 (S)	12 pairs/bag • 5 bags/case
13834	Blue	8 (M)	12 pairs/bag • 5 bags/case
13835	Blue	9 (L)	12 pairs/bag • 5 bags/case
13836	Blue	10 (XL)	12 pairs/bag • 5 bags/case
40152	Blue	11 (2XL)	12 pairs/bag • 5 bags/case

Product Features

- Seamless knit nylon back for comfort
- Nitrile coating offers good grip and protection against liquid permeation
- High EN388 Abrasion rating of 3
- Color selection:
 - Dark black coating hides dirt for longer wear
 - Blue coating recommended for Foreign Object Damage (FOD) detection

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G60 Cut Resistant Gloves

G60 Level 2 Nitrile Coated Cut Resistant Gloves†

● = Vending Machine Ready



Code No.	Color	Size	Case Count
98230	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case
98231	● Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case
98232	● Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case
98233	● Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case
98234	Blue & Yellow	11 (2XL)	12 pairs/bag • 5 bags/case

Product Features

- ANSI Level 2/EN388 Level 2 cut resistance; CPPT = 629 grams
- Great dexterity and grip
- Abrasion-resistant nitrile coating
- Suitable for intermittent heat contact up to 212°F¹

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G60 Level 2 Polyurethane Coated Cut Resistant Gloves†

● = Vending Machine Ready



Code No.	Color	Size	Case Count
38635	● Grey & Yellow	7 (S)	12 pairs/bag • 1 bag/case
38636	● Grey & Yellow	8 (M)	12 pairs/bag • 1 bag/case
38637	● Grey & Yellow	9 (L)	12 pairs/bag • 1 bag/case
38638	● Grey & Yellow	10 (XL)	12 pairs/bag • 1 bag/case
38639	● Grey & Yellow	11 (2XL)	12 pairs/bag • 1 bag/case
38642	● Grey & Yellow Knuckle Coated	7 (S)	12 pairs/bag • 1 bag/case
38643	● Grey & Yellow Knuckle Coated	8 (M)	12 pairs/bag • 1 bag/case
38644	● Grey & Yellow Knuckle Coated	9 (L)	12 pairs/bag • 1 bag/case
38645	● Grey & Yellow Knuckle Coated	10 (XL)	12 pairs/bag • 1 bag/case
38646	● Grey & Yellow Knuckle Coated	11 (2XL)	12 pairs/bag • 1 bag/case

Product Features

- ANSI Level 2/EN388 Level 2 cut resistance; CPPT = 672 grams
- Excellent dexterity for improved productivity
- Polyurethane coating provides a barrier against oil penetration
- Suitable for intermittent heat contact up to 212°F¹

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G60 Level 3 Economy Cut Gloves†



Code No.	Color	Size	Case Count
38689	Black & White	7 (S)	12 pairs/bag • 1 bag/case
38690	Black & White	8 (M)	12 pairs/bag • 1 bag/case
38691	Black & White	9 (L)	12 pairs/bag • 1 bag/case
38692	Black & White	10 (XL)	12 pairs/bag • 1 bag/case
38693	Black & White	11 (2XL)	12 pairs/bag • 1 bag/case

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Product Features

- ANSI Level 2/EN388 Level 3 cut resistance
- CPPT = 686 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon and Lycra® fiber provides cut resistance and a comfortable fit
- Black polyurethane coating enhances grip
- Dark coating hides dirt for longer wear

G60 Level 3 Purple Nitrile* Cut Resistant Gloves

● = Vending Machine Ready



Code No.	Color	Size	Case Count
13844	Grey & Black w/Purple Tips	6 (XS)	12 pairs/bag • 1 bag/case
97430	Grey & Black w/Purple Tips	7 (S)	12 pairs/bag • 1 bag/case
97431	Grey & Black w/Purple Tips	8 (M)	12 pairs/bag • 1 bag/case
97432	● Grey & Black w/Purple Tips	9 (L)	12 pairs/bag • 1 bag/case
97433	● Grey & Black w/Purple Tips	10 (XL)	12 pairs/bag • 1 bag/case
97434	Grey & Black w/Purple Tips	11 (2XL)	12 pairs/bag • 1 bag/case

Product Features

- ANSI Level 3/EN388 Level 3 cut resistance; CPPT = 1,150 grams
- Ambidextrous
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber enhances breathability and comfort
- Dots on palm enhance grip

G60 Level 3 Polyurethane Coated Cut Resistant Gloves

● = Vending Machine Ready



Code No.	Color	Size	Case Count
13823	Grey & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case
13824	Grey & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case
13825	● Grey & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case
13826	● Grey & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case
13827	● Grey & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case
38731	Grey & Salt & Pepper Knuckle Coated	7 (S)	12 pairs/bag • 1 bag/case
38732	Grey & Salt & Pepper Knuckle Coated	8 (M)	12 pairs/bag • 1 bag/case
38733	Grey & Salt & Pepper Knuckle Coated	9 (L)	12 pairs/bag • 1 bag/case
38734	Grey & Salt & Pepper Knuckle Coated	10 (XL)	12 pairs/bag • 1 bag/case
38735	Grey & Salt & Pepper Knuckle Coated	11 (2XL)	12 pairs/bag • 1 bag/case

Product Features

- ANSI Level 3/EN388 Level 3 cut resistance
- CPPT = 1010 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with nylon, Lycra® fiber and glass liner
- Excellent dexterity for improved productivity

G60 Level 3 Knuckle-Coated, High-Visibility Cut Resistant Gloves†

● = Vending Machine Ready



Code No.	Color	Size	Case Count
38647	Black & Orange	7 (S)	12 pairs/bag • 1 bag/case
38648	Black & Orange	8 (M)	12 pairs/bag • 1 bag/case
38649	● Black & Orange	9 (L)	12 pairs/bag • 1 bag/case
38650	● Black & Orange	10 (XL)	12 pairs/bag • 1 bag/case
38651	● Black & Orange	11 (2XL)	12 pairs/bag • 1 bag/case

† CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Product Features

- ANSI Level 2/EN388 Level 3 cut resistance
- CPPT = 512 grams
- Ultra-High-Molecular-Weight Polyethylene (UHMWPE) yarn with high-visibility nylon thread and Lycra® fiber provides cut resistance and comfortable fit
- Great dexterity
- Polyurethane coating enhances dry & oil grip
- Dark coating hides dirt for longer wear
- Meets EN 420 standards

G60 Level 5 Polyurethane Coated Cut Resistant Gloves



Code No.	Color	Size	Case Count	Product Features
98235	Black & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case	<ul style="list-style-type: none"> • ANSI Level 4/EN388 Level 5 cut resistance • CPPT = 2085 grams • Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber spun with glass, stainless steel and spandex • Superior cut resistance based on tests performed against the competition • Polyurethane coating enhances grip
98236	Black & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case	
98237	Black & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case	
98238	Black & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case	
98239	Black & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case	
38721	Grey & Salt & Pepper	7 (S)	12 pairs/bag • 1 bag/case	
38722	Grey & Salt & Pepper	8 (M)	12 pairs/bag • 1 bag/case	
38723	Grey & Salt & Pepper	9 (L)	12 pairs/bag • 1 bag/case	
38724	Grey & Salt & Pepper	10 (XL)	12 pairs/bag • 1 bag/case	
38725	Grey & Salt & Pepper	11 (2XL)	12 pairs/bag • 1 bag/case	

G80 Chemical Resistant Gloves

G80 Nitrile Chemical Resistant Gloves



Code No.	Color	Size	Case Count	Product Features
94445	Green	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • Cotton flock lined for added comfort • 13" length, 15 mil thickness • Textured fingertips enhance grip • Approved for food handling per U.S. FDA regulations • CFIA Approved • Meets EN374-AKL standard
94446	Green	8 (M)	12 pairs/bag • 5 bags/case	
94447	Green	9 (L)	12 pairs/bag • 5 bags/case	
94448	Green	10 (XL)	12 pairs/bag • 5 bags/case	
94449	Green	11 (2XL)	12 pairs/bag • 5 bags/case	

G80 Neoprene/Latex Chemical Resistant Gloves[†]



Code No.	Color	Size	Case Count	Product Features
38741	Blue & Yellow	7 (S)	12 pairs/bag • 5 bags/case	<ul style="list-style-type: none"> • Neoprene over natural rubber latex • 12" length, 27.5 mil thickness • Palm strengthened for extra protection • Cotton flock lining • Anti-slip pattern on fingers for good wet or dry grip • Meets EN 374-AKL standard
38742	Blue & Yellow	8 (M)	12 pairs/bag • 5 bags/case	
38743	Blue & Yellow	9 (L)	12 pairs/bag • 5 bags/case	
38744	Blue & Yellow	10 (XL)	12 pairs/bag • 5 bags/case	

[†] CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

G60 Level 2 Cut Resistant Sleeves[†]

● = Vending Machine Ready



Code No.	Color	Size	Case Count	Product Features
90070	● Yellow	18" with thumbhole	12 each/bag • 5 bags/case	<ul style="list-style-type: none"> • Cut resistance outer layer with cotton inner layer for comfortable fit • ANSI Level 2/EN388 Level 2 cut resistance • CPPT = 934/920 grams respectively • Good breathability
90071	● Yellow	18" without thumbhole	12 each/bag • 5 bags/case	

[†] CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.
Sleeve must not come into contact with a naked flame.

G60 Level 5 Cut Resistant Sleeve with Dyneema® Fiber[†]



Code No.	Color	Size	Case Count	Product Features
90075	Salt & Pepper	18"	12 each/bag • 2 bags/case	<ul style="list-style-type: none"> • ANSI Level 3/EN388 Level 5 cut resistance • CPPT = 1244 grams • Ultra-High-Molecular-Weight Polyethylene (UHMWPE) fiber with nylon, Lycra® fiber and glass liner • Proprietary closure on arm and wrist (Patent pending)

[†] CAUTION: This Product Contains Natural Rubber Latex Which May Cause Allergic Reactions.

Jackson Safety* Respirators



Color-Coded Particulate Disposable Respiratory Protection

Jackson Safety* Brand Respiratory Protection Products

Product	Code No.	Protection Level			Color Code			Valve
		N95	P95	N99	Blue	Yellow	Red	
R05	12978							None
R10	64250	•			•			None
R10	64260	•			•			Dual
R10	64230	•			•			None
R10	64240	•			•			Single
R20	64420		•			•		Single
R20	32704		• (AG)			•		Dual
R20	64560		• (OV)			•		Dual
R30	64520			•			•	Single

Particulate Respirator Filter Definitions — NIOSH 42CFR84:

N95	95% filter efficiency level effective against particulate aerosols free of oil
N99	99% filter efficiency level effective against particulate aerosols free of oil
P95	95% filter efficiency level effective against all particulate aerosols

Note: The service life of all filters is limited by considerations of hygiene, damage, and breathing resistance.

All filters should be replaced whenever they are damaged, soiled or causing noticeably increased breathing resistance.

Jackson Safety* Brand Particulate Respirators deliver the protection you expect and the comfort you need for all-day wear.

R60	PAPR
R30	N99 Particulate Respirator
R20	P95 Particulate Respirator
R10	N95 Particulate Respirator
R05	Disposable Dust Mask

R05 Disposable Dust Mask

R05 Disposable Dust Mask



Code No.	Description	Case Count	Product Features
12978	Disposable Dust Mask	50/box • 20 boxes/case	<ul style="list-style-type: none"> • Adjustable nosepiece • Ultrasonically bonded straps • Disposable mask for use in environments where respirator usage is voluntary and presents no health hazard • Not a NIOSH approved product

R10 Respirators

R10 N95 Particulate Respirator with Comfort Straps & Dual Valves



Code No.	Description	Protection	Case Count	Strap Color	Product Features
64260	N95 Particulate Respirator with Comfort Straps and Dual Valves	N95	10/box 8 boxes/case	Blue	<ul style="list-style-type: none"> • Wide, comfortable user-preferred head straps • Dual exhalation valves designed and positioned to help reduce eyewear fogging • Adjustable head straps • Soft, comfortable foam nose pad with a cloth layer • Not made with natural rubber latex

R10 N95 Particulate Respirator with Comfort Straps



Code No.	Description	Protection	Case Count	Strap Color	Product Features
64250	N95 Particulate Respirator with Comfort Straps	N95	20/box 8 boxes/case	Blue	<ul style="list-style-type: none"> • Wide, comfortable user-preferred head straps • Adjustable head straps • Soft, comfortable foam nose pad with a cloth layer • Not made with natural rubber latex

R10 N95 Particulate Respirators



Code No.	Description	Protection	Case Count	Strap Color	Product Features
64230	N95 Particulate Respirator (No Valve)	N95	20/box 8 boxes/case	Blue	<ul style="list-style-type: none"> • Comfortable, soft foam nose pad • Highly visible, color-coded straps
64240	N95 Particulate Respirator (Single Valve)	N95	10/box 8 boxes/case	Blue	<ul style="list-style-type: none"> • Knitted elastic straps ultrasonically attached • Not made with natural rubber latex

R20 Respirator

R20 P95 Particulate Respirator



Code No.	Description	Protection	Case Count	Strap Color	Product Features
64420	P95 Particulate Respirator (Single Valve)	P95	10/box 8 boxes/case	Yellow	<ul style="list-style-type: none"> • Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors • Soft foam nose pad with bendable nose clip • Highly visible, color-coded straps • Knitted elastic straps ultrasonically attached • Not made with natural rubber latex

R20 P95 AG Particulate Respirator with Comfort Straps and Dual Valves



Code No.	Description	Protection	Case Count	Valve Color	Product Features
32704	P95 Particulate Respirator with dual valves and nuisance level acid gas relief	P95	10/box 8 boxes/case	Yellow	<ul style="list-style-type: none"> • Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors • Carbon layer reduces exposure to nuisance levels of acid gases • Wide, comfortable user-preferred head straps • Adjustable head straps • Not made with natural rubber latex

R20 P95 OV Particulate Respirator with Comfort Straps and Dual Valves



Code No.	Description	Protection	Case Count	Valve Color	Product Features
64560	P95 Particulate Respirator with dual valves and nuisance level organic vapor relief	P95	10/box 8 boxes/case	Yellow	<ul style="list-style-type: none"> • Effective against all oil based and non-oil based particulate aerosols and dust that do not emit harmful vapors • Carbon layer reduces exposure to nuisance levels of organic vapors • Wide, comfortable user-preferred head straps • Adjustable head straps • Not made with natural rubber latex

R30 Respirator

R30 N99 Particulate Respirator



Code No.	Description	Protection	Case Count	Strap Color	Product Features
64520	N99 Particulate Respirator (Single Valve)	N99	10/box 8 boxes/case	Red	<ul style="list-style-type: none"> • Full perimeter foam inside mask • Adjustable head straps • Soft foam nose pad with bendable nose clip • Highly visible, color-coded straps • Knitted elastic straps ultrasonically attached • Not made with natural rubber latex

Fit Test Kit for Particulate Respirators

Qualitative Fit Test with Bitrex & Saccharin Solutions



Code No.	Description	Case Count	Product Features
11266	Qualitative Fit Test Kit	1 kit	Qualitative Fit Test includes: <ul style="list-style-type: none"> • Bitrex Threshold & Fit Testing solutions • Saccharin Threshold & Fit Testing solutions • Nebulizers for threshold and fit testing • Extra nebulizer valves • Hood • DVD, poster and printed materials for helpful tips and instructions on why and how to conduct a Qualitative Fit Test
REPLACEMENT PARTS			
99009	Bitrex Solutions (Threshold & Fit Test)	2 bottles/box	
99003	Saccharin Solutions (Threshold & Fit Test)	2 bottles/box	
99015	Hood	2 hoods/box	
99018	Nebulizers with extra valves	2 nebulizers/box	

Visit www.kcprofessional.com/fittest for online fit testing instructional video.

R60 Powered Air Purifying Respirator

R60 Airmax* Powered Air Purifying Respirator (PAPR)



Code No.	Description	Product Features
12993	Airmax* PAPR with variable ADF, 8-hr Lithium Ion Battery	<ul style="list-style-type: none"> • For welding applications • Jackson Safety* WH40 series variable auto-darkening filter • Flame-retardant face seal • Battery "smart" charger • Lightweight blower unit • Audible alarm • Flame-retardant breathing hose • Single filter • Lightweight lithium ion battery • NIOSH Approved • CSA Z94.3-2007 Compliant
REPLACEMENT PARTS		
13042	Blower Unit Complete (blower unit, belt, airflow indicator, breathing hose)	
13039	Airmax* Welding Headpiece (with plenum)	
13053	HE Filters (6 pk)	
13046	Battery Charger	
13043	ADF Protective Plates (5 fronts, 2 backs)	
13965	Face Seals (3 pk)	
13051	Lithium Ion Battery – 8-hr	
13332	Blower Unit Only	
13044	Breathing Hose	
13057	Waist Belt	
33631	Headgear	
33632	ADF Replacement Lens	



Welding Safety

Designed to perform in a range of welding conditions, Jackson Safety* Brand helmets are available in a variety of materials including fiberglass and vulcanized fiber. Choose from a selection of filters — from passive to digital ADF platforms and numerous graphic designs to reflect personal style.

Jackson Safety* Welding Helmets

WH70	Variable Auto-Darkening Filter with Balder™ Technology
WH60	Digital Auto-Darkening Filters
WH50	3-N-1 Auto-Darkening Filters
WH40	Variable Auto-Darkening Filters
WH30	Fixed Shade Auto-Darkening Filters
WH20	Specialty Welding Helmets
WH10	Passive Welding Helmets

"WH" Series tiers highlight increasing levels of performance within the Jackson Safety* Welding Helmet product line.



Look for this symbol for helmets compatible with the Hard Hat Interchange System

Select the right ADF for your application

Process	WH70		WH60		WH50			WH40					WH30		
	BH3*	Truesight*	Nexgen*	Master 3-N-1	Executive 3-N-1	Boss* 3-N-1	SmarTIGer*	Professional Variable	Nitro* Variable	Journeyman	Element* Variable	AV 1105VXL	Solera	Element*	Professional Shade 10
Shielded Metal Arc (SMAW) "Stick"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Gas Metal Arc (MIG)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MIG < 5 amps	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pulse MIG	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Gas Tungsten Arc (TIG)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TIG < 5 amps	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pulse TIG	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Plasma Arc (PAW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Submerged Arc (SAW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Carbon Arc Gouging	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Stud Arc	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Electrogas (EGW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Electroslag (ESW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Flux Cored Arc (FCAW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Torch & Grind Functionality		•	•	•	•	•									

Welding Helmet Selection Guide

CLASSIC

- Traditional passives
- Specialty applications



- Passives
- Specialty Segments

STANDARD

- Good entry level ADFs
- Professionals who need value



- WH40 Insight*
- SmartIGer*

PERFORMANCE

- High performance ADFs
- Professionals who need results



- Truesight*
- NexGen*

STATE-OF-THE-ART

- Best quality ADFs
- High optical clarity
- Premium solutions




- Balder* BH3

WH10 Passive Welding Helmets

WH10 HSL 1 Passive Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14979	3002503	HSL 1 Passive Welding Helmet Black – 2 x 4.25	4	<ul style="list-style-type: none"> • Narrow shell design is perfect for work in tight spaces • Extended front increases throat protection from sparks and slag and other physical hazards • Hard hat adaptable using 187-S (15968) • Meets ANSI Z87.1 – 2010 standards and CSA Compliant
15121	3002579	HSL 1 Passive Welding Helmet Black – 2 x 4.25 (Bulk)	10	
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
20696	3014866	370 Replacement Headgear	6	
15971	3002641	HSL I Parts Kit	12	



WH10 HSL 2 Passive Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14982	3002507	HSL 2 Passive Welding Helmet Black – 2 x 4.25 Lift Front	4	<ul style="list-style-type: none"> • Narrow shell design is perfect for work in tight spaces • Extended front increases throat protection from sparks, slag and other physical hazards • Hard hat adaptable using 187-S (15968) • Meets ANSI Z87.1 – 2010 standards and CSA Compliant
15132	3002580	HSL 2 Passive Welding Helmet Black – 2 x 4.25 Lift Front (Bulk)	10	
14983	3002508	HSL 2 Passive Welding Helmet Blue – 2 x 4.25 Lift Front	4	
14984	3002509	HSL 2 Passive Welding Helmet Red – 2 x 4.25 Lift Front	4	
14986	3002512	HSL 2 Passive Welding Helmet Black with 187 Blades – 2 x 4.25 Lift Front	4	
14972	3002490	HSL 2 Passive Welding Helmet Black with 386 Cap Adapter – 2 x 4.25 Lift Front	4	
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
20696	3014866	370 Replacement Headgear	6	
24523	3024132	HSL 2 Parts Kit	1	






WH10 HSL 100 Passive Welding Helmet



Code No.	Old Code	Description	Units/Box	Product Features
14975	3002498	HSL 100 Passive Welding Helmet Black – 4.5 x 5.25	4	<ul style="list-style-type: none"> Narrow shell design is perfect for work in tight spaces Extended front increases throat protection from sparks, slag and other physical hazards Hard hat adaptable using 187-S (15968) ADF adaptable <ul style="list-style-type: none"> - WH60: NexGen* - WH50: Boss* 3-N-1; Executive 3-N-1; Master 3-N-1 - WH40: Professional Variable - WH30: Professional Shade 10 Meets ANSI Z87.1 – 2010 standards, CSA Compliant
15134	3002581	HSL 100 Passive Welding Helmet Black – 4.5 x 5.25 (Bulk)	10	
14976	3002499	HSL 100 Passive Welding Helmet Blue – 4.5 x 5.25	4	
14977	3002500	HSL 100 Passive Welding Helmet Red – 4.5 x 5.25	4	
14978	3002502	HSL 100 Passive Welding Helmet Black with 187 Blades – 4.5 x 5.25	4	
14973	3002491	HSL 100 Passive Welding Helmet Black with 386 Cap Adapter – 4.5 x 5.25	4	
16642	3004736	Replacement Light Leak Gasket	1	
16078	3002760	Replacement Safety Plate – 4.5 x 5.25	25	
20696	3014866	370 Replacement Headgear	6	
24550	3024209	HSL 100 Parts Kit	1	
15974	3002647	Magnifier (Cheater Lens) Adapter	1	



WH10 HLX 100 Passive Welding Helmet



Code No.	Old Code	Description	Units/Box	Product Features
20499	3013594	HLX 100 Passive Welding Helmet – I ² - 4.5 x 5.25	2	<ul style="list-style-type: none"> Ultra lightweight shell – only weighs 6 ounces Lightweight shell helps reduce neck tension Hydraflex* Shell provides the ultimate in flexibility and durability Hard hat adaptable using 187-S (15968) ADF adaptable <ul style="list-style-type: none"> - WH60: Truesight*, NexGen* - WH50: Boss* 3-N-1, Executive 3-N-1, Master 3-N-1 - WH40: Professional Variable - WH30: Professional Shade 10 Meets ANSI Z87.1 – 2010 standards and CSA Compliant
20508	3013597	HLX 100 Passive Welding Helmet – Heavy Metal – 4.5 x 5.25	2	
24736	3024542	HLX 100 Passive Welding Helmet – Renegade – 4.5 x 5.25	2	
24737	3024543	HLX 100 Passive Welding Helmet – Carbon Fiber – 4.5 x 5.25	2	
24738	3024544	HLX 100 Passive Welding Helmet – Arc Angel – 4.5 x 5.25	2	
24739	3024545	HLX 100 Passive Welding Helmet – Ace of Spades – 4.5 x 5.25	2	
34068	—	HLX 100 Passive Welding Helmet – Black – 4.5 x 5.25	2	
16078	3002760	Replacement Safety Plate – 4.5 x 5.25	25	
20696	3014866	370 Replacement Headgear	6	
24550	3024209	Halo X Parts Kit	1	
15974	3002647	Magnifier (Cheater Lens) Adapter	1	

Halo X Parts Kit




Black Heavy Metal Renegade Carbon Fiber Arc Angel Ace of Spades

WH10 951P Passive Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14535	3000512	951P Passive Welding Helmet – 4.5 x 5.25	4	<ul style="list-style-type: none"> • Lightweight, durable, washable thermoplastic shell • ADF adaptable (AV1105VXL only) • Meets ANSI Z87.1 – 2010 standards and CSA Compliant
16078	3002760	Replacement Safety Plate – 4.5 x 5.25	25	
14556	3000621	117A Replacement Headgear	6	
15974	3002647	Magnifier (Cheater Lens) Adapter	1	
24548	3024206	951P Parts Kit	1	



WH10 990P Passive Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14536	3000514	990P Passive Welding Helmet – 2 x 4.25 Quick Slide	4	<ul style="list-style-type: none"> • Lightweight, durable washable thermoplastic shell • Quick slide adjustment conveniently switches from clear to shade #10 • Meets ANSI Z87.1 – 2010 standards
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24551	3024210	990P Parts Kit	1	



WH10 930P Passive Welding Helmet



Code No.	Old Code	Description	Units/Box	Product Features
14534	3000511	930P Passive Welding Helmet – 2 x 4.25 Lift Front	4	<ul style="list-style-type: none"> • Lightweight, durable washable thermoplastic shell • Lift front filter eliminates need to raise welding helmet • Meets ANSI Z87.1 – 2010 standards
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24528	3024139	930P Parts Kit	1	




WH20 Specialty Welding Helmets

WH20 860P Leather Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14531	3000506	860P Leather Welding Helmet – 2 x 4.25 Lift Front, Black	4	<ul style="list-style-type: none"> • Features a tough yet pliable leather covering • Ideal for use in overhead welding applications or when working in tight spaces • 14531 meets ANSI Z87.1 – 2010 standards and CSA Compliant
26035	3000507	860P-2 Leather Welding Helmet – 2 x 4.25 Lift Front	1	
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24557	3024222	860P Parts Kit	1	



WH20 H500 Fiberglass Handshield




Code No.	Old Code	Description	Units/Box	Product Features
14967	3002469	H500 Fiberglass Welding Handshield – 5.25 x 4.25	4	<ul style="list-style-type: none"> • For quick inspections, providing guidance and monitoring robotic welds • Designed for high-heat applications • Features fiberglass helmet with injection-molded plastic handle • Must purchase a filter prior to use (See page 110) • Meets ANSI Z87.1 – 2010 standards
16078	3002760	Replacement Safety Plate – 5.25 x 4.25	25	
24526	3024136	H500 Parts Kit	1	



WH20 H100-A Fiberglass Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14962	3002463	H100-A Fiberglass Welding Helmet – 4.25 x 4.25	4	<ul style="list-style-type: none"> • Features compact design for use in welding in close quarters • Designed for high-heat applications • Hard hat adaptable using 86-M (3002435) • Must purchase a filter prior to use (See page 110) • Meets ANSI Z87.1 – 2010 standards
16078	3002760	Replacement Safety Plate – 5.25 x 4.25	25	
14956	3002454	170 Replacement Headgear	12	
24526	3024136	H100-A Parts Kit	1	



WH20 430P Fiber Shell Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14528	3000499	430P Fiber Shell Welding Helmet – 2 x 4.25 Lift Front	4	<ul style="list-style-type: none"> • Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding • Made of 10% recycled fiber content • Not suited for damp environments or overhead welding • Lift front provides flexibility so user does not have to raise hood • Meets ANSI Z87.1 – 2010 standards
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24528	3024139	430P Parts Kit	1	



WH20 490P Fiber Shell Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14532	3000509	490P Fiber Shell Welding Helmet – 2 x 4.25 Quick Slide	4	<ul style="list-style-type: none"> • Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding • Made of 10% recycled fiber content • Not suited for damp environments or overhead welding • Quick-slide filter plate holder is ideal for tight work environments • Meets ANSI Z87.1 – 2010 standards
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24551	3024210	490P Parts Kit	1	



WH20 411P Fiber Shell Welding Helmet




Code No.	Old Code	Description	Units/Box	Product Features
14527	3000496	411P Fiber Shell Welding Helmet – 2 x 4.25	4	<ul style="list-style-type: none"> • Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding • Made of 10% recycled fiber content • Not suited for damp environments or overhead welding • Fixed front with aluminum frame filter plate holder • Meets ANSI Z87.1 – 2010 standards
16073	3002759	Replacement Safety Plate – 2 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24530	3024141	411P Parts Kit	1	



WH20 451P Fiber Shell Welding Helmet



Code No.	Old Code	Description	Units/Box	Product Features
14529	3000500	451P Fiber Shell Welding Helmet – 4.5 x 5.25	4	<ul style="list-style-type: none"> • Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding • Made of 10% recycled fiber content • Not suited for damp environments or overhead welding • Meets ANSI Z87.1 – 2010 standards
16078	3002760	Replacement Safety Plate – 5.25 x 4.25	25	
14556	3000621	117A Replacement Headgear	6	
24565	3024236	451P Parts Kit	1	



WH30 Fixed Shade Auto-Darkening Filters

	Solera	Element*	Professional
Part No.	24011	23286	14993
Shade	Fixed 11 Shade	Fixed 10 Shade	Fixed 10 Shade
Light State	3	3	4
Cartridge Size (in.)	4.25 x 2.00	3.50 x 4.33	4.70 x 5.40
Viewing Field (in.)	3.60 x 1.40	1.65 x 3.78	3.86 x 1.80
Typical Switching Speed (s)	1/1,600	1/1,100	1/25,000
Lens Power Control	Auto On/Auto Off	Auto On/Auto Off	Manual On/Off; Auto Off
Grind Mode	No	No	No
Torch Mode	No	No	No
Sensitivity	No	No	Yes
Delay	No	No	Yes
Arc Sensors	1	2	2
Tig Rating	N/A	N/A	< 5 Amps
Power Supply	Solar Cell – Non-Replaceable Battery	Solar Cell – Non-Replaceable Battery	Replaceable AAA Alkaline Batteries (2)
Estimated Battery Life Max. (hrs.)	N/A	N/A	549
Estimated Battery Life Min. (hrs.)	N/A	N/A	454
Weight Of Helmet (lbs.)	1.05	1.1	1.45
Lens Kit	24083	23440	24082
Headgear	20696	23442	20696
Warranty	2 year	2 year	2 year

WH30 Solera Fixed Shade 11 Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box	Product Features
16376	3004006	Solera ADF Cartridge Fixed Shade 11 – 2 x 4	1	<ul style="list-style-type: none"> • Features an economical lens for the consumer welder • Solar powered • Fixed shade 11 lens with one centered sensor • Meets ANSI Z87.1 – 2010 standards
24083	3023641	Solera Lens Kit – 5 Front and 2 Rear Safety Plates	10	

WH30 Element* Fixed Shade 10 Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box	Product Features
23286	3023294	Element* Welding Helmet – Fixed Shade 10 ADF – 3.50 x 4.33	4	<ul style="list-style-type: none"> • Features an economical lens for the consumer welder • Solar powered • Fixed shade 10 lens with two independent sensors • Meets ANSI Z87.1 – 2010 standards, CSA Compliant and CE Certified
23440	3023375	Element* Lens Kit – 5 Front and 2 Rear Safety Plates	10	
23442	3023376	Element* Replacement Headgear	6	





WH30 Professional Fixed Shade 10 Auto-Darkening Filter

Code No.	Old Code	Description	Units/ Box	Product Features
16081	3002769	Professional Shade 10 ADF Cartridge – 4 x 5	1	<ul style="list-style-type: none"> • Technology allows unit to detect welds less than 5 amps • Fixed shade 10 lens with two independent sensors • Battery operated • Features sensitivity and delay settings • Built-in mag lens holder • Requires 2 AAA batteries (included) • Meets ANSI Z87.1 – 2010 standards
14993	3002530	HSL 100 Passive Welding Helmet with Professional Shade 10 ADF	4	
24082	3023640	Professional Lens Kit – 5 Front and 2 Rear Safety Plates	10	
20696	3014866	370 Replacement Headgear	6	



WH40 Variable Auto-Darkening Filters

	<i>Insight*</i> <i>Variable</i>	<i>Professional</i> <i>Variable</i>	<i>Nitro*</i> <i>Variable</i>	<i>Element*</i> <i>Variable</i>	<i>Journeyman</i> <i>Variable</i>	<i>Autoview*</i> <i>1105VXL</i>	<i>SmarTIGer*</i> <i>Variable</i>
Part No.	40710	14988	21931	23282	16626	14537	37188
Shade	Variable Shade 9-13	Variable Shade 9-13	Variable Shade 9-13	Variable Shade 9-13	Variable Shade 9-12	Variable Shade 9-12	Variable Shade 9-13
Light State	4	4	4	4	4	4	4
Cartridge Size (in.)	5.25 x 4.5	4.70 x 5.40	4.33 x 3.54	3.50 x 4.00	2 x 4	4.55 x 5.30	4.33 x 4.33
Viewing Field (in.)	3.94 x 2.36	3.86 x 1.80	3.80 x 1.60	3.78 x 1.65	3.75 x 1.16	3.75 x 2.35	3.78 x 1.81
Typical Switching Speed (s)	1/10,000	1/25,000	1/2,750	1/2,100	1/25,000	1/25,000	1/6,650
Lens Power Control	Auto On/ Auto Off	Manual On/Off; Auto Off	Auto On/ Auto Off	Auto On/ Auto Off	Push On/ Auto Off	Manual On/Off; Auto Off	Auto On/ Auto Off
Grind Mode	Yes	No	No	No	No	Yes	No
Torch Mode	No	No	No	No	No	Yes	No
Sensitivity	Yes	Yes	Yes	Yes	No	Yes	Yes
Delay	Yes	Yes	Yes	Yes	No	Yes	No
Arc Sensors	4	2	3	2	1	4	2
Tig Rating	< 5 Amps	< 5 Amps	N/A	N/A	N/A	< 5 Amps	< 5 Amps
Power Supply	Replaceable Lithium Batteries	Replaceable AAA Alkaline Batteries (2)	Solar Cell – Non-Replaceable Battery	Solar Cell – Non-Replaceable Battery	Replaceable AAA Alkaline Batteries (2)	Replaceable AAA Alkaline Batteries (2)	Solar Cell – Non-Replaceable Battery
Estimated Battery Life Max. (hrs.)		551	N/A	N/A	N/A	359	N/A
Estimated Battery Life Min. (hrs.)		406	N/A	N/A	N/A	535	N/A
Weight Of Helmet (lbs.)	24 oz.	1.45	1.15	1.1	N/A	1.4	1.2
Lens Kit	41589	24082	22603	29127	24083	24081	37249 (Internal) 37247 (External)
Headgear	20696	20696	20696	23442	N/A	14556	20696
Warranty	2 year	2 year	2 year	2 year	2 year	2 year	5 year

These illustrations demonstrate the distinct difference in ADFs from shade 9 through 13



Clear State



Shade 9



Shade 10



Shade 11



Shade 12



Shade 13

WH40 Insight* Variable Auto-Darkening Filter



Code No.	Description	Units/Box	Product Features
40710	Insight* Variable ADF HSL-100	2	• Features variable shade 9-13
40709	Insight* Variable ADF Cartridge	6	• Sensitivity and delay adjustments
40714	HLX 100 Welding Helmet with Insight* Variable ADF — I ²	2	• Compatible with HLX 100 and HSL 100 shell
40713	HLX 100 Welding Helmet with Insight* Variable ADF — Black	2	• Meets ANSI Z87.1 – 2010 standards and CSA Compliant
40711	HLX 100 Welding Helmet with Insight* Variable ADF — Arc Angel	2	• Meets ANSI Z87.1 – 2010 standards and CSA Compliant
41594	Insight* Clear Internal Safety Plate	10	• 4 independent sensors
41589	Insight* Clear Safety Plate Kit	10	• Digital controls

WH40 Professional Variable Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box
16624	3004387	Professional Variable ADF Cartridge – 4 x 5	1
14988	3002514	HSL 100 Welding Helmet with Professional Variable ADF	4
20498	3013593	HLX 100 Welding Helmet with Professional Variable ADF – i ²	2
20502	3013596	HLX 100 Welding Helmet with Professional Variable ADF – Heavy Metal	2
24082	3023640	Professional Lens Kit – 5 Front and 2 Rear Safety Plates	10
20696	3014866	370 Replacement Headgear	6

- Product Features**
- Features variable shade 9-13, sensitivity and delay adjustments
 - Battery powered, with two independent sensors
 - Technology allows unit to detect welds less than 5 amps
 - Requires 2 AAA batteries (included)
 - Compatible with HLX 100 & HSL 100 shell
 - Built-in mag lens holder
 - Meets ANSI Z87.1 – 2010 standards and CSA Compliant



i² Heavy Metal

WH40 Nitro* Variable Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box
21947	3018384	Nitro* ADF Cartridge – 90 x 110mm	1
21931	3018230	Blue Nitro* Helmet with NITRO* ADF	2
36633	–	Black Nitro* Helmet with NITRO* ADF	2
22603	3020692	Nitro* 3-Sensor Lens Kit – 5 Front and 2 Rear Safety Plates	10
24549	3024208	Nitro* Replacement Parts – Retainer, Lens Spacer, Screws & Safety Plate	10
20696	3014866	370 Replacement Headgear	6

- Product Features**
- Offers welders outstanding features at an economical price point
 - Features variable shade 9-13, sensitivity and delay adjustments
 - Lightweight – only weighs 1 pound fully assembled
 - Three independent sensors
 - Solar powered
 - Meets ANSI Z87.1 – 2010 standards and CSA Compliant



WH40 Element* Variable Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box
23282	3023293	Element* Welding Helmet Variable ADF – 90 x 110mm	4
29127	3023295	Element* Lens Kit – 5 Front and 2 Rear Safety Plates	10
23442	3023376	Element* Replacement Headgear	6

- Product Features**
- Features an economical lens for the consumer welder
 - Solar powered
 - Features variable shade 9-13, sensitivity and delay adjustments
 - Two independent sensors
 - Meets ANSI Z87.1 – 2010 standards and CSA Compliant





WH40 Journeyman Variable Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box	Product Features
16626	3004394	Journeyman Variable 9-12 Cartridge Only	1	• Variable shade 9-12
24083	3023641	Journeyman Lens Kit – 5 Front and 2 Rear Safety Plates	10	• Single sensor with auto-off feature • Requires 2 AAA batteries (included) • Meets ANSI Z87.1 – 2010 standards

WH40 AutoView* 1105VXL Variable Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box	Product Features
16378	3004015	AutoView* 1105VXL ADF Cartridge – 4 x 5	1	• Features variable shade 9-12, sensitivity and delay adjustments
30621	3000523	951P Welding Helmet with AutoView* 1105VXL ADF – 4 x 5	4	• Four independent sensors with low voltage indicator lamp
24081	3023639	AutoView* 1105VXL Lens Kit – 5 Front and 2 Rear Safety Plates	10	• Technology allows unit to detect welds less than 5 amps • Requires 2 AAA batteries (included)
14556	3000621	117A Replacement Headgear	6	• Meets ANSI Z87.1 – 2010 standards
15975	3002656	Magnification (Cheater Lens) Adapter	1	

WH40 SmarTIGer* Variable Auto-Darkening Filter with Balder* Technology



Black

Code No.	Old Code	Description	Units/Box	Product Features
37188	—	SmarTIGer* Welding Helmet with Balder* Technology – Black	2	• Internal adjustable shade 9-13
37187	—	SmarTIGer* Welding Helmet with Balder* Technology – Torch Dancer	2	• Internal adjustable sensitivity
37245	—	SmarTIGer* Magnification Lens Holder	1	• Aerodynamic shell designed for better fume deflection than the HSL-100
37249	—	SmarTIGer* Internal Safety Plate	10	• Lightweight
37247	—	SmarTIGer* External Safety Plate	10	• Auto-On ADF is always ready to weld
20696	3014866	370 Replacement Headgear	6	• Meets ANSI Z87.1 High Impact 2010 standard and CE certified



Torch Dancer



WH50 3-N-1 Auto-Darkening Filters

	<i>Master 3-N-1</i>	<i>Executive 3-N-1</i>	<i>Boss* 3-N-1</i>	<i>Boss* 3-N-1</i>
Part No.	14991	14990	20658 (HSL 100)	20659 (HLX 100)
Shade	Variable Shade 9-12	Variable Shade 9-12	Variable Shade 9-12	Variable Shade 9-12
Light State	4	4	4	4
Cartridge Size (in.)	4.70 x 5.40	4.70 x 5.40	4.50 x 5.30	4.53 x 5.30
Viewing Field (in.)	3.85 x 1.80	3.80 x 2.37	3.76 x 3.47	3.76 x 3.47
Typical Switching Speed (s)	1/25,000	1/25,000	1/25,000	1/25,000
Lens Power Control	Manual On/Off; Auto Off	Manual On/Off; Auto Off	Auto On/Off	Auto On/Off
Grind Mode	Yes	Yes	Yes	Yes
Torch Mode	Yes	Yes	Yes	Yes
Sensitivity	Yes	Yes	Yes	Yes
Delay	Yes	Yes	Yes	Yes
Arc Sensors	2	2	2	2
Tig Rating	< 5 Amps	< 5 Amps	< 5 Amps	< 5 Amps
Power Supply	Solar Replaceable AAA Alkaline Batteries (2)	Solar Replaceable AAA Alkaline Batteries (2)	Replaceable AAA Alkaline Batteries (2)	Replaceable AAA Alkaline Batteries (2)
Estimated Battery Life Max. (hrs.)	481	470	795	795
Estimated Battery Life Min. (hrs.)	330	298	512	512
Weight Of Helmet (lbs.)	1.5	1.5	1.55	1.25
Lens Kit	24082	24081	22605	22605
Headgear	20696	20696	20696	20696
Warranty	2 year	2 year	2 year	2 year

WH50 Master 3-N-1 Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box
16628	3004399	Master 3-N-1 ADF Cartridge – 4 x 5	1
14991	3002519	HSL 100 Welding Helmet with Master 3-N-1 ADF	4
24082	3023640	Master 3-N-1 Lens Kit – 5 Front and 2 Rear Safety Plates	10
20696	3014866	370 Replacement Headgear	6



- Product Features**
- Features variable shade 9-12, sensitivity and delay adjustments
 - Solar assisted with two independent sensors
 - Technology allows unit to detect welds less than 5 amps
 - Versatile 3-N-1 built-in function: Weld, Torch, Grind
 - Requires 2 AAA batteries (included)
 - Low battery indicator
 - Compatible with HLX 100 & HSL 100 shells
 - Manual On/Off; Auto Off
 - Built-in magnetic lens holder
 - Meets ANSI Z87.1 – 2010 standards

WH50 Executive 3-N-1 Variable Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box
16629	3004400	Executive 3-N-1 ADF Cartridge – 4 x 5	1
14990	3002518	HSL 100 Welding Helmet with Executive 3-N-1 ADF	4
24081	3023639	Executive 3-N-1 Lens Kit – 5 Front and 2 Rear Safety Plates	10
20696	3014866	370 Replacement Headgear	6
15975	3002656	Magnifier (Cheater Lens) Adapter Kit; Mag Lens Holder	1



- Product Features**
- Features variable shade 9-12, sensitivity and delay adjustments
 - Solar assisted with two independent sensors
 - Technology allows unit to detect welds less than 5 amps
 - Versatile 3-N-1 built-in function: Weld, Torch, Grind
 - Requires 2 AAA batteries (included)
 - Low battery indicator
 - Compatible with HLX 100 & HSL 100 shells
 - Manual On/Off; Auto Off
 - Meets ANSI Z87.1 – 2010 standards

WH50 Boss* 3-N-1 Variable Auto-Darkening Filter



Heavy Metal with BOSS* ADF

Code No.	Old Code	Description	Units/Box
20657	3014753	BOSS* ADF Cartridge – 4 x 5	1
20658	3014754	HSL 100 Welding Helmet with BOSS* ADF – Gunmetal	2
20659	3014755	HLX 100 Welding Helmet with BOSS* ADF – Heavy Metal	2
21277	3016263	HLX 100 Welding Helmet with BOSS* ADF – I ²	2
24041	3023577	HLX 100 Welding Helmet with BOSS* ADF – Arc Angel	2
24042	3023578	HLX 100 Welding Helmet with BOSS* ADF – Renegade	2
24039	3023575	HLX 100 Welding Helmet with BOSS* ADF – Ace of Spades	2
24040	3023576	HLX 100 Welding Helmet with BOSS* ADF – Carbon Fiber	2
20757	3015040	Replacement Retainer	10
22605	3020693	BOSS* 3-N-1 Lens Kit – 5 Front and 2 Rear Safety Plates	10
20696	3014866	370 Replacement Headgear	6



13 SQUARE INCHES!

- Product Features**
- Features variable shade 9-12, sensitivity and delay adjustments
 - Two independent sensors
 - Versatile 3-N-1 built-in function: Weld, Torch, Grind
 - Amber view lens allows for enhanced clarity of weld puddle
 - Technology allows unit to detect welds less than 5 amps
 - Requires 2 AAA batteries (included)
 - Low battery indicator
 - Compatible with HLX 100 & HSL 100 shell
 - Manual On/Off; Auto Off
 - Built-in mag lens holder
 - Meets ANSI Z87.1 – 2010 standards and CSA Compliant

Graphic Welding Helmet Designs

	Heavy Metal	I ²	Arc Angel	Ace of Spades	Renegade	Carbon Fiber	Tattoo	Serpent
WH60 Truesight*			•	•			•	•
WH60 NexGen*	•	•	•	•	•	•		
WH50 Boss*	•	•	•	•	•	•		
WH40 Professional	•	•						
WH10 Halo X	•	•	•	•	•	•		

WH60 Digital Auto-Darkening Filters

	NexGen*	NexGen*	Truesight*
Part No.	14989 (HSL 100)	20497 (HLX 100)	29371 (HLX 100)
Shade	Variable Shade 9-13	Variable Shade 9-13	
Light State	4	4	3
Cartridge Size (in.)	4.53 x 5.30	4.53 x 5.30	4.5 x 5.25
Viewing Field (in.)	3.80 x 2.35	3.80 x 2.35	3.25 x 4
Typical Switching Speed (s)	1/15,000	1/15,000	1/8,700
Lens Power Control	Manual On/Off; Auto Off	Manual On/Off; Auto Off	Manual On/Off; Auto Off
Grind Mode	Yes	Yes	Yes
Torch Mode	Yes	Yes	Yes
Sensitivity	Yes	Yes	Yes
Delay	Yes	Yes	Yes
Arc Sensors	4	4	4
Tig Rating	< 5 Amps	< 5 Amps	< 5 Amps
Power Supply	Solar Replaceable Lithium Batteries (2)	Solar Replaceable Lithium Batteries (2)	Solar Replaceable AAA Batteries (2)
Estimated Battery Life Max. (hrs.)	823	823	(mos.) 6.5
Estimated Battery Life Min. (hrs.)	485	485	(mos.) 4.2
Weight Of Helmet (lbs.)	1.55	1.25	1.8
Lens Kit	22606	22606	30320 and 30321
Headgear	20696	20696	20696
Warranty	2 year	2 year	2 year



WH60 NexGen* Digital Auto-Darkening Filter



Code No.	Old Code	Description	Units/Box	Product Features
16622	3004384	NexGen* ADF Cartridge	1	<ul style="list-style-type: none"> Digital controls feature variable shade 9-13, sensitivity and delay adjustments Four independent sensors positioned to reduce possibility of blockage during weld Replaceable lithium batteries (included) with low battery indicator Versatile 3-N-1 built-in function: Weld, Torch, Grind Amber view lens allows for enhanced clarity of weld puddle Technology allows unit to detect welds less than 5 amps Built-in mag lens holder Meets ANSI Z87.1 – 2010 standards and CSA Compliant
14989	3002515	HSL 100 Welding Helmet with NexGen* ADF	4	
15820	3002585	HSL 100 Welding Helmet with NexGen* ADF – Bulk	10	
20497	3013592	HLX 100 Welding Helmet with NexGen* ADF – I ²	2	
20501	3013595	HLX 100 Welding Helmet with NexGen* ADF – Heavy Metal	2	
24043	3023579	HLX 100 Welding Helmet with NexGen* ADF – Arc Angel	2	
24044	3023580	HLX 100 Welding Helmet with NexGen* ADF – Renegade	2	
24045	3023581	HLX 100 Welding Helmet with NexGen* ADF – Ace of Spades	2	
24046	3023582	HLX 100 Welding Helmet with NexGen* ADF – Carbon Fiber	2	
15977	3002670	Replacement Retainer	10	
15984	3002672	Replacement Batteries (Pair) (2450)	10	
15978	3002671	Replacement Battery Door	10	
22606	3020694	NexGen* Lens Kit – 5 Front and 2 Rear Safety Plates	10	
20696	3014866	370 Replacement Headgear	6	



Digital Controls



I² Heavy Metal



Arc Angel Renegade Ace of Spades Carbon Fiber

WH60 Truesight* Digital Auto-Darkening Filter



HLX (Black) with Truesight* ADF



Digital Controls

Code No.	Old Code	Description	Units/Box	Product Features
30319	3028585	Truesight* ADF Cartridge, 4.5 x 5.25	6	<ul style="list-style-type: none"> • Intuitive, digital control panel • Features variable shade 5-13, sensitivity and delay adjustments • Large, separate buttons with LED indicator for Weld, Torch and Grind modes • Four independent sensors positioned to reduce possibility of blockage during weld • Two, easy-to-replace AAA batteries included; low battery indicator • Amber band pass for enhanced clarity of weld puddle • No retainer for easy helmet installation and removal • Built-in magnification lens holder • Meets ANSI Z87.1-2010 and CSA Z94.3 Compliant
29371	3028173	HLX Welding Helmet with Truesight* Digital ADF, Black	2	
30314	3028177	HLX Welding Helmet with Truesight* Digital ADF, Tattoo	2	
30315	3028176	HLX Welding Helmet with Truesight* Digital ADF, Serpent	2	
30316	3028175	HLX Welding Helmet with Truesight* Digital ADF, Arc Angel	2	
30317	3028174	HLX Welding Helmet with Truesight* Digital ADF, Ace of Spades	2	
30320	3028179	Truesight* External Safety Lens	10	
30321	3028178	Truesight* Internal Safety Lens	10	
20696	3014866	370 Replacement Headgear	6	



Tattoo



Serpent



Arc Angel



Ace of Spades

WH70 Variable Auto-Darkening Filter with Balder* Technology

The WH70 BH3* Helmet with BALDER* Technology has achieved the highest rating for optical quality and the best classification for "angular dependence." That means it gives the welder the flexibility to see clearly at many different angles. With new Jackson Safety* ADF Welding Helmets with Balder* Technology you get: A clear view from various angles which can reduce eye fatigue and the need to move, adjust and refocus, and superior optical quality that allows you to do your best work.

WH70 BH3* Variable Auto-Darkening Filter with Balder* Technology



Code No.	Old Code	Description	Units/Box	Product Features
37191	—	BH3* Welding Helmet DS with Balder* Technology ADF – Black	2	<ul style="list-style-type: none"> • Superior angle of view • Enhanced visibility and color recognition • Variable shade (9-13), adjustable sensitivity and opening time delays • Curved front cover plate offers reduced heat build-up, reflections and fogging than the HSL-100 • Aerodynamic shell designed for better fume deflection than the HSL-100 • Smooth, rounded perimeter for increased comfort • Quick and easy replacement of safety plates • Lightweight • Auto-On ADF is always ready to weld • Meets ANSI Z87.1 High Impact 2010 standard • CE Certified • DIN Plus Certified
37248	—	BH3* DS Internal Safety Plate	10	
37247	—	BH3* DS External Safety Plate	10	
37245	—	BH3* DS Magnification Lens Holder	1	
20696	3014866	370 Replacement Headgear	6	



View with Jackson Safety* ADF Helmet with Balder* Technology



View with competitive ADF



Welding Accessories

Helmet Bag



Code No.	Old Code	Description	Units/Box	Product Features
18935	3010811	Welding Helmet Bag	10	<ul style="list-style-type: none"> Made of heavy-duty denier fabric with drawstring closure Features velcro close front lens pocket and two side mesh tool pockets Fits all Jackson Safety* Helmets

Black Quilted Shop Cap



Code No.	Old Code	Description	Size	Units/Box	Product Features
14575	3000699	365 Shop Cap	6-3/4"	12	<ul style="list-style-type: none"> Available in sizes 6-3/4" to 7-3/8" Not fire retardant Made of high-grade quilted cotton with sateen sweatband
14576	3000700	365 Shop Cap	6-7/8"	12	
14577	3000701	365 Shop Cap	7"	12	
14578	3000702	365 Shop Cap	7-1/8"	12	
14579	3000703	365 Shop Cap	7-1/4"	12	
14580	3000704	365 Shop Cap	7-3/8"	12	

187-S Mounting Blades



Code No.	Old Code	Description	Units/Case	Product Features		
15968	3002634	187-S Mounting Kit	12	<ul style="list-style-type: none"> Securely attaches a welding helmet to safety cap Positive locking device keeps the helmet in any position 		
187-S Can Be Used With		SC6	SENTRY	CHARGER	SC16	SB6-STUBBY
HLX Series		●	●	●	●	●
HLS Series Shadow		●	●	●	●	●
Nitro*		●	●	●	●	●

87 Mounting Blades



Code No.	Old Code	Description	Units/Case	Product Features		
14939	3002435	87 Mounting Blades, Pair	12	<ul style="list-style-type: none"> Attaches almost any H-Series welding helmet safely and securely to a hard hat Must use with metal 86-M Quick Detach Metal Pins (sold separately) 		
14961	3002462	86-M Quick Detach Metal Pins, Pair	50			
87 Blades Can Be Used With		SC6	SENTRY		CHARGER	SC16
H Series					●	

386 Capmount Adapter



Code No.	Old Code	Description	Units/Box	Product Features		
15973	3002645	386 Capmount Adapter	12	<ul style="list-style-type: none"> Lets you attach any H-Series fiberglass or HSL welding helmet safely and securely to a hard hat 		
386 Adapter Can Be Used With		SC6	SENTRY	CHARGER	SC16	SB6-STUBBY
HLS Series		●				●
HLS Series Shadow		●				●
Nitro*		●				●

Replacement Headgear

370 Headgear



Code No.	Old Code	Description	Units/Box
20696	3014866	370 Headgear	6
32187		Replacement Sweatband	2 packs of 24

Product Features

- Three-position slider adjusts distance of the lens from your eyes for precise vision
- Removable Comfort Cradle is a pivoting headpad that conforms to any head for the highest degree of comfort
- Oversized ratchet with soft rubber grip allows for easy adjustment when wearing gloves
- Crown Strap Adjustment allows the headgear to be raised or lowered for maximum comfort and performance
- Sweatband helps absorb perspiration and prevents sweat from interfering with vision
- Vertical lock-in eliminates helmet creeping
- Lock-Nut feature keeps the components together even when bracket is loosened

370 Replacement Headgear for:

WH10	WH30	WH40	WH50	WH60	WH70
HSL-1	Professional	Nitro*	Master 3-N-1	NexGen*	BH3*
HSL-2		Professional Variable	Executive 3-N-1	Truesight*	
HSL-100		SmarTIGer*	Boss* 3-N-1		
Halo X					

117A Headgear



Code No.	Old Code	Description	Units/Box
14556	3000621	117A Headgear	6
32187		Replacement Sweatband	2 packs of 24

Product Features

- Teeth are automatically disengaged during adjustment
- Air-cushioned cloth sweatband is washable and durable

117A Replacement Headgear for:

WH10	WH20	WH40
951P	860P	AV1105VXL
990P	430P	
930P	490P	
	411P	
	451P	

170 Headgear



Code No.	Old Code	Description	Units/Case
14956	3002454	170 Headgear	12
14958	3002459	Replacement Sweatband	12

Product Features

- 170 features 45 head size adjustments and 5 crown adjustments
- Lower ratchet strap for added comfort and strength
- Ratchet eliminates "backing off" with push and turn design
- For use with H-Series fiberglass helmets

170 Replacement Headgear for:

WH20
H100-A

Element* Replacement Headgear



Code No.	Old Code	Description	Units/Box
23442	3023376	Element* Replacement Headgear	6

Product Features

- Teeth are automatically disengaged during adjustment

Element* Replacement Headgear for:

WH30	WH40
Element* Shade 10	Element* Variable

Filters



Kimberly-Clark Professional* has a large selection of top-quality polycarbonate lenses for welding helmets and cutting goggles. To prevent surface damage to welding filter plates and auto-darkening lenses, clear safety plates should always be inserted in front for protection. Be sure to use the correct filter shade for the job. Refer to the suggested shade guide below.

WH70	WH60		WH50			WH40						WH30		
BH3*	Truesight*	NexGen*	Boss*	Executive	Master	SmartTIGer*	Professional	Nitro* 3-Sensor	1105VXL	Journeyman	Element* Variable	Professional	Solera	Element* Shade 10
Kit includes: 5 Front Clear Safety Plates, 2 Inner Clear Safety Plates, 1 Light Seal Gasket (10 packs per box)														
N/A	N/A	22606	22605	24081	24082	N/A	24082	22603	24081	24083	29127	24082	24083	23440
N/A	N/A	10 packs/box	10 packs/box	10 packs/box	10 packs/box	N/A	10 packs/box	10 packs/box	10 packs/box	10 packs/box	10 packs/box	10 packs/box	10 packs/box	10 packs/box
Internal Lens – Sold Separately														
37248	30321	30590	20756	16047	16073	37249	16073	30594	16047	16073	N/A	16073	16073	N/A
10 lens/pack	10 lens/pack	10 lens/pack	10 lens/pack	25 lens/pack	25 lens/pack	10 lens/pack	25 lens/pack	10 lens/pack	25 lens/pack	25 lens/pack	N/A	25 lens/pack	25 lens/pack	N/A
External Lens – Sold Separately														
37247	30320	16078	16078	16078	16078	37247	16078	20755	16078	16073	N/A	16078	16073	N/A
10 lens/pack	10 lens/pack	25 lens/pack	25 lens/pack	25 lens/pack	25 lens/pack	10 lens/pack	25 lens/pack	25 lens/pack	25 lens/pack	25 lens/pack	N/A	25 lens/pack	25 lens/pack	N/A

WH10 & WH20 Series Passive Filter Lens

Code No.	Old Code	Description	Size	Material	Units/Case
14571	3000691	427 Filter Lens Sh. 5	2" X 4.25"	Polycarbonate	25
14559	3000644	427 Filter Lens Sh. 9	2" X 4.25"	Polycarbonate	25
14560	3000645	427 Filter Lens Sh. 10	2" X 4.25"	Polycarbonate	25
14570	3000690	427 Filter Lens Sh. 11	2" X 4.25"	Polycarbonate	25
14561	3000646	427 Filter Lens Sh. 12	2" X 4.25"	Polycarbonate	25
14562	3000649	1127 Filter Lens Sh. 9	4.5" X 5.25"	Polycarbonate	25
14563	3000650	1127 Filter Lens Sh. 10	4.5" X 5.25"	Polycarbonate	25
14564	3000651	1127 Filter Lens Sh. 11	4.5" X 5.25"	Polycarbonate	25
14566	3000652	1127 Filter Lens Sh. 12	4.5" X 5.25"	Polycarbonate	25

Safety Plates & Components

Code No.	Old Code	Description	Size	Material	Units/Box
16073	3002759	54 PC	2" X 4.25"	Polycarbonate	25 per Pack
16078	3002760	97 PC	4.5" X 5.25"	Polycarbonate	25 per Pack
16642	3004736	Light Seal Gasket	4.5" X 5.25"		25 per Pack
24734	3024540	Light Seal Gasket Inserted on Safety Plate	4.5" X 5.25"	Polycarbonate	10 per Pack



Kimberly-Clark Professional* offers a wide selection of Mag plates to fit the needs of most welders.

While providing close vision without glasses, the 2x4 mag plates are also adaptable to all Auto-Darkening Filters. Select focal power by comparing prescription lenses.



Mag Plates

Code No.	Old Code	Focal Power	Units/Box
16052	3002741	1.00	6
16054	3002742	1.25	6
16058	3002743	1.50	6
16060	3002744	1.75	6
16063	3002745	2.00	6
16065	3002746	2.25	6
16068	3002747	2.50	6

Adapter Kits





Code No.	Old Code	Description
15975	3002656	Executive ADF Mag Lens Holder
15974	3002647	WH10 4.50 x 5.25 Mag Lens Holder
37245	—	WH70 BH3* and WH40 SmarTIGer* Mag Lens Holder


Compatibility Chart

SHELL	HALO X	HSL-100	HSL-1	HSL-2	951P	990P	930P	860P	H100-A	430P	490P	411P	451P	ELEMENT*	NITRO*
Cap Adapter 	187-S	187-S	187-S	187-S											187-S
	386	386	386	386					87 M Blades						386
Headgear 	370	370	370	370	117A	117A	117A	117A	170	117A	117A	117A	117A	Element*	370
WH60	Truesight* NexGen*	NexGen*													
WH50	Master 3-N-1	Master 3-N-1													
	Executive 3-N-1	Executive 3-N-1													
	Boss* 3-N-1	Boss* 3-N-1													
WH40	Professional Variable	Professional Variable			AV 1105VXL									Element* Variable	Nitro*
WH30		Professional Shade 10	Solera											Element*	

Electric Line

Electrode Holders

	Code No.	Old Code	Description	Body Alloy	Electrode Capacity	Cable Connection Capacity	Weight	Duty Cycle Rating	Units/Case
	14679	3001793	JH-1	Copper Alloy	3/16 inch	4 through 1/0	12 ounces	Medium Duty	24
	14683	3001797	JH-2	Aluminum Alloy	5/32 inch	4 through 1/0	10 ounces	Light Duty	24
	14680	3001794	AW-C	Copper Alloy	1/4 inch	4 through 2/0	19 ounces	Medium Duty	24
	14682	3001796	A-W	Aluminum Alloy	1/4 inch	3 through 2/0	14 ounces	Medium Duty	24
	14681	3001795	A3-S	Copper Alloy	3/8 inch	2/0 through 4/0	30 ounces	Heavy Duty	12
	14684	3001798	J-4	—	1/4 inch	2 through 1/0	16 ounces	Heavy Duty	12



Duty Cycle Rating is the maximum percentage of arc time (out of any 10-minute period) that a holder should be expected to perform comfortably.

Replacement parts available — email orders@jacksonsafety.com


Cable Connectors

Kimberly-Clark Professional* offers a popular range of fully insulated cable connectors with tapered ends covering the cable jacket and locking out moisture, oil and dirt.


Cable Connectors

Code No.	Old Code	Description	Cable Connection Type	Connection Half Connection Type	Cable Connection Capacity	Standard Pack	Units/Case
14741	3001848	Uni-Trik* UB-1-BP	Double Dome-Nose	Camlock	4 through 1	1 each Male & Female	6
14742	3001849	Uni-Trik* UB-3-BP	Double Dome-Nose	Camlock	1/0 through 3/0	1 each Male & Female	6
14745	3001852	Uni-Trik* UB-4-BP	Double Dome-Nose	Camlock	3/0 through 4/0	1 each Male & Female	6
14733	3001840	Quick-Trik* QNB-2-BP	Single Dome-Nose	Camlock & Locking Bar	1/0 and 2/0	1 each Male & Female	6
14734	3001841	Quick-Trik* QNB-4-BP	Single Dome-Nose	Camlock & Locking Bar	3/0 and 4/0	1 each Male & Female	6
14735	3001842	Quick-Trik* QB-2-BP	Single Dome-Nose	Camlock & Locking Bar	1/0 and 2/0	1 each Male & Female	6

UNI-TRIK*



QUICK-TRIK*



Ground Clamps


Jackson Safety* Brand ground clamps feature large contact areas, high-clamping pressure and long-levered handles for easy jaw opening. Clamps have fully insulated pivots and springs. The cable jacket is held securely inside the conductor body with a cable bar for improved holding ability and longer cable life.

Ground Clamps

Code No.	Old Code	Description	Jaw Opening	Cable Connection Cap.	Weight	Std. Pack
14730	3001834	GC-2	1¼ inch	4 through 1/0	16 oz.	24
14731	3001835	GC-3	1½ inch	1/0 and 2/0	23 oz.	24
14732	3001836	GC-5	2 inch	3/0 and 4/0	34 oz.	12

Cable Lugs and Terminal Covers

Code No.	Old Code	Description	Standard Pack
14748	3001855	Cable Lug QLB-45	Sold in pairs
14747	3001854	Cable Lug ULB-45	Sold in pairs
14746	3001853	Terminal Covers	Sold in pairs



Contour Layout Systems

Cylindrical Pipe Markers

	Code No.	Old Code	Description	Pipe Diameter
	14771	3001874	#1 Contour Marker	½" to 18" diameter
	14772	3001875	#2 Contour Marker Combo Adaptor	Use with #1 Contour Marker
	14773	3001877	#4 Jumbo Contour Marker	8" to 48" diameter
	14774	3001878	#5 Jumbo Marker Combo Adaptor	Use with #4 Contour Marker
		14784	3001888	#14 Circle-Ellipse Projector
		14775	3001879	#6 Centering Head
	14776	3001880	#7 Jumbo Centering Head	1" and up
	14780	3001884	Radius Marker – Mini	Up to 8" in radius
	14781	3001885	Radius Marker – Small	Up to 20" in radius
	14782	3001886	Radius Marker – Standard	Up to 24" in radius
	14783	3001887	Radius Marker – Jumbo	Up to 40" in radius
	14785	3001890	#19 Multi-Trammel Heads	All
	14778	3001882	#9 Fitter Welding Protractor	All

Flange Aligning Tools



Code No.	Old Code	Description
14779	3001883	#10 Pipe Flange Aligner
14795	3001903	#32 Flange Aligner Base
14796	3001904	#33 Universal Level
14777	3001881	#8 Pro-Mag Level
14786	3001891	#20 Dual-Angle Flange Level – Nonmagnetic, can be used on PVC Pipe

Pre-Assembled Kits



Code No.	Old Code	Description
20664	3014807	Contour Worker Kit <ul style="list-style-type: none"> • #1 Contour Marker • #7 Centering Head • #8 Pro-Mag Level • Standard Radius Marker • Square Soap Stone & Holder • Lockable Metal Carrying Case

Burning Square & Guides



Code No.	Old Code	Description
14791	3001899	#28 Magnetic Burning Guide
14792	3001900	#29 – 34" Extension (Use with #28 Magnetic Burning Guide)
14793	3001901	#30 – 48" Extension (Use with #28 Magnetic Burning Guide)
14794	3001902	#31 – 72" Extension (Use with #28 Magnetic Burning Guide)

Wrap-A-Round* Tools

Code No.	Old Code	Description	Color	Size	Pipe Diameter
14752	3001858	Medium Wrap-A-Round*	Black	3.88" to 4'	3" to 6"
14763	3001867	Medium Wrap-A-Round*	Gray	3.88" to 4'	3" to 6"
14753	3001859	Large Wrap-A-Round*	Black	3.88" to 6'	3" to 10"
14764	3001868	Large Wrap-A-Round*	Gray	3.88" to 6'	3" to 10"
14754	3001860	X-Large Wrap-A-Round*	Black	5" to 7'	4" to 12"
14766	3001869	X-Large Wrap-A-Round*	Gray	5" to 7'	4" to 12"
14756	3001861	XX-Large Wrap-A-Round*	Black	5" to 9'	6" to 16"
14767	3001870	XX-Large Wrap-A-Round*	Gray	5" to 9'	6" to 16"
14757	3001862	Medium/Large Custom Wrap-A-Round*	Black	3.88" to Length Desired [†]	3" to 6"
14768	3001871	Medium/Large Custom Wrap-A-Round*	Gray	3.88" to Length Desired [†]	3" to 6"
14758	3001863	X-Large Custom Wrap-A-Round*	Black	5" to Length Desired [†]	4" to 12"
14769	3001872	X-Large Custom Wrap-A-Round*	Gray	5" to Length Desired [†]	4" to 12"
14759	3001864	Special Wrap-A-Round*	Black	7" to Length Desired [†]	
14770	3001873	Special Wrap-A-Round*	Gray	7" to Length Desired [†]	

[†] Length desired available up to a maximum of 375'





Wilson* Brand Products

With the addition of the Wilson* Brand, Kimberly-Clark Professional* now offers a comprehensive range of curtains, pads and covers from a variety of high-temperature and fire-resistant specialty materials. All Wilson* products are electronically welded or sewn for superior quality and long-lasting protection.

The Wilson* Brand has made significant contributions to advancing industrial barrier protection since the 1950s. As the Brand recognized for originating the first transparent form of barrier welding protection, we're pleased to feature Wilson* in our trusted line of safety products.

Wilson*


Welding Curtains and High-Temperature Fabrics

Welding Curtains

Kimberly-Clark Professional* Welding Curtains and Screens are designed to address the challenges of employee safety and workplace productivity relative to a wide range of high-heat applications. Actual finished size on standard orders may vary 3" in height and width.

All Wilson* Welding Curtains meet or exceed California State Fire Marshall (CFM) requirements for flame resistance. **These fabrics are not intended for use in lieu of visors, goggles, eyewear or welding helmets. Clear/colorless See-Thru Curtains available in 14-Mil and 40-Mil are not intended for welding or ultraviolet filtration.**

- Transparent curtains feature secure side hemming done by an electronic welding process for added strength and durability
- Plastic grommets are placed 8" apart on one width side and 16" apart on both height sides providing improved wear and less possibility of separation
- Standard sizes, custom orders and roll goods are available



See-Thru Welding Curtains

Wilson* Orange 14-Mil See-Thru Welding Curtain



Code No.	Old Code	Description	Product Features
37601	5420-25	5' x 4' Orange Curtain	<ul style="list-style-type: none"> • Heavy-duty vinyl designed to filter far/near ultraviolet radiation and blue light • Grommeted and ready-to-hang (tubing or framing not included) • 40-mil See-Thru Orange Welding Curtains available as custom order • Custom sizes available
36219	5630-25	5' x 6' Orange Curtain	
36256	5840-25	5' x 8' Orange Curtain	
36193	51050-25	5' x 10' Orange Curtain	
37606	6424-25	6' x 4' Orange Curtain	
36292	6636-25	6' x 6' Orange Curtain	
36307	6848-25	6' x 8' Orange Curtain	
36278	61060-25	6' x 10' Orange Curtain	
36287	61272-25	6' x 12' Orange Curtain	

Wilson* Gold 14-Mil See-Thru Welding Curtain




Code No.	Old Code	Description	Product Features
37602	5420-50	5' x 4' See-Thru Gold Curtain	<ul style="list-style-type: none"> • Heavy-duty vinyl designed to filter far/near ultraviolet radiation and blue light • Grommeted and ready-to-hang (tubing or framing not included) • Custom sizes available
36228	5630-50	5' x 6' See-Thru Gold Curtain	
36259	5840-50	5' x 8' See-Thru Gold Curtain	
36195	51050-50	5' x 10' See-Thru Gold Curtain	
37607	6424-50	6' x 4' See-Thru Gold Curtain	
36296	6636-50	6' x 6' See-Thru Gold Curtain	
36312	6848-50	6' x 8' See-Thru Gold Curtain	
36281	61060-50	6' x 10' See-Thru Gold Curtain	

Wilson* Green 14-Mil See-Thru Welding Curtain




Code No.	Old Code	Description	Product Features
37603	5420-60	5' x 4' Green See-Thru Curtain	<ul style="list-style-type: none"> • Heavy-duty vinyl designed to filter far/near ultraviolet radiation and blue light • Grommeted and ready-to-hang (tubing or framing not included) • Custom sizes available
36251	5630-60	5' x 6' Green See-Thru Curtain	
36269	5840-60	5' x 8' Green See-Thru Curtain	
36196	51050-60	5' x 10' Green See-Thru Curtain	
37700	6424-60	6' x 4' Green See-Thru Curtain	
36299	6636-60	6' x 6' Green See-Thru Curtain	
36315	6848-60	6' x 8' Green See-Thru Curtain	
36283	61060-60	6' x 10' Green See-Thru Curtain	

Wilson* Plasma 14-Mil See-Thru Welding Curtain




Code No.	Old Code	Description	Product Features
37604	5420-90	5' x 4' Plasma See-Thru Welding Curtain	<ul style="list-style-type: none"> • Extra-dark green (Shade 8) heavy-duty vinyl • Filters far/near ultraviolet radiation and blue light • Ideal for plasma cutting or other applications with bright welding arcs • Grommeted and ready-to-hang (tubing or framing not included) • Custom sizes available
36253	5630-90	5' x 6' Plasma See-Thru Welding Curtain	
36271	5840-90	5' x 8' Plasma See-Thru Welding Curtain	
36197	51050-90	5' x 10' Plasma See-Thru Welding Curtain	
37608	6424-90	6' x 4' Plasma See-Thru Welding Curtain	
36301	6636-90	6' x 6' Plasma See-Thru Welding Curtain	
36317	6848-90	6' x 8' Plasma See-Thru Welding Curtain	
36285	61060-90	6' x 10' Plasma See-Thru Welding Curtain	

Wilson* Green Canvas Welding Curtain



Code No.	Old Code	Description	Product Features
37453	5420-15	5' x 4' Green Canvas Welding Curtain	<ul style="list-style-type: none"> • Green 12 oz. cotton duck material • Flame, water and mildew resistant • Grommets and ready-to-hang (tubing or framing not included) • Rip-Stop Curtains available as custom order. Available colors include blue, black, green and yellow.
36218	5630-15	5' x 6' Green Canvas Welding Curtain	
36255	5840-15	5' x 8' Green Canvas Welding Curtain	
36191	51050-15	5' x 10' Green Canvas Welding Curtain	
37454	6424-15	6' x 4' Green Canvas Welding Curtain	
36289	6636-15	6' x 6' Green Canvas Welding Curtain	
36304	6848-15	6' x 8' Green Canvas Welding Curtain	
36277	61060-15	6' x 10' Green Canvas Welding Curtain	

Wilson* 14-mil Clear/Colorless Barrier Curtain



Code No.	Old Code	Description	Product Features
36227	5630-40	5' x 6' Clear/Colorless Barrier Curtain	<ul style="list-style-type: none"> • Heavy-duty colorless vinyl • For general industrial barrier protection • Grommets and ready-to-hang (tubing or framing not included) • Custom sizes available • Not to be used for welding
36258	5840-40	5' x 8' Clear/Colorless Barrier Curtain	
36194	51050-40	5' x 10' Clear/Colorless Barrier Curtain	
36295	6636-40	6' x 6' Clear/Colorless Barrier Curtain	
36311	6848-40	6' x 8' Clear/Colorless Barrier Curtain	
36280	61060-40	6' x 10' Clear/Colorless Barrier Curtain	

Wilson* Instant Curtain

Code No.	Old Code	Description	Product Features
36328	IC60-25	5' See-Thru Orange, 14-mil	<ul style="list-style-type: none"> • 75' long with plastic grommets every 8" on one width side (no hems)
36330	IC72-25	6' See-Thru Orange, 14-mil	
36331	IC72-50	6' See-Thru Gold, 14-mil	
37197	IC72-60	6' See-Thru Green, 14-mil	

Custom Welding Curtains

Custom welding curtains are designed to meet the specific environmental and spatial demands of the work cell and can help protect employees from the many hazards associated with the welding process and increase productivity by isolating sparks and fumes generated by welding.

Available in a wide variety of material types including:

- 14-mil vinyl
- 40-mil See-Thru Orange Vinyl
- Rip-Stop (Blue, Black, Green, Yellow)
- Electro Safe (cleanroom, laboratory)

Considerations for Custom Orders

1. Specify exact finished size
2. **The tolerance for finished-size/custom curtains will not exceed 1/2". Add 10% to the width of curtains to allow for proper drape**
3. Allow 12" for ventilation at the bottom of curtains to be used for welding applications

4. If not otherwise specified, grommets will be placed on three sides, 8" apart on one width side and 16" apart on both height sides
5. Fractions of a foot are billed to the next foot

Contact a Kimberly-Clark Professional* Sales Representative or call **1-800-423-4277** for assistance with custom orders.

NOTE: Faxed dimensions/requirements necessary before final pricing is released.

Customize your own welding curtain by cutting from bulk transparent welding-curtain material.

Welding/ Safety Screens



Wilson* Stur-D-Screen¹

- Allows for a variety of configurations to fit multiple work environments
- Square 19-gauge steel tubing, bolted corner clamps and platform "T" legs reduce slipping and twisting of the unit
- Black powder-coated enamel finish is rust and abrasion-resistant
- Package includes square steel frame, brackets, platform "T" legs, and lacing ties
- Pre-drilled for casters

Wilson* Stur-D-Screen¹

Frame Only		Frame Size	See-Thru Orange	See-Thru Gold	See-Thru Green	Plasma	Clear	Green Canvas
Code No.	Old Code							
36335	R1064-00	6' x 4' Single Panel	37601	37602	37603	37604	Custom	37453
36336	R1066-00	6' x 6' Single Panel	36219	36228	36251	36253	36227	36218
36338	R1068-00	6' x 8' Single Panel	36256	36259	36269	36271	36258	36255
36333	R10610-00	6' x 10' Single Panel	36193	36195	36196	36197	36194	36191
36340	R2066-00	6' x 6' Double Panel	Custom	Custom	Custom	Custom	Custom	Custom
36346	R2068-00	6' x 8' Double Panel	Custom	Custom	Custom	Custom	Custom	Custom
36352	R3066-00	6' x 6' Triple Panel	Custom	Custom	Custom	Custom	Custom	Custom
36358	R3068-00	6' x 8' Triple Panel	Custom	Custom	Custom	Custom	Custom	Custom

Per OSHA recommendations, allow 1' clearance at floor for all framing configurations.

¹ Temperatures and applications are intended as a guideline only and not a guarantee of performance. Kimberly-Clark Professional* recommends the use of welding blankets in multiple layers to attain proper molten metal and radiant heat protection. It is the user's responsibility to monitor the activity and use of blankets/high-heat roll goods at all times

Wilson* Modular Screen¹

Code No.	Old Code	Product Features
37198	M66-68	<ul style="list-style-type: none"> • Adjust to sizes 6' x 6' or 6' x 8' • Steel tubing, 7/8" outside diameter • 24" crossbar legs • Pre-drilled for casters • The Modular Frame works with a variety of See-Thru and opaque curtains. See pages 118-119.





ANSI/FM 4950-Certified High-Temperature Fabrics

Wilson* high-temperature fabrics protect equipment and employees working near hazardous operations such as flame cutting, welding, grinding and spraying. Available as blankets, hanging curtains or roll goods, Wilson* Fabrics are designed to withstand temperatures ranging from 600°F–2000°F.² All high-temperature fabrics meet minimum specification standards for flame resistance (NFPA-701). Welding blankets are hemmed on all four sides using durable, heat-resistant thread and feature grommets in each corner and on 36" centers.

Choosing the right high-heat material

Temperature ratings are based on recommended uses and information provided herein is intended as a guideline only. Kimberly-Clark Professional* recommends the use of welding blankets in multiple layers to attain proper molten-metal and radiant-heat protection. It is the user's responsibility to monitor the activity and use of all blankets and roll goods at all times.



CHOOSING THE RIGHT HIGH-HEAT MATERIAL

APPLICATIONS	MATERIALS										
	18-oz Uncoated (1850)	24-oz Uncoated (900FC)	35-oz Uncoated (1000FC)	15-oz Acrylic Coated (3001)	17-oz Polyurethane Coated (2000TP)	24-oz Acrylic Coated (2624)	24-oz Vermiculite Coated (906)	32-oz Silicone Coated (3000R)	18-oz Silica (2-1900)	36-oz Silica (2-3700)	15-oz Carbonized Acrylic Felt (5180)
Welding Vertical – general-purpose welding with light sparks & spatter	●	●	●	●	●	●	●	●	●	●	●
Grinding & Flame Cutting		●	●	●	●	●	●	●	●	●	
Furnace Blanket									●	●	●
Slag Protection		●	●	●	●	●	●	●	●	●	●
Heat Treating	●	●	●						●	●	●
Stress Relief – up to 1700°F									●	●	●

² Temperatures and applications are intended as a guideline only and not a guarantee of performance. Kimberly-Clark Professional* recommends the use of welding blankets in multiple layers to attain proper molten metal and radiant heat protection. It is the user's responsibility to monitor the activity and use of blankets/high-heat roll goods at all times

FM
APPROVED



Light-Use Protection

Wilson* Weld-O-Glass 18-oz Fiberglass Blanket, Uncoated



Code No.	Old Code	Description
36290	6636-1850	6' x 6' 18-oz Fiberglass Blanket, Uncoated
36305	6848-1850	6' x 8' 18-oz Fiberglass Blanket, Uncoated
36364	8864-1850	8' x 8' 18-oz Fiberglass Blanket, Uncoated
36144	1850-40	Roll Goods, 40' x 50 yards
36145	1850-60	Roll Goods, 60' x 50 yards

Product Features

- **ANSI/ FM-4950** certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Beige

Wilson* Weld-O-Glass 15-oz Fiberglass Blanket, Acrylic Coated



Code No.	Old Code	Description
37605	5525-3001	5' x 5' 15-oz Fiberglass Blanket, Acrylic Coated
36310	6848-3001	6' x 8' 15-oz Fiberglass Blanket, Acrylic Coated
37192	1010100-3001	10' x 10' 15-oz Fiberglass Blanket, Acrylic Coated

Product Features

- **ANSI/ FM-4950** certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Color: Gray

Wilson* Weld-O-Glass 14-oz Fiberglass Blanket, Polyurethane Coated



Code No.	Old Code	Description
36148	2000TP-38	Roll Goods, 38' x 50 yards
36149	2000TP-60	Roll Goods, 60' x 50 yards

Product Features

- **ANSI/ FM-4950** certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Red



Medium to Heavy-Use Protection

Wilson* Weld-O-Glass 24-oz Fiberglass Blanket, Uncoated



Code No.	Old Code	Description
36323	900FC-38	Roll Goods, 38" x 50 yards

Product Features

- **ANSI/ FM-4950** certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Extra fabric weight offers added durability & protection
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: White

Wilson* Weld-O-Glass 24-oz Fiberglass Blanket, Acrylic Coated



Code No.	Old Code	Description
36293	6636-2624	6' x 6' Fiberglass Blanket, Acrylic Coated
36308	6848-2624	6' x 8' Fiberglass Blanket, Acrylic Coated
37609	8864-2624	8' x 8' Fiberglass Blanket, Acrylic Coated
36171	2624-40	Roll Goods, 40" x 50 yards

Product Features

- **ANSI/ FM-4950** certified for use in vertical (1.4.3) applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Yellow

Wilson* Weld-O-Glass 24-oz Fiberglass Blanket, Vermiculite Coated



Code No.	Old Code	Description
37597	4624-906	4' x 6' Fiberglass Blanket, Vermiculite Coated
37598	4832-906	4' x 8' Fiberglass Blanket, Vermiculite Coated
36217	5525-906	5' x 5' Fiberglass Blanket, Vermiculite Coated
36302	6636-906	6' x 6' Fiberglass Blanket, Vermiculite Coated
36318	6848-906	6' x 8' Fiberglass Blanket, Vermiculite Coated

Product Features

- **ANSI/ FM-4950** certified for use in vertical applications (1.4.3) with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- Color: Black

Wilson* Weld-O-Glass 18-oz Silica Blanket, Uncoated



Code No.	Old Code	Description
37599	51050-21900	5' x 10' Silica Blanket, Uncoated, 18-oz
36291	6636-21900	6' x 6' Silica Blanket, Uncoated, 18-oz
36306	6848-21900	6' x 8' Silica Blanket, Uncoated, 18-oz
37600	51050-23700	5' x 10' Silica Blanket, Uncoated, 36-oz
36165	21900-38	Roll Goods, 38" x 50 yards, 18-oz


Product Features

- **ANSI/ FM-4950** certified for use in vertical (1.4.3; 18-oz) or horizontal (1.4.2; 36-oz) applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
- 18-oz for medium-duty protection
- 36-oz for heavy-duty protection
- Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
- Color: Tan



Heavy-Duty Protection

Wilson* Weld-O-Glass 17-oz & 32-oz Fiberglass Blanket, Silicone Coated



Code No.	Old Code	Description
36175	3101R-38	17-oz Roll Goods, 38" x 50 yards
36176	3101R-60	17-oz Roll Goods, 60" x 50 yards
37592	1010100-3000R	10' x 10' 32-oz Fiberglass Blanket, Silicone Coated
36173	3000R-38	32-oz Roll Goods, 38" x 50 yards
36174	3000R-60	32-oz Roll Goods, 60" x 50 yards

- Product Features**
- ANSI/ FM-4950 certified for use in vertical (1.4.3) applications with light-moderate exposures resulting from chipping, grinding, heat treating, sand blasting and light horizontal welding; prevents sparks from escaping from a confined area
 - Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
 - Color: Red

Wilson* 15-oz Carbonized Acrylic Felt Blanket



Code No.	Old Code	Description
37594	3309-5180	3' x 3' 15-oz Carbonized Acrylic Felt Blanket
37596	4624-5180	4' x 6' 15-oz Carbonized Acrylic Felt Blanket
36210	5525-5180	5' x 5' 15-oz Carbonized Acrylic Felt Blanket
36320	6636-5180	6' x 6' 15-oz Carbonized Acrylic Felt Blanket
36313	6848-5180	6' x 8' 15-oz Carbonized Acrylic Felt Blanket
36208	5180-72	Roll Goods, 72" x 50 yards

- Product Features**
- ANSI/ FM-4950 certified for use in horizontal applications (1.4.1) with severe exposures such as that resulting from molten substances or heavy horizontal welding. Designed to prevent the ignition of combustibles that are located adjacent to the underside of the pad.
 - Service temperature 1800°F, intermittent service temperature to 3000°F
 - Designed for horizontal, vertical or angled-plane use
 - Roll goods sold in 50-yard increments: minimum order is 1 roll or 50 yards
 - Color: Black

Track Hardware

Track Hardware Systems offer quick and economical barriers at a fraction of the cost of construction.


- Track hardware moves on quiet nylon or steel rollers set in a steel track
- Components are hot-dipped galvanized or zinc plated to prevent rusting
- Five suspension options available (in any combination) – beam/vertical suspension; and wall, ceiling, floor, and thread rod mounting
- Track hardware is shipped disassembled (nuts and bolts not included)

How to Order


Parts are determined by the following:

- Suspension system selected
- Type of corners (deduct 2' from adjacent track systems for curved corners)
- Length of sides (recommended support at no less than 10' intervals)

Hardware




Code No.	Old Code	
36646	21101-5	5' Straight Track
36647	21101-6	6' Straight Track
36649	21101-7	7' Straight Track
36650	21101-8	8' Straight Track
36651	21101-9	9' Straight Track
36645	21101-10	10' Straight Track



Straight Connector
36652 (Old Code 21102)



Overlapping Trolley
36674 (Old Code 21129)



End Stop
36653 (Old Code 21103)



2-Way Roller,
Steel Wheel
36675
(Old Code 21133)




2-Way Roller,
Nylon
36673
(Old Code 21128)


Suspension Mount



Support Connector
36662 (Old Code 21115)



90-Degree Corner Connector
36663 (Old Code 21116)



3-Way T-Connector
36664 (Old Code 21117)



Threaded Rod Support Connector
36677 (Old Code 21135)




90-Degree Curve/24" R
(3 supports)
36661 (Old Code 21114)




Threaded Rod Adapter
36676 (Old Code 21134)

Ceiling Mount



90-Degree Corner Connector
36659 (Old Code 21110)



Support Connector
36658 (Old Code 21109)



90-Degree Curve/24" R
(3 supports)
36657 (Old Code 21108)

3-Way T-Connector
36660 (Old Code 21111)

Wall Mount



Support Connector
36654 (Old Code 21104)



End Support Up
36655 (Old Code 21105)




End Support Down
36656 (Old Code 21106)


Floor Mount



Support Column
6' - **36669** (Old Code 21124)
7' - **36670** (Old Code 21125)
8' - **36671** (Old Code 21126)



Support Connector
36666 (Old Code 21120)



90-Degree Corner Connector
36667 (Old Code 21121)

3-Way T-Connector
36668 (Old Code 21122)



Support Base
36672 (Old Code 21127)



90-Degree Curve/24" R
36674 (Old Code 21129)


Accessories

FlameShield Soldering & Welding Pad



Code No.	Old Code	Description	Product Features
36678	912-5180	9" x 12" Carbonized Acrylic Felt	<ul style="list-style-type: none"> Made with Wilson* Brand carbon fiber fabric Protects walls, joints and studs from burn damage associated with low-temperature soldering
36644	1820-5180	18" x 20" Carbon Felt	

Back-Hand Pad



Code No.	Old Code	Description	Product Features
36680	BHP06	Back hand pad (10/pack; no pack splits)	<ul style="list-style-type: none"> Glove protector helps to extend glove life and performance, 5.5" x 13" Double-layer protection with Wilson* Aluminum Mylar Aluminum (AMA) top & high-temperature glass fabric bottom sewn and riveted for added durability

Welding Umbrella



Code No.	Old Code	Description	Product Features
36684	UM6500	Blue welding umbrella, 6.5' x 7'	<ul style="list-style-type: none"> Provides protection from rain or sunlight Lightweight aluminum frame & tilt mechanism with water and fire-resistant fabric
36683	UB750-150	Yellow welding umbrella, 7.5' x 7'	
37653	—	Heavy-duty green canvas welding umbrella, 6.5' x 7'	
37652	—	Heavy-duty green canvas welding umbrella, 7.5' x 7'	
36685	UMST4X4	Umbrella Stand, 4' x 4' cross-shape, folds for easy storage	

Welding Curtain Hooks



Code No.	Old Code	Description	Quantity
36687	WIL100	Heavy-duty hooks for use with welding curtains. Fit 1-1/2" - 2" outside diameter pipe	10/pack (No pack splits)

Casters



Code No.	Old Code	Description	Quantity
36681	CAS-1 Single panel	2" diameter rubber swivel casters provide rolling portability (Designed for use with Stur-D-Screen system)	4/pack (No pack splits)



Exceptional
Workplaces*

The following information is provided to assist with your buying decisions. Read all instructions and warnings attached to product before use.

It is the responsibility of the user to assess the types of hazards and the risks associated with exposure and then decide on the appropriate personal protective equipment needed for each circumstance. Failure to use only Jackson Safety* designed, produced and tested components, attachments and replacement parts can adversely affect product performance resulting in serious injury.

Jackson Safety* and KleenGuard* Apparel and Hand Protection

Apparel or hand protection should be replaced immediately if ripped, torn, abraded or punctured.

Fabrics are not flame resistant unless specified. Keep away from sparks, flames and sources of ignition. Melting fabric can cause severe burns.

The information provided within this literature refers to the performance of the fabric only, in the laboratory under controlled conditions. Kimberly-Clark makes no representation that its products will provide complete protection from exposure to contaminants. Thin Mil gloves are for industrial use only, and are not intended for applications involving direct exposure to hazardous chemicals.

Jackson Safety* Eye Protection

Provides limited eye protection. Additional protective devices are required for full eye coverage and protection.

Does not protect you from all hazards. Even though the lenses in these safety glasses are impact resistant, they can break and shatter and will not protect you from explosions, all flying debris, and severe impacts.

Should not be worn to provide protection from other hazards including, but not limited to, extreme temperatures, high heat, airborne dusts or mists, liquid splashes, sports activities and high-energy optical radiation.

Jackson Safety* Face Shields

Will not protect against hazards such as, but not limited to, fragmenting grinding wheels, explosive devices, welding rays, corrosive liquids or molten metal. Some Face Shields do not provide any impact protection. Do not use for protection against lasers, masers, x-rays or gamma rays. Do not use for protection from infrared (IR) or ultraviolet (UV) light unless marked for this protection. Wear only with Jackson Safety* brand headgear or cap adaptors or other recommended products. Safety eyewear or goggles must also be worn. Do not use solvents for cleaning.

Jackson Safety* Respiratory Protection

Do not use respirators for sandblasting or to protect against asbestos, lead-based paint, pesticides, oil aerosols, vapors or gases. Do not wear respirators when conditions prevent a good facial seal. It is important to fit check the respirator each time it is worn. Jackson Safety* Brand Respirators are not for medical use and should never be altered or modified. Powered air purifying respirators (PAPRs) help protect against certain airborne contaminants. Do not use the PAPR with parts or accessories not specifically identified as compatible and which are included on the NIOSH approval label for the PAPR.

† Except R95 or P95

Jackson Safety* Hearing Protection

Jackson Safety* Hearing Protection may be adversely affected by certain chemical substances; avoid the use of solvents and other disinfectants. Regularly inspect for tears or cracks and replace if serviceability is suspected to be affected. Corded earplugs should not be used where there is a risk that the connecting cord could be caught up during use.

HEAD PROTECTION

Use other protection against severe impact hazards, severe penetration, or for blows to the front, side, or rear of head. Jackson Safety* Hard Hats protect the top of head only. Replace hard hat after impact, even if there are no visible signs of damage. Replace headgear after one year, and entire hard hat after five years, even if there are no visible signs of damage. Use only Jackson Safety* Brand hard hat attachments with Jackson Safety* Brand hard hats. Other manufacturers' attachments may fit, but have not been tested for safety and effectiveness. Use only Jackson Safety* Brand replacement headgear specifically designed for your hard hat model. Headgear from other manufacturers (or Jackson Safety* Brand headgear designed for other models) will not provide proper impact protection even if it fits in the shell. Do not use for sporting or recreational activities.

WELDING HELMET AND/OR FILTER

Must always be worn with impact-resistant safety spectacles or goggles. Use the specified Jackson Safety* Brand safety plate in front of the welding

filter. Use the specified Jackson Safety* Brand internal safety plate when using an auto-darkening filter. Keep a safety plate in the fixed portion of a lift-front helmet. Our welding helmets and/or filters are not intended to protect against spatter and rays created during direct overhead welding. Our helmets and/or filters are not suitable for lasers, or low energy (below 5 amps) welding. Our helmets and/or filters are not suitable for oxyacetylene torching or plasma cutting applications unless equipped with the "Torch" mode setting on the auto-darkening filter.

WELDING BLANKETS

Do not use a welding blanket for personal protection. Use only to cover work surfaces for welding. Blanket contains fibrous glass that may cause skin irritation from contact. Wear long-sleeved, loose-fitting clothing when handling. Wash skin with soap and water after contact. Do not use for any purpose other than as a welding blanket. Do not use when wet, because blanket will conduct electricity and heat. Do not allow contact with flammable liquids that would ignite if exposed to sparks.

WELDING CURTAINS

Do not use a welding curtain in place of goggles or other suitable eye protection. Do not use for any purpose other than as a welding curtain.

Kimberly-Clark warrants that its products (1) comply with K-C's standard specifications as of the delivery date to K-C's authorized distributors/direct purchasers and are warranted for the following periods from end user's date of purchase (verified by valid sales receipt) (a) five years for Balder Technology auto darkening filters; (b) two years for all other auto darkening filters; and (c) one year for powered air purifying respirators; (2) comply with all K-C labeling representations; and (3) are manufactured in compliance with all applicable federal, state, and local laws in effect at the time and place of manufacture of the products. **THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** K-C is not liable for any kind of special, incidental, or consequential damages. K-C's liability for breach of contract, tort or other cause of action shall not exceed the product purchase price. Purchasers and users are deemed to have accepted the above warranty and limitation of liability, and cannot change the terms by verbal agreement or by any writing not signed by K-C. To the extent required by applicable law, K-C does not limit its liability for death/injury resulting from K-C's negligence.

®/™Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. The Color Grey is a Trademark of KCWW. The Color Purple is a Registered Trademark of KCWW. © KCWW. Nomex, Tychem and Tyvek are registered trademarks of E.I. DuPont de Nemours and Company. Proban® is a registered trademark of Rhodia Recherches Et Technologies. Dyneema is a registered trademark of Royal DSM N.V. Saranex is a registered trademark of The Dow Chemical Company. Smith & Wesson® is a registered trademark of Smith & Wesson Corp. used under license by Jackson Safety* Brand.
176 C14-128