

Material Safety Data Sheet

HAZARD WARNINGS	RISK PHRASES	PROTECTIVE CLOTHING
 	Harmful compound, minimize exposure. Irritating to skin, eyes, and the respiratory system. Hygroscopic -- keep container tightly sealed. Possible teratogen.	

Section I. Chemical Product and Company Identification

Chemical Name	2-Ethyl-1,3-hexanediol (mixture of diastereoisomers)		
Catalog Number	E0119	Supplier	TCI America 9211 N. Harborage St. Portland OR 1-800-423-8616
Synonym	Octylene Glycol		
Chemical Formula	CH ₃ CH ₂ CH ₂ CH(OH)CH(C ₂ H ₅)CH ₂ OH		
CAS Number	94-96-2	In case of Emergency Call	Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International)

Section II. Composition and Information on Ingredients

Chemical Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
2-Ethyl-1,3-hexanediol (mixture of diastereoisomers)	94-96-2	Min. 98.0(GC)	This compound is classified as a possible teratogen. There is no acceptable exposure limit for a teratogen.	Rat LD ₅₀ (oral) 1400mg/kg Rabbit LD ₅₀ (dermal) 2gm/kg Mouse LD ₅₀ (oral) 1900mg/kg

Section III. Hazards Identification

Acute Health Effects	Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.
Chronic Health Effects	CARCINOGENIC EFFECTS : Not available. MUTAGENIC EFFECTS : Not available. TERATOGENIC EFFECTS : REPRODUCTIVE EFFECTS: Rat TDLo (oral) 20gm/kg, female, 6-15 Days of pregnancy. Toxic Effects: Effects on Fertility- Post implantation mortality. Effects on Embryo or Fetus- Fetotoxicity. Specific Developmental Abnormalities- Musculoskeletal system. Rat TDLo (oral) 20gm/kg, female, 6-15 Days of pregnancy. Toxic Effects: Specific Developmental Abnormalities- Other developmental abnormalities. Rat TDLo (skin) 40ml/kg, female, 6-15 Days of pregnancy. Toxic Effects: Maternal Effects- Other effects. Specific Developmental Abnormalities- Musculoskeletal system. Specific Developmental Abnormalities- Urogenital system. DEVELOPMENTAL TOXICITY Not available. Repeated or prolonged exposure to this compound is not known to aggravate existing medical conditions.

Section IV. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.
Ingestion	INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive.

Section V. Fire and Explosion Data

Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.
Flash Points	130°C (266°F).	Flammable Limits	Not available.
Combustion Products	These products are toxic carbon oxides (CO, CO ₂).		
Fire Hazards	Not available.		
Explosion Hazards	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.		
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet. Consult with local fire authorities before attempting large scale fire-fighting operations.		

Section VI. Accidental Release Measures

Spill Cleanup Instructions	Harmful material. Irritating material. Hygroscopic material. Possible teratogenic material. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning the spill by rinsing any contaminated surfaces with copious amounts of water. Consult federal, state, and/or local authorities for assistance on disposal.
----------------------------	--

Section VII. Handling and Storage

Handling and Storage Information	HARMFUL. IRRITANT. HYGROSCOPIC. POSSIBLE TERATOGEN. Keep away from heat. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. DO NOT ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Treat symptomatically and supportively. Always store away from incompatible compounds such as oxidizing agents, reducing agents, acids.
----------------------------------	---

Section VIII. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash station and safety shower is proximal to the work-station location.
Personal Protection	Splash goggles. Lab coat. Vapor respirator. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Be sure to use a MSHA/NIOSH approved respirator or equivalent. 
Exposure Limits	This compound is classified as a possible teratogen. There is no acceptable exposure limit for a teratogen.

Section IX. Physical and Chemical Properties

Physical state @ 20°C	Liquid. (Colorless, viscous.)	Solubility	Solubility in water 0.6% wt/wt. Solubility of water in 2-Ethyl-1,3-hexanediol 10.8% wt/wt. Soluble in ethanol, isopropanol, propylene glycol, castor oil. Miscible with chloroform, diethyl ether.
Specific Gravity	0.94 (water=1)		
Molecular Weight	146.23	Partition Coefficient	Not available.
Boiling Point	244°C (471.2°F)	Vapor Pressure	<0 kPa (@ 20°C)
Melting Point	-40°C (-40°F)	Vapor Density	5.03 (Air = 1)
Refractive Index	1.4530 @ 22°C	Volatility	Not available.
Critical Temperature	Not available.	Odor	Odorless.
Viscosity	Dynamic: 271 cP	Taste	Not available.

Section X. Stability and Reactivity Data

Stability	This material is stable if stored under proper conditions. (See Section VII for instructions)
Conditions of Instability	Avoid excessive heat and light.
Incompatibilities	Reactive with strong oxidizing agents, strong reducing agents, strong acids, acid chlorides, acid anhydrides.

Section XI. Toxicological Information

RTECS Number	MO2625000
Routes of Exposure	Eye Contact. Ingestion. Inhalation.
Toxicity Data	Rat LD ₅₀ (oral) 1400mg/kg Rabbit LD ₅₀ (dermal) 2gm/kg Mouse LD ₅₀ (oral) 1900mg/kg
Chronic Toxic Effects	CARCINOGENIC EFFECTS : Not available. MUTAGENIC EFFECTS : Not available. TERATOGENIC EFFECTS : REPRODUCTIVE EFFECTS: Rat TDLo (oral) 20gm/kg, female, 6-15 Days of pregnancy. Toxic Effects: Effects on Fertility- Post implantation mortality. Effects on Embryo or Fetus- Fetotoxicity. Specific Developmental Abnormalities- Musculoskeletal system. Rat TDLo (oral) 20gm/kg, female, 6-15 Days of pregnancy. Toxic Effects: Specific Developmental Abnormalities- Other developmental abnormalities. Rat TDLo (skin) 40ml/kg, female, 6-15 Days of pregnancy. Toxic Effects: Maternal Effects- Other effects. Specific Developmental Abnormalities- Musculoskeletal system. Specific Developmental Abnormalities- Urogenital system. DEVELOPMENTAL TOXICITY Not available. Repeated or prolonged exposure to this compound is not known to aggravate existing medical conditions.
Acute Toxic Effects	Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Section XII. Ecological Information

Ecotoxicity	Not available.
Environmental Fate	Not available.

Section XIII. Disposal Considerations

Waste Disposal	Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.
----------------	---

Section XIV. Transport Information

DOT Classification	Not a DOT controlled material (United States).
PIN Number	Not applicable.
Proper Shipping Name	Not applicable.
Packing Group (PG)	Not applicable.
DOT Pictograms	

Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory (EPA)	This compound is ON the EPA Toxic Substances Control Act (TSCA) inventory list.
WHMIS Classification (Canada)	Not available.
EINECS Number (EEC)	202-377-9
EEC Risk Statements	R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin. R46- May cause heritable genetic damage. R47- May cause birth defects.
Japanese Regulatory Data	Not available.

Section XVI. Other Information**Version 1.0****Validated on 8/6/2003.****Printed 2/16/2005.****Notice to Reader**

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 2/16/2005.