

# Material Safety Data Sheet

HAZARD WARNINGS	RISK PHRASES	PROTECTIVE CLOTHING
 	Corrosive to eyes and skin on contact. Harmful compound, minimize exposure. Moisture sensitive material. <b>POSSIBLE MUTAGEN. MINIMIZE EXPOSURE.</b>	

## Section I. Chemical Product and Company Identification

Chemical Name	<b>Triethylenetetramine</b>		
Catalog Number	T0429	Supplier	TCl America 9211 N. Harborgate St. Portland OR 1-800-423-8616
Synonym	1,2-Ethanediamine, N,N'-bis(2-aminoethyl)- (9CI)		
Chemical Formula	C <sub>6</sub> H <sub>18</sub> N <sub>4</sub>		
CAS Number	112-24-3	In case of Emergency Call	<b>Chemtrec®</b> <b>(800) 424-9300 (U.S.)</b> <b>(703) 527-3887 (International)</b>

## Section II. Composition and Information on Ingredients

Chemical Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
Triethylenetetramine	112-24-3	Min. 70.0 (GC)	This compound is classified as a possible mutagen. There is no acceptable exposure limit for a mutagen.	Rat LD <sub>50</sub> (oral) 2500 mg/kg Mouse LD <sub>50</sub> (oral) 1600 mg/kg Rabbit LD <sub>50</sub> (oral) 5500 mg/kg Rabbit LD <sub>50</sub> (dermal) 805 mg/kg

## Section III. Hazards Identification

Acute Health Effects	Corrosive to skin, eyes, and respiratory system. Liquid or spray mist may produce tissue damage, particularly in mucous membranes of the eyes, mouth and respiratory tract. Skin contact may produce burns. Eye contact can result in corneal damage or blindness. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Corrosive materials may cause serious injury if ingested. Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.
Chronic Health Effects	<b>CARCINOGENIC EFFECTS</b> : Not available. <b>MUTAGENIC EFFECTS</b> : Not available. <b>TERATOGENIC EFFECTS</b> : Not available. <b>DEVELOPMENTAL TOXICITY</b> Reproductive Effects. Rat TDLo Oral 9130 mg/kg, female 1-22 days of pregnancy <b>TOXIC Effects:</b> Effects on Fertility - Post-implantation mortality Specific Developmental Abnormalities - Homeostasis Specific Developmental Abnormalities - Other Developmental abnormalities Rat TDLo Oral 17430 mg/kg, female 1-21 days of pregnancy <b>TOXIC Effects:</b> Effects on Fertility - Post-implantation mortality Effects on Embryo or Fetus - Fetotoxicity Rat TDLo Oral 8715 mg/kg, female 1-21 days of pregnancy <b>TOXIC Effects:</b> Specific Developmental Abnormalities - Musculoskeletal system Specific Developmental Abnormalities - Homeostasis Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

## Section IV. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.
Ingestion	DO NOT INDUCE VOMITING. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive.

**Section V. Fire and Explosion Data**

Flammability	May be combustible at high temperature.	Auto-Ignition	338°C (640.4°F)
Flash Points	143°C (289.4°F).	Flammable Limits	Not available.
Combustion Products	These products are toxic carbon oxides (CO, CO <sub>2</sub> ), nitrogen oxides (NO, NO <sub>2</sub> ).		
Fire Hazards	Not available.		
Explosion Hazards	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.		
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet. Consult with local fire authorities before attempting large scale fire-fighting operations.		

**Section VI. Accidental Release Measures**

Spill Cleanup Instructions	Corrosive material. Harmful material. Moisture sensitive material. Possibly mutagenic material. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. DO NOT get water inside container. DO NOT touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all sources of ignition. Consult federal, state, and/or local authorities for assistance on disposal.
----------------------------	---

**Section VII. Handling and Storage**

Handling and Storage Information	CORROSIVE. HARMFUL. MOISTURE SENSITIVE. POSSIBLE MUTAGEN. Keep container dry. Keep away from heat. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. Wear suitable protective clothing. If you feel unwell, seek medical attention and show the label when possible. Treat symptomatically and supportively. Always store away from incompatible compounds such as oxidizing agents.
----------------------------------	--

**Section VIII. Exposure Controls/Personal Protection**

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash station and safety shower is proximal to the work-station location.
Personal Protection	Splash goggles. Lab coat. Vapor respirator. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
	
Exposure Limits	This compound is classified as a possible mutagen. There is no acceptable exposure limit for a mutagen.

**Section IX. Physical and Chemical Properties**

Physical state @ 20°C	Liquid. (clear light yellow)	Solubility	Miscible with ether, alcohol, water.
Specific Gravity	0.98 (water=1)		
Molecular Weight	146.23	Partition Coefficient	Not available.
Boiling Point	266°C (510.8°F)	Vapor Pressure	<0.01 mmHg (@ 20°C)
Melting Point	12°C (53.6°F)	Vapor Density	5 (Air = 1)
Refractive Index	1.4950 to 1.5010	Volatility	Not available.
Critical Temperature	Not available.	Odor	Ammonia-like
Viscosity	Not available.	Taste	Not available.

**Section X. Stability and Reactivity Data**

Stability	This material is stable if stored under proper conditions. (See Section VII for instructions)
Conditions of Instability	Avoid excessive heat and light.
Incompatibilities	Reactive with oxidizing agents.

**Section XI. Toxicological Information**

RTECS Number	YE6650000
Routes of Exposure	Eye Contact. Ingestion. Inhalation.
Toxicity Data	Rat LD <sub>50</sub> (oral) 2500 mg/kg Mouse LD <sub>50</sub> (oral) 1600 mg/kg Rabbit LD <sub>50</sub> (oral) 5500 mg/kg Rabbit LD <sub>50</sub> (dermal) 805 mg/kg
Chronic Toxic Effects	<b>CARCINOGENIC EFFECTS</b> : Not available. <b>MUTAGENIC EFFECTS</b> : Not available. <b>TERATOGENIC EFFECTS</b> : Not available. <b>DEVELOPMENTAL TOXICITY</b> Reproductive Effects. Rat TDLo Oral 9130 mg/kg, female 1-22 days of pregnancy TOXIC Effects: Effects on Fertility - Post-implantation mortality Specific Developmental Abnormalities - Homeostasis Specific Developmental Abnormalities - Other Developmental abnormalities Rat TDLo Oral 17430 mg/kg, female 1-21 days of pregnancy TOXIC Effects: Effects on Fertility - Post-implantation mortality Effects on Embryo or Fetus - Fetotoxicity Rat TDLo Oral 8715 mg/kg, female 1-21 days of pregnancy TOXIC Effects: Specific Developmental Abnormalities - Musculoskeletal system Specific Developmental Abnormalities - Homeostasis Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.
Acute Toxic Effects	Corrosive to skin, eyes, and respiratory system. Liquid or spray mist may produce tissue damage, particularly in mucous membranes of the eyes, mouth and respiratory tract. Skin contact may produce burns. Eye contact can result in corneal damage or blindness. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Corrosive materials may cause serious injury if ingested. Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

**Section XII. Ecological Information**

Ecotoxicity	Not available.
Environmental Fate	Not available.

**Section XIII. Disposal Considerations**

Waste Disposal	Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.
----------------	---

**Section XIV. Transport Information**

DOT Classification	DOT Class 8: Corrosive material
PIN Number	UN2259
Proper Shipping Name	Triethylenetetramine
Packing Group (PG)	II
DOT Pictograms	

**Section XV. Other Regulatory Information and Pictograms**

TSCA Chemical Inventory (EPA)	This compound is <b>ON</b> the EPA Toxic Substances Control Act (TSCA) inventory list.
WHMIS Classification (Canada)	CLASS E: Corrosive liquid. On DSL
EINECS Number (EEC)	203-950-6
EEC Risk Statements	R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. r34- Causes burns.
Japanese Regulatory Data	ENCS No. 2-163

**Section XVI. Other Information****Version 1.0****Validated on 7/23/2008.****Printed 7/23/2008.****Notice to Reader**

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 7/23/2008.