



Description

- Environmental Label

Product Certifications



Product Details

|                 |         |
|-----------------|---------|
| Folded length   | 4 in    |
| Unfolded Width  | 8.3 in  |
| Folded width    | 8.3 in  |
| Unfolded length | 16.1 in |
| Ply             | 1       |
| Embossing       | No      |
| Print           | No      |
| System          | W24     |
| Color           | White   |

Shipping Data

|                    | Consumer Units (CON) | Transport unit (TRP) | Pallet (PAL)   |
|--------------------|----------------------|----------------------|----------------|
| EAN                | 73286651396          | 10073286651393       | 7322541031064  |
| Packaging Material | Box                  | Carton               | -              |
| Pieces             | 100                  | 1000 (10 CON)        | 40000 (40 TRP) |
| Height             | 8.62 in              | 9.49 in              | 95 in          |
| Length             | 4.49 in              | 23.86 in             | 47.75 in       |
| Width              | 8.27 in              | 18.39 in             | 36.75 in       |
| Gross Weight       | 1.03 lb              | 15.51 lb             | 620.47 lb      |
| Net Weight         | 1.03 lb              | 10.34 lb             | 413.64 lb      |
| Volume             | 0.19 ft              | 2.41 ft              | 96.47 ft       |
| Layers Per Pallet  | -                    | -                    | 10             |
| TRP Per Layer      | -                    | -                    | 4              |

## Compatible Products



DISP W24 POP-UP BRACKET BLK 6/CS  
2083281

## Environmental Information

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Raw materials                                     | Cellulose pulp<br><br>Polyester<br><br>Polypropylene<br><br>Functional agents or additives                                                                                                                                                                                                                                                                                                            |
| Cellulose Pulp                                    | Cellulose pulp is produced either from softwood or hardwood coming from responsibly managed forests. The wood chips are boiled together with chemicals to remove the lignin between the fibers. The pulp is TCF (Totally Chlorine Free) or ECF (Elementary Chlorine Free) bleached in order to achieve a clean, bright and strong product, but also to increase the hygienic and absorbent qualities. |
| Polyester                                         | Polyester fiber is produced from terephthalic acid and ethylene glycol, which react through condensation to polyester resin. The molten resin is spun to fibers through spinnerets and cooled with air. The fibers are then cut to intended fiber length.                                                                                                                                             |
| Polypropylene                                     | Polypropylene or polypropene is a thermoplastic polymer made from oil. The moten resin is spun to endless fibers through spinnerets and cooled by air. The fibers form a web.                                                                                                                                                                                                                         |
| Functional agents and additives                   | Functional additives could be wet strength agent, antistatic agent and wetting additives /tensides.                                                                                                                                                                                                                                                                                                   |
| Packaging                                         | Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes                                                                                                                                                                                                                                                                                                                                 |
| Article creation date and latest article revision | Date of issue: 19-04-2019<br>Revision date: 28-08-2025                                                                                                                                                                                                                                                                                                                                                |
| Production                                        | This product is produced at Subcontractors - US mill.                                                                                                                                                                                                                                                                                                                                                 |
| Disposal/destruction of used product              | This product is mainly used for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled/disposed of/destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.                       |



Think ahead.

# Tork Cleaning Cloth

510176

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA