




Tork Premium Bath Tissue Roll, 2-Ply

2465110

Think ahead.



Description

Tork Premium 2-Ply Bath Tissue is an ultra soft and absorbent premium bath tissue that delivers quality, value and performance.

- Luxurious; extra soft tissue with high brightness for a lasting impression
- Premium decor embossing for a nice look and more bulky feel
- Individually wrapped rolls for hygiene and cleanliness
- Tork bath tissue has rapid breakup, ideal for all plumbing systems

Product Certifications



Product Details

Embossing	Yes
Print	No
Roll diameter	4.4 in
Roll length	140.62 null
Ply	2
Roll width	4 in
Core inside diameter	1.7 in
System	T24
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286661166	10073286661163	7322541342115
Packaging Material	Banderole	Carton	-
Pieces	1	80 (80 CON)	2880 (36 TRP)
Height	4.41 in	16.73 in	100.5 in
Length	4.02 in	22.01 in	51.75 in
Width	4.41 in	17.76 in	44 in
Gross Weight	0.28 lb	23.75 lb	854.86 lb
Net Weight	0.28 lb	22 lb	792 lb
Volume	0.05 ft	3.78 ft	132.43 ft
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	6



Think ahead.

Tork Premium Bath Tissue Roll, 2-Ply

2465110

Compatible Products



DISP T24 CBT 2-ROLL SMOKE 1/CS
55TR



DISP T24 2RL HORIZ CBT SMOKE 1/CS
59TR

Environmental Information

Content

The product is made from

- Virgin pulp
- Recycled fibers
- Chemicals

The packaging material is made from paper or plastic.

Material

Virgin fibers and recovered paper

In the tissue process both virgin fibers and recovered paper are being used. The choice of pulp is made based on product requirements and pulp availability so the pulp is used in the most efficient way.

Recycling of paper is an efficient use of resources as the wood fibers are used more than once.

High demands are put on quality and purity of recovered fibers, considering each step of the chain (collection, sorting, transportation, storage, use), to ensure safe and hygienic products.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)

Tork Premium Bath Tissue Roll, 2-Ply

2465110

- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use a water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibers we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 24-08-2020 Revision date: 03-07-2025
Production	This product is produced at Essity Professional Hygiene NA Blending - US mill.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA