

Tork Xpress Compressed Multifold Hand Towel, 3-panel

420590



Description

Tork Xpress Compressed Premium 3-Panel Multifold Hand Towels are high-performance towels, which mean customers use less, resulting in greater cost savings and reduced waste. Compressed multifold design provides increased dispenser capacity and increased space storage savings. Ideal for low-medium traffic washrooms, fits small spaces and provides both comfort and hygiene to your guests. Structured Towel.

- Compressed hand towels for increased capacity, reducing maintenance time required
- Embossing enhances hand feel and maximizes absorbency
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Attractive Tork Leaf décor: designed to make a great impression
- Easy Handling USP

Product Certifications



Product Details

Print	Yes
Unfolded Width	8.3 in
Folded width	8.3 in
Embossing	Yes
Folded length	3.2 in
Ply	1
Unfolded length	9.5 in
System	H2
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286668103	10073286668100	7322542454206
Packaging Material	Sleeve	Carton	-
Pieces	200	2400 (12 CON)	324000 (135 TRP)
Height	2.99 in	9.13 in	82.13 in
Length	3.15 in	13.62 in	49.38 in
Width	8.31 in	9.88 in	40.88 in
Gross Weight	0.85 lb	10.23 lb	1,380.98 lb
Net Weight	0.78 lb	9.37 lb	1,264.82 lb
Volume	0.05 ft	0.71 ft	95.92 ft
Layers Per Pallet	-	-	9
TRP Per Layer	-	-	15

Tork Xpress Compressed Multifold Hand Towel, 3-panel

420590

Compatible Products



DISP H2 HAND TWL INTERFOLD
WHT 1/CS
553020



DISP H2 HAND TWL INTERFOLD
BLK 1/CS
553028



DISP H2 HAND TWL MINI INTERFOLD
WHT 1/CS
553120



DISP H2 ELEV XPRESS MINI BLK
1/CS
553128

Environmental Information

Content

The product is made from

Virgin pulp

The packaging material is made from paper or plastic.

Material

Virgin fibers

There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Virgin pulp fibers are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibers are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibers and the aim is to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

Tork Xpress Compressed Multifold Hand Towel, 3-panel

420590

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 23-05-2024 Revision date: 17-06-2025
Production	This product is produced at Harrodsburg - US mill.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA