



Description

Tork Universal Bath Tissue Roll with OptiCore® features patented two-part core technology and offers a unique combination of capacity, waste reduction, and quality. This quality tissue is 100% recycled and exceeds EPA guidelines for post-consumer waste. This embossed tissue is made with de-inking and bleaching processes free of chlorine and other harmful chemicals as well as features more than a 25% reduction in core material for environmentally preferable packaging. This high-capacity tissue is designed for government or other facilities that have mandates to be green.

- 25% less core material promotes environmental responsibility.
- OptiCore® technology reduces waste and cost by ensuring maximum use of each roll.
- High capacity: less maintenance and reduced risk of paper shortage
- Tork bath tissue has rapid breakup, ideal for all plumbing systems
- Environmental Label

Product Certifications



Product Details

System	T11
--------	-----

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	73286639264	10073286639261	7322542698068
Packaging Material	Roll	Carton	-
Pieces	1	36 (36 CON)	1728 (48 TRP)
Height	5.59 in	11.73 in	94 in
Length	3.82 in	21.89 in	49.88 in
Width	5.59 in	16.61 in	43.75 in
Gross Weight	0.54 lb	21 lb	1,008.06 lb
Net Weight	0.54 lb	19.57 lb	939.39 lb
Volume	0.07 ft	2.47 ft	118.7 ft
Layers Per Pallet	-	-	8
TRP Per Layer	-	-	6

Compatible Products



DISP T11 TWIN SS BT BLK 1/CS
565728



DISP T11 3 ROL BT BLK 1/CS
565828



PRLNKE DSPT11 RLBTHTS(80300)BLK1/CS
WP80390

Environmental Information

Content

The product is made from

Recycled fibers
Chemicals

The packaging material is made from paper or plastic.

Material

Recycled fibers

Recycling of paper is an efficient use of resources as the wood fibers are used more than once.

High demands are put on quality and purity of recovered fibers, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Bleaching is a cleaning process of the fibers that is often used. The aim is then to achieve a bright pulp, but also to get a certain purity of the fiber in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). Except for Natural Napkins that are unbleached.

For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For colored papers dyes and fixatives (to secure perfect fastness of the color) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

Tork Universal Bath Tissue Roll with OptiCore®

161990

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibers we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 19-04-2019 Revision date: 12-05-2025
Production	This product is produced at Harrodsburg - US mill.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity North America Inc., Cira Centre, Suite 2600 2929 Arch Street, Philadelphia, PA 19104, USA