



|                        |               |                               |            |
|------------------------|---------------|-------------------------------|------------|
| <b>EAN:</b>            | 4013288098061 | <b>Size:</b>                  | 63x18x3 mm |
| <b>Part number:</b>    | 05133152001   | <b>Weight:</b>                | 3 g        |
| <b>Article number:</b> | 950 PKS       | <b>Country of origin:</b>     | CZ         |
|                        |               | <b>Customs tariff number:</b> | 82041100   |

- L-keys for hexagonal socket screws
- Hexagonal ballpoint on the long arm
- Short design for particularly confined screwdriving situations
- Hexagonal socket wrench with Hex-Plus advantage for a longer screw life
- High corrosion protection thanks to chrome-plating

High quality L-key with extra-short arm for use on difficult-to-access screws; for hexagon socket screws. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. The ballpoint on the long arm allows dependable working even in difficult installation situations. The precise chrome-plated design ensures high corrosion protection. Laser-engraved and thereby wear-resistant size markings on the L-keys for rapid accessing.

**Web link**  
<https://www.wera.de/en/05133152001>

Wera - 950 PKS  
05133152001 - 4013288098061

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

## Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

## Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

## Size identification



The size of each L-key has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

## Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

## Web link

<https://www.wera.de/en/05133152001>

Wera - 950 PKS

05133152001 - 4013288098061

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

Further versions in this product family:

|                           |  |  |  |  |  |
|---------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                           | mm                                                                                | mm                                                                                | mm                                                                                | inch                                                                                | inch                                                                                |
| 05133150001 <sup>1)</sup> | 1.5                                                                               | 50                                                                                | 14                                                                                | 2"                                                                                  | 9/16"                                                                               |
| 05133151001               | 2.0                                                                               | 56                                                                                | 16                                                                                | 2 7/32"                                                                             | 5/8"                                                                                |
| <b>05133152001</b>        | <b>2.5</b>                                                                        | <b>63</b>                                                                         | <b>18</b>                                                                         | <b>2 1/2"</b>                                                                       | <b>23/32"</b>                                                                       |
| 05133153001               | 3.0                                                                               | 71                                                                                | 20                                                                                | 2 3/4"                                                                              | 25/32"                                                                              |
| 05133154001               | 4.0                                                                               | 80                                                                                | 22                                                                                | 3"                                                                                  | 29/32"                                                                              |
| 05133155001               | 5.0                                                                               | 90                                                                                | 25                                                                                | 3 1/2"                                                                              | 1"                                                                                  |
| 05133156001               | 6.0                                                                               | 100                                                                               | 28                                                                                | 4"                                                                                  | 1 3/32"                                                                             |
| 05133157001               | 8.0                                                                               | 112                                                                               | 32                                                                                | 4 7/16"                                                                             | 1 1/4"                                                                              |
| 05133158001               | 10.0                                                                              | 125                                                                               | 36                                                                                | 5"                                                                                  | 1 5/16"                                                                             |

1) Regular hexagon

## Web link

<https://www.wera.de/en/05133152001>

Wera - 950 PKS

05133152001 - 4013288098061

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)